



STAINLESS STEEL LINEAR DRAINS



- 1** ALU grid for gluing tiles (paving, glass, stainless steel, ...)
- 2** Height adjustable support leg
- 3** Additional pad for supporting legs, 5 mm
- 4** Waterproofing insulation
- 5** Water level insert
- 6** Silicon water level
- 7** Height adjustable legs
- 8** Pressed body without welding DIN 1.4401 AISI 316
- 9a** Swivel siphon D50
- 9b** Siphon D40




SIPHON D 40

STAINLESS STEEL LINEAR FLOOR DRAIN WITH SIDE OUTLET D40 AND WATERPROOF MEMBRANE




» Flow rate: 30-34 l/min. | Lowest installation height: 62 mm | Outlet diameter: 40 mm



✓ The package also includes
stainless steel adjustable supports

DRAIN DIMENSIONS

L [mm]		700	800	900
L1 [mm]		735	835	936
L2 [mm]		1000	1100	1200
Weight [kg/pc]	ALU grid	1,58	1,71	1,85
Weight [kg/pc]	ALU grid + stainless steel	1,99	2,17	2,36



PART NUMBER



ALU grid for gluing tiles (glass)




ALU grid + stainless steel 1,5 mm

700 mm	CH N 7001	CH N 7005
800 mm	CH N 8001	CH N 8005
900 mm	CH N 9001	CH N 9005

STAINLESS STEEL LINEAR FLOOR DRAIN WITH SIDE OUTLET D40





» Flow rate: 30-34 l/min. | Lowest installation height: 62 mm | Outlet diameter: 40 mm



✓ The package also includes stainless steel adjustable supports

DRAIN DIMENSIONS				
L [mm]		700	800	900
L1 [mm]		800	900	1000
Weight [kg/pc]	ALU grid	1,97	2,17	2,63
Weight [kg/pc]	ALU grid + stainless steel	2,38	2,63	2,87



PART NUMBER



ALU grid for gluing tiles (glass)




ALU grid + stainless steel 1,5 mm

700 mm	CH N 7002	CH N 7006
800 mm	CH N 8002	CH N 8006
900 mm	CH N 9002	CH N 9006

STAINLESS STEEL LINEAR FLOOR DRAIN WITH SWIVEL SIDE SIPHON D50 AND WATERPROOF MEMBRANE




» Flow rate: 46-50 l/min. | Lowest installation height: 70 mm | Outlet diameter: 50 mm



✓ The package also includes stainless steel adjustable supports

DRAIN DIMENSIONS

L [mm]		700	800	900
L1 [mm]		735	835	936
L2 [mm]		1000	1100	1200
Weight [kg/pc]	ALU grid	1,78	1,94	2,10
Weight [kg/pc]	ALU grid + stainless steel	2,19	2,40	2,58



PART NUMBER



ALU grid for gluing tiles (glass)




ALU grid + stainless steel 1,5 mm

700 mm	CH N 7003	CH N 7007
800 mm	CH N 8003	CH N 8007
900 mm	CH N 9003	CH N 9007


STAINLESS STEEL LINEAR FLOOR DRAIN WITH SWIVEL SIDE SIPHON D50




» Flow rate: 46-50 l/min. | Lowest installation height: 70 mm | Outlet diameter: 50 mm



DRAIN DIMENSIONS				
L [mm]		700	800	900
L1 [mm]		800	900	1000
Weight [kg/pc]	ALU grid	2,17	2,40	2,58
Weight [kg/pc]	ALU grid + stainless steel	2,58	2,85	3,10



PART NUMBER



ALU grid for gluing tiles (glass)

700 mm	CH N 7004
800 mm	CH N 8004
900 mm	CH N 9004



ALU grid + stainless steel 1,5 mm

CH N 7008
CH N 8008
CH N 9008

STAINLESS STEEL LINEAR FLOOR DRAIN WITH PLASTIC SWIVEL SIDE SIPHON D50




» Flow rate: 42-48 l/min. | Lowest installation height: 59 mm | Outlet diameter: 50 mm



DRAIN DIMENSIONS

L [mm]	650	750	850	950	1050	1200
L1 [mm]	700	800	900	1000	1100	1250
L2 [mm]	595	695	795	895	995	1145
Weight [kg/pc]	2,54	2,80	2,98	3,32	3,55	4,03




PART NUMBER

	LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
gloss	CH NA 650 L	CH NA 650 H	CH NA 650 S	CH NA 650 D	CH NA 650 M	CH NA 650 K
matte	CH NA 650 L 1	CH NA 650 H 1	CH NA 650 S 1	CH NA 650 D 1	CH NA 650 M 1	CH NA 650 K 1
gloss	CH NA 750 L	CH NA 750 H	CH NA 750 S	CH NA 750 D	CH NA 750 M	CH NA 750 K
matte	CH NA 750 L 1	CH NA 750 H 1	CH NA 750 S 1	CH NA 750 D 1	CH NA 750 M 1	CH NA 750 K 1
gloss	CH NA 850 L	CH NA 850 H	CH NA 850 S	CH NA 850 D	CH NA 850 M	CH NA 850 K
matte	CH NA 850 L 1	CH NA 850 H 1	CH NA 850 S 1	CH NA 850 D 1	CH NA 850 M 1	CH NA 850 K 1
gloss	CH NA 950 L	CH NA 950 H	CH NA 950 S	CH NA 950 D	CH NA 950 M	CH NA 950 K
matte	CH NA 950 L 1	CH NA 950 H 1	CH NA 950 S 1	CH NA 950 D 1	CH NA 950 M 1	CH NA 950 K 1
gloss	CH NA 1050 L	CH NA 1050 H	CH NA 1050 S	CH NA 1050 D	CH NA 1050 M	CH NA 1050 K
matte	CH NA 1050 L 1	CH NA 1050 H 1	CH NA 1050 S 1	CH NA 1050 D 1	CH NA 1050 M 1	CH NA 1050 K 1
gloss	CH NA 1200 L	CH NA 1200 H	CH NA 1200 S	CH NA 1200 D	CH NA 1200 M	CH NA 1200 K
matte	CH NA 1200 L 1	CH NA 1200 H 1	CH NA 1200 S 1	CH NA 1200 D 1	CH NA 1200 M 1	CH NA 1200 K 1

STAINLESS STEEL LINEAR FLOOR DRAIN WITH PLASTIC SWIVEL HEIGHT ADJUST. SIDE SIPHON D50




» Flow rate: 42-48 l/min. | Lowest installation height: 64 mm | Outlet diameter: 50 mm



DRAIN DIMENSIONS


L [mm]	650	750	850	950	1050	1200
L1 [mm]	700	800	900	1000	1100	1250
L2 [mm]	595	695	795	895	995	1145
Weight [kg/pc]	2,54	2,80	2,98	3,32	3,55	4,03



PART NUMBER

	LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
gloss	CH N 650 L	CH N 650 H	CH N 650 S	CH N 650 D	CH N 650 M	CH N 650 K
matte	CH N 650 L 1	CH N 650 H 1	CH N 650 S 1	CH N 650 D 1	CH N 650 M 1	CH N 650 K 1
gloss	CH N 750 L	CH N 750 H	CH N 750 S	CH N 750 D	CH N 750 M	CH N 750 K
matte	CH N 750 L 1	CH N 750 H 1	CH N 750 S 1	CH N 750 D 1	CH N 750 M 1	CH N 750 K 1
gloss	CH N 850 L	CH N 850 H	CH N 850 S	CH N 850 D	CH N 850 M	CH N 850 K
matte	CH N 850 L 1	CH N 850 H 1	CH N 850 S 1	CH N 850 D 1	CH N 850 M 1	CH N 850 K 1
gloss	CH N 950 L	CH N 950 H	CH N 950 S	CH N 950 D	CH N 950 M	CH N 950 K
matte	CH N 950 L 1	CH N 950 H 1	CH N 950 S 1	CH N 950 D 1	CH N 950 M 1	CH N 950 K 1
gloss	CH N 1050 L	CH N 1050 H	CH N 1050 S	CH N 1050 D	CH N 1050 M	CH N 1050 K
matte	CH N 1050 L 1	CH N 1050 H 1	CH N 1050 S 1	CH N 1050 D 1	CH N 1050 M 1	CH N 1050 K 1
gloss	CH N 1200 L	CH N 1200 H	CH N 1200 S	CH N 1200 D	CH N 1200 M	CH N 1200 K
matte	CH N 1200 L 1	CH N 1200 H 1	CH N 1200 S 1	CH N 1200 D 1	CH N 1200 M 1	CH N 1200 K 1

SPARE PARTS



Plastic body drain without grid D40

Dimension L [mm]	Part Nr. (gray)	Part Nr. (black)
350	CH 350/1	CH 350/1 C
450	CH 450/1	CH 450/1 C
550	CH 550/1	CH 550/1 C
650	CH 650/1	CH 650/1 C
750	CH 750/1	CH 750/1 C
850	CH 850/1	CH 850/1 C
950	CH 950/1	CH 950/1 C



Plastic body drain with stainless steel frame without grid D40

Dimension L [mm]	Part number
350	CH 350/1 N
450	CH 450/1 N
550	CH 550/1 N
650	CH 650/1 N
750	CH 750/1 N
850	CH 850/1 N
950	CH 950/1 N



Plastic body drain to the wall without grid D40

Dimension L [mm]	Part Nr. (gray)	Part Nr. (black)
350	CH 350/2	CH 350/2 C
450	CH 450/2	CH 450/2 C
650	CH 650/2	CH 650/2 C
750	CH 750/2	CH 750/2 C
850	CH 850/2	CH 850/2 C
950	CH 950/2	CH 950/2 C



Plastic body drain to the wall with stainless steel frame without grid D40

Dimension L [mm]	Part number
350	CH 350/2 N
450	CH 450/2 N
650	CH 650/2 N
750	CH 750/2 N
850	CH 850/2 N



Plastic body drain without grid, bottom outlet D40

Dimension L [mm]	Part Nr. (gray)	Part Nr. (black)
650	CH 650/S40	CH 650/S40 C
750	CH 750/S40	CH 750/S40 C
850	CH 850/S40	CH 850/S40 C
950	CH 950/S40	CH 950/S40 C
1050	CH 1050/S40	CH 1050/S40 C



Plastic body drain with stainless steel frame without grid, bottom outlet D40

Dimension L [mm]	Part number
650	CH 650/S40 N
750	CH 750/S40 N
850	CH 850/S40 N
950	CH 950/S40 N
1050	CH 1050/S40 N



Plastic body drain without grid D50

Dimension L [mm]	Part Nr. (gray)	Part Nr. (black)
650	CH 650/50	CH 650/50 C
750	CH 750/50	CH 750/50 C
850	CH 850/50	CH 850/50 C
950	CH 950/50	CH 950/50 C
1050	CH 1050/50	CH 1050/50 C



Plastic body drain with stainless steel frame without grid D50

Dimension L [mm]	Part number
650	CH 650/50 N
750	CH 750/50 N
850	CH 850/50 N
950	CH 950/50 N
1050	CH 1050/50 N

SPARE PARTS



Plastic body drain without grid and siphon D50

Dimension L [mm]	Part Nr. (gray)	Part Nr. (black)
650	P 65	P 65 C
750	P 75	P 75 C
850	P 85	P 85 C
950	P 95	P 95 C
1050	P 105	P 105 C



Plastic body drain without grid and siphon D50, with stainless steel frame

Dimension L [mm]	Part number
650	P 65 N
750	P 75 N
850	P 85 N
950	P 95 N
1050	P 105 N



Stainless steel body with ALU grid, insulation and without siphon, Aquarius

Dimension L [mm]	Part number
700	3028
800	3029
900	3030



Stainless steel body with ALU grid, without insulation and siphon, Aquarius

Dimension L [mm]	Part number
700	3025
800	3026
900	3027



ALU rail for Aquarius incl. 4 adjustable support legs

Dimension L [mm]	Part number
700	3005
800	3006
900	3007



Stainless steel grid 1,5 mm for ALU rail

Dimension L [mm]	Part number
700	3013
800	3014
900	3015



Swivel siphon D50 with silicone membrane, Aquarius


Part number	3002
-------------	------



Swivel siphon D50, height adjustable

Part number	804/4
-------------	-------

Stainless steel grids



	LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
350 gloss	L 350	H 350	S 350	D 350	M 350	K 350
350 matte	L 350 1	H 350 1	S 350 1	D 350 1	M 350 1	K 350 1
350 black	L 350 C	H 350 C	S 350 C	D 350 C	M 350 C	K 350 C
450 gloss	L 450	H 450	S 450	D 450	M 450	K 450
450 matte	L 450 1	H 450 1	S 450 1	D 450 1	M 450 1	K 450 1
450 black	L 450 C	H 450 C	S 450 C	D 450 C	M 450 C	K 450 C
550 gloss	L 550	H 550	S 550	D 550	M 550	K 550
550 matte	L 550 1	H 550 1	S 550 1	D 550 1	M 550 1	K 550 1
550 black	L 550 C	H 550 C	S 550 C	D 550 C	M 550 C	K 550 C
650 gloss	L 650	H 650	S 650	D 650	M 650	K 650
650 matte	L 650 1	H 650 1	S 650 1	D 650 1	M 650 1	K 650 1
650 black	L 650 C	H 650 C	S 650 C	D 650 C	M 650 C	K 650 C
750 gloss	L 750	H 750	S 750	D 750	M 750	K 750
750 matte	L 750 1	H 750 1	S 750 1	D 750 1	M 750 1	K 750 1
750 black	L 750 C	H 750 C	S 750 C	D 750 C	M 750 C	K 750 C
850 gloss	L 850	H 850	S 850	D 850	M 850	K 850
850 matte	L 850 1	H 850 1	S 850 1	D 850 1	M 850 1	K 850 1
850 black	L 850 C	H 850 C	S 850 C	D 850 C	M 850 C	K 850 C
950 gloss	L 950	H 950	S 950	D 950	M 950	K 950
950 matte	L 950 1	H 950 1	S 950 1	D 950 1	M 950 1	K 950 1
950 black	L 950 C	H 950 C	S 950 C	D 950 C	M 950 C	K 950 C
1050 gloss	L 1050	H 1050	S 1050	D 1050	M 1050	K 1050
1050 matte	L 1050 1	H 1050 1	S 1050 1	D 1050 1	M 1050 1	K 1050 1
1050 black	L 1050 C	H 1050 C	S 1050 C	D 1050 C	M 1050 C	K 1050 C
1200 gloss	L 1200	H 1200	S 1200	D 1200	M 1200	K 1200
1200 matte	L 1200 1	H 1200 1	S 1200 1	D 1200 1	M 1200 1	K 1200 1

SPARE PARTS



Siphon cover	GRAY • BLACK
Part number	CH 430 • CH 430 C



Attachment D50/100	
Part number	CH 465



Sealing O-ring	
For siphon cover	CH 388/3
For attachment	CH 388/2



Flap	GRAY • BLACK
Part number	CH 432 • CH 432 C



Adjustable legs	
47 mm	CH 433
62 mm	CH 433/1
For stainless steel drain	CH 3038



Self-adhesive waterproofing membrane 1000 x 80mm	
Part number	391/7



Reducer 40/50	
Part number	CH 434



Sealing tape, width 120mm x 10m KLASIK	
Part number	391/8



Plastic hafak sifter	
For stainless steel drain (page 29)	CH 460
For plastic drain (P 65 - P 105; P 65 N - P 105 N)	CH 460 A



Strainer to catch dirt	
Strainer for LFD D40	CH 468
Strainer for LFD D50	CH 469
Strainer for LFD D40 - black	CH 468 C
Strainer for LFD D50 - black	CH 469 C

SPARE PARTS



Gasket HT D50

Part number 9810



Silicone water level D50, Aquarius

Part number 3003



Key for grid removal

Plastic CH 439

Stainless steel 387/1



Water level insert D50 Aquarius

Part number 3004



Silicone sealant for gluing tiles, 330 ml

Part number 3016



Adjustable support leg for ALU rail, 0-4 mm

Part number 3008



Additional pad for supporting legs, 5 mm

Part number 3009




Grid support for stainless steel drains

HARMONY	CH 463
SQUARE	CH 463
BASIC	CH 463
DROPS	CH 463
MEDIUM	CH 463
KLASIK	CH 462
FLOOR	CH 461

Grid support for plastic drains GRAY • BLACK

HARMONY	CH 463/1 • CH 463/1 C
SQUARE	CH 463/1 • CH 463/1 C
BASIC	CH 463/1 • CH 463/1 C
DROPS	CH 463/1 • CH 463/1 C
MEDIUM	CH 463/1 • CH 463/1 C
KLASIK	CH 462/1 • CH 462/1 C
FLOOR	CH 462/1 • CH 462/1 C





CHUDĚJ s.r.o.

Hutisko 310
756 62 Hutisko-Solanec
Czech Republic
Tel.: +420 723 126 125 • +420 571 757 745
Fax: +420 571 757 737
export@chudej.cz
WWW.CHUDEJ.EU



BIM READY

 bimproject.cloud