



All for drains



CONFIGURATOR

Try our online linear floor drain configurator
www.chudej.eu/linear-floor-drains-configurator/



VIDEOMANUAL

Installation instructions for linear floor drains
www.chudej.eu/video/



BIM PROJECT

Are you a designer or an architect?
Web BIM catalog of CHUDEJ products
www.chudej.eu/you-are-a-designer-or-an-architect/


The ideal solution for your bathroom

Linear floor drains are an accessory for everyone modern interior of bathrooms, saunas and relaxation areas. Their advantages are easy to install, maintain and use in barrier-free areas.

The package includes a 1.5 mm stainless steel grid, self-adhesive waterproofing insulation, adjustable supports, screws, dowels, plastic key for removing the stainless steel grid, strainer for dirt collection and assembly instructions.

- ☒ High flow rate
- ☒ Modern design
- ☒ Load capacity K3 – 300 kg
- ☒ Low installation height
- ☒ Double anti-odor system





25
YEARS GUARANTEE



Design for everyone

Our wide range can adorn your bathroom drains with stainless steel grille. Glossy, matte or we offer a black grid all in six versions.

Stainless steel grids are made according to DIN 1.4301 AISI 304 and they are very carefully crafted.

LINE
NEW

HARMONY

SQUARE

DROPS

MEDIUM

KLASIK / FLOOR





- 1 Stainless steel grid 1.5 mm
- 2 Siphon cover
- 3 Strainers to catch dirt
- 4 Anti-odour dry flaps
- 5 Grid supports
- 6 Connection to side D40/D50 or bottom drain D40
- 7 Height-adjustable legs
- 8 Tiles
- 9 Glue
- 10 Waterproofing coating
- 11 Waterproofing insulation

LINEAR FLOOR DRAIN WITH SIDE OUTLET D40




» Flow rate: 30-38 l/min. | Lowest installation height: 50 mm | Outlet diameter: 40 mm



DRAIN DIMENSIONS

L [mm]	350	450	550	650	750	850	950
L1 [mm]	415	515	615	715	815	915	1015
L2 [mm]	295	295	295	595	695	795	895
Weight [kg/pc]	1,04	1,19	1,32	1,71	1,85	2,02	2,20




PART NUMBER

	LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
gloss	CH 350 L	CH 350 H	CH 350 S	CH 350 D	CH 350 M	CH 350 K
matte	CH 350 L 1	CH 350 H 1	CH 350 S 1	CH 350 D 1	CH 350 M 1	CH 350 K 1
gloss	CH 450 L	CH 450 H	CH 450 S	CH 450 D	CH 450 M	CH 450 K
matte	CH 450 L 1	CH 450 H 1	CH 450 S 1	CH 450 D 1	CH 450 M 1	CH 450 K 1
gloss	CH 550 L	CH 550 H	CH 550 S	CH 550 D	CH 550 M	CH 550 K
matte	CH 550 L 1	CH 550 H 1	CH 550 S 1	CH 550 D 1	CH 550 M 1	CH 550 K 1
gloss	CH 650 L	CH 650 H	CH 650 S	CH 650 D	CH 650 M	CH 650 K
matte	CH 650 L 1	CH 650 H 1	CH 650 S 1	CH 650 D 1	CH 650 M 1	CH 650 K 1
gloss	CH 750 L	CH 750 H	CH 750 S	CH 750 D	CH 750 M	CH 750 K
matte	CH 750 L 1	CH 750 H 1	CH 750 S 1	CH 750 D 1	CH 750 M 1	CH 750 K 1
gloss	CH 850 L	CH 850 H	CH 850 S	CH 850 D	CH 850 M	CH 850 K
matte	CH 850 L 1	CH 850 H 1	CH 850 S 1	CH 850 D 1	CH 850 M 1	CH 850 K 1
gloss	CH 950 L	CH 950 H	CH 950 S	CH 950 D	CH 950 M	CH 950 K
matte	CH 950 L 1	CH 950 H 1	CH 950 S 1	CH 950 D 1	CH 950 M 1	CH 950 K 1

LINEAR FLOOR DRAIN WITH STAINLESS STEEL FRAME AND SIDE OUTLET D40




» Flow rate: 30-38 l/min. | Lowest installation height: 50 mm | Outlet diameter: 40 mm



DRAIN DIMENSIONS

L [mm]	350	450	550	650	750	850	950
L1 [mm]	415	515	615	715	815	915	1015
L2 [mm]	295	295	295	595	695	795	895
Weight [kg/pc]	1,13	1,30	1,52	1,76	2,04	2,22	2,42




PART NUMBER

	LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
gloss	CH 350 LN	CH 350 HN	CH 350 SN	CH 350 DN	CH 350 MN	CH 350 KN
matte	CH 350 LN 1	CH 350 HN 1	CH 350 SN 1	CH 350 DN 1	CH 350 MN 1	CH 350 KN 1
gloss	CH 450 LN	CH 450 HN	CH 450 SN	CH 450 DN	CH 450 MN	CH 450 KN
matte	CH 450 LN 1	CH 450 HN 1	CH 450 SN 1	CH 450 DN 1	CH 450 MN 1	CH 450 KN 1
gloss	CH 550 LN	CH 550 HN	CH 550 SN	CH 550 DN	CH 550 MN	CH 550 KN
matte	CH 550 LN 1	CH 550 HN 1	CH 550 SN 1	CH 550 DN 1	CH 550 MN 1	CH 550 KN 1
gloss	CH 650 LN	CH 650 HN	CH 650 SN	CH 650 DN	CH 650 MN	CH 650 KN
matte	CH 650 LN 1	CH 650 HN 1	CH 650 SN 1	CH 650 DN 1	CH 650 MN 1	CH 650 KN 1
gloss	CH 750 LN	CH 750 HN	CH 750 SN	CH 750 DN	CH 750 MN	CH 750 KN
matte	CH 750 LN 1	CH 750 HN 1	CH 750 SN 1	CH 750 DN 1	CH 750 MN 1	CH 750 KN 1
gloss	CH 850 LN	CH 850 HN	CH 850 SN	CH 850 DN	CH 850 MN	CH 850 KN
matte	CH 850 LN 1	CH 850 HN 1	CH 850 SN 1	CH 850 DN 1	CH 850 MN 1	CH 850 KN 1
gloss	CH 950 LN	CH 950 HN	CH 950 SN	CH 950 DN	CH 950 MN	CH 950 KN
matte	CH 950 LN 1	CH 950 HN 1	CH 950 SN 1	CH 950 DN 1	CH 950 MN 1	CH 950 KN 1

LINEAR FLOOR DRAIN TO THE WALL WITH SIDE OUTLET D40




» Flow rate: 30-38 l/min. | Lowest installation height: 50 mm | Outlet diameter: 40 mm



DRAIN DIMENSIONS

L [mm]	350	450	650	750	850	950
L1 [mm]	415	515	715	815	915	1015
L2 [mm]	295	295	595	695	795	895
Weight [kg/pc]	1,15	1,30	1,79	1,93	2,14	2,40



PART NUMBER

	LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
gloss	CH 350 L 2	CH 350 H 2	CH 350 S 2	CH 350 D 2	CH 350 M 2	CH 350 K 2
matte	CH 350 L 3	CH 350 H 3	CH 350 S 3	CH 350 D 3	CH 350 M 3	CH 350 K 3
gloss	CH 450 L 2	CH 450 H 2	CH 450 S 2	CH 450 D 2	CH 450 M 2	CH 450 K 2
matte	CH 450 L 3	CH 450 H 3	CH 450 S 3	CH 450 D 3	CH 450 M 3	CH 450 K 3
gloss	CH 650 L 2	CH 650 H 2	CH 650 S 2	CH 650 D 2	CH 650 M 2	CH 650 K 2
matte	CH 650 L 3	CH 650 H 3	CH 650 S 3	CH 650 D 3	CH 650 M 3	CH 650 K 3
gloss	CH 750 L 2	CH 750 H 2	CH 750 S 2	CH 750 D 2	CH 750 M 2	CH 750 K 2
matte	CH 750 L 3	CH 750 H 3	CH 750 S 3	CH 750 D 3	CH 750 M 3	CH 750 K 3
gloss	CH 850 L 2	CH 850 H 2	CH 850 S 2	CH 850 D 2	CH 850 M 2	CH 850 K 2
matte	CH 850 L 3	CH 850 H 3	CH 850 S 3	CH 850 D 3	CH 850 M 3	CH 850 K 3
gloss	CH 950 L 2	CH 950 H 2	CH 950 S 2	CH 950 D 2	CH 950 M 2	CH 950 K 2
matte	CH 950 L 3	CH 950 H 3	CH 950 S 3	CH 950 D 3	CH 950 M 3	CH 950 K 3

LINEAR FLOOR DRAIN TO THE WALL WITH STAINLESS STEEL FRAME AND SIDE OUTLET D40




» Flow rate: 30-38 l/min. | Lowest installation height: 50 mm | Outlet diameter: 40 mm



DRAIN DIMENSIONS

L [mm]	350	450	650	750	850	950
L1 [mm]	415	515	715	815	915	1015
L2 [mm]	295	295	595	695	795	895
Weight [kg/pc]	1,25	1,43	1,96	2,12	2,36	2,70



PART NUMBER

	LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
gloss	CH 350 LN 2	CH 350 HN 2	CH 350 SN 2	CH 350 DN 2	CH 350 MN 2	CH 350 KN 2
matte	CH 350 LN 3	CH 350 HN 3	CH 350 SN 3	CH 350 DN 3	CH 350 MN 3	CH 350 KN 3
gloss	CH 450 LN 2	CH 450 HN 2	CH 450 SN 2	CH 450 DN 2	CH 450 MN 2	CH 450 KN 2
matte	CH 450 LN 3	CH 450 HN 3	CH 450 SN 3	CH 450 DN 3	CH 450 MN 3	CH 450 KN 3
gloss	CH 650 LN 2	CH 650 HN 2	CH 650 SN 2	CH 650 DN 2	CH 650 MN 2	CH 650 KN 2
matte	CH 650 LN 3	CH 650 HN 3	CH 650 SN 3	CH 650 DN 3	CH 650 MN 3	CH 650 KN 3
gloss	CH 750 LN 2	CH 750 HN 2	CH 750 SN 2	CH 750 DN 2	CH 750 MN 2	CH 750 KN 2
matte	CH 750 LN 3	CH 750 HN 3	CH 750 SN 3	CH 750 DN 3	CH 750 MN 3	CH 750 KN 3
gloss	CH 850 LN 2	CH 850 HN 2	CH 850 SN 2	CH 850 DN 2	CH 850 MN 2	CH 850 KN 2
matte	CH 850 LN 3	CH 850 HN 3	CH 850 SN 3	CH 850 DN 3	CH 850 MN 3	CH 850 KN 3
gloss	CH 950 LN 2	CH 950 HN 2	CH 950 SN 2	CH 950 DN 2	CH 950 MN 2	CH 950 KN 2
matte	CH 950 LN 3	CH 950 HN 3	CH 950 SN 3	CH 950 DN 3	CH 950 MN 3	CH 950 KN 3

LINEAR FLOOR DRAIN WITH BOTTOM OUTLET D40




» Flow rate: 60-70 l/min. | Lowest installation height: 65 mm | Outlet diameter: 40 mm



DRAIN DIMENSIONS

L [mm]	650	750	850	950	1050
L1 [mm]	715	815	915	1015	1115
L2 [mm]	595	695	795	895	995
Weight [kg/pc]	1,75	1,86	2,14	2,32	2,45



PART NUMBER

	LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
gloss	CH 650/S40 L	CH 650/S40 H	CH 650/S40 S	CH 650/S40 D	CH 650/S40 M	CH 650/S40 K
matte	CH 650/S40 L 1	CH 650/S40 H 1	CH 650/S40 S 1	CH 650/S40 D 1	CH 650/S40 M 1	CH 650/S40 K 1
gloss	CH 750/S40 L	CH 750/S40 H	CH 750/S40 S	CH 750/S40 D	CH 750/S40 M	CH 750/S40 K
matte	CH 750/S40 L 1	CH 750/S40 H 1	CH 750/S40 S 1	CH 750/S40 D 1	CH 750/S40 M 1	CH 750/S40 K 1
gloss	CH 850/S40 L	CH 850/S40 H	CH 850/S40 S	CH 850/S40 D	CH 850/S40 M	CH 850/S40 K
matte	CH 850/S40 L 1	CH 850/S40 H 1	CH 850/S40 S 1	CH 850/S40 D 1	CH 850/S40 M 1	CH 850/S40 K 1
gloss	CH 950/S40 L	CH 950/S40 H	CH 950/S40 S	CH 950/S40 D	CH 950/S40 M	CH 950/S40 K
matte	CH 950/S40 L 1	CH 950/S40 H 1	CH 950/S40 S 1	CH 950/S40 D 1	CH 950/S40 M 1	CH 950/S40 K 1
gloss	CH 1050/S40 L	CH 1050/S40 H	CH 1050/S40 S	CH 1050/S40 D	CH 1050/S40 M	CH 1050/S40 K
matte	CH 1050/S40 L 1	CH 1050/S40 H 1	CH 1050/S40 S 1	CH 1050/S40 D 1	CH 1050/S40 M 1	CH 1050/S40 K 1

LINEAR FLOOR DRAIN WITH STAINLESS STEEL FRAME AND BOTTOM OUTLET D40




» Flow rate: 60-70 l/min. | Lowest installation height: 65 mm | Outlet diameter: 40 mm



DRAIN DIMENSIONS

L [mm]	650	750	850	950	1050
L1 [mm]	715	815	915	1015	1115
L2 [mm]	595	695	795	895	995
Weight [kg/pc]	1,89	2,04	2,34	2,54	2,69




PART NUMBER

	LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
gloss	CH 650/S40 LN	CH 650/S40 HN	CH 650/S40 SN	CH 650/S40 DN	CH 650/S40 MN	CH 650/S40 KN
matte	CH 650/S40 LN 1	CH 650/S40 HN 1	CH 650/S40 SN 1	CH 650/S40 DN 1	CH 650/S40 MN 1	CH 650/S40 KN 1
gloss	CH 750/S40 LN	CH 750/S40 HN	CH 750/S40 SN	CH 750/S40 DN	CH 750/S40 MN	CH 750/S40 KN
matte	CH 750/S40 LN 1	CH 750/S40 HN 1	CH 750/S40 SN 1	CH 750/S40 DN 1	CH 750/S40 MN 1	CH 750/S40 KN 1
gloss	CH 850/S40 LN	CH 850/S40 HN	CH 850/S40 SN	CH 850/S40 DN	CH 850/S40 MN	CH 850/S40 KN
matte	CH 850/S40 LN 1	CH 850/S40 HN 1	CH 850/S40 SN 1	CH 850/S40 DN 1	CH 850/S40 MN 1	CH 850/S40 KN 1
gloss	CH 950/S40 LN	CH 950/S40 HN	CH 950/S40 SN	CH 950/S40 DN	CH 950/S40 MN	CH 950/S40 KN
matte	CH 950/S40 LN 1	CH 950/S40 HN 1	CH 950/S40 SN 1	CH 950/S40 DN 1	CH 950/S40 MN 1	CH 950/S40 KN 1
gloss	CH 1050/S40 LN	CH 1050/S40 HN	CH 1050/S40 SN	CH 1050/S40 DN	CH 1050/S40 MN	CH 1050/S40 KN
matte	CH 1050/S40 LN 1	CH 1050/S40 HN 1	CH 1050/S40 SN 1	CH 1050/S40 DN 1	CH 1050/S40 MN 1	CH 1050/S40 KN 1

LINEAR FLOOR DRAIN WITH SIDE OUTLET D50




» Flow rate: 44-52 l/min. | Lowest installation height: 65 mm | Outlet diameter: 50 mm



DRAIN DIMENSIONS

L [mm]	650	750	850	950	1050
L1 [mm]	715	815	915	1015	1115
L2 [mm]	595	695	795	895	995
Weight [kg/pc]	1,76	1,89	2,17	2,33	2,46



PART NUMBER

	LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
gloss	CH 650/50 L	CH 650/50 H	CH 650/50 S	CH 650/50 D	CH 650/50 M	CH 650/50 K
matte	CH 650/50 L 1	CH 650/50 H 1	CH 650/50 S 1	CH 650/50 D 1	CH 650/50 M 1	CH 650/50 K 1
gloss	CH 750/50 L	CH 750/50 H	CH 750/50 S	CH 750/50 D	CH 750/50 M	CH 750/50 K
matte	CH 750/50 L 1	CH 750/50 H 1	CH 750/50 S 1	CH 750/50 D 1	CH 750/50 M 1	CH 750/50 K 1
gloss	CH 850/50 L	CH 850/50 H	CH 850/50 S	CH 850/50 D	CH 850/50 M	CH 850/50 K
matte	CH 850/50 L 1	CH 850/50 H 1	CH 850/50 S 1	CH 850/50 D 1	CH 850/50 M 1	CH 850/50 K 1
gloss	CH 950/50 L	CH 950/50 H	CH 950/50 S	CH 950/50 D	CH 950/50 M	CH 950/50 K
matte	CH 950/50 L 1	CH 950/50 H 1	CH 950/50 S 1	CH 950/50 D 1	CH 950/50 M 1	CH 950/50 K 1
gloss	CH 1050/50 L	CH 1050/50 H	CH 1050/50 S	CH 1050/50 D	CH 1050/50 M	CH 1050/50 K
matte	CH 1050/50 L 1	CH 1050/50 H 1	CH 1050/50 S 1	CH 1050/50 D 1	CH 1050/50 M 1	CH 1050/50 K 1

LINEAR FLOOR DRAIN WITH STAINLESS STEEL FRAME AND SIDE OUTLET D50




» Flow rate: 44-52 l/min. | Lowest installation height: 65 mm | Outlet diameter: 50 mm



DRAIN DIMENSIONS

L [mm]	650	750	850	950	1050
L1 [mm]	715	815	915	1015	1115
L2 [mm]	595	695	795	895	995
Weight [kg/pc]	1,91	2,06	2,36	2,55	2,74




PART NUMBER

	LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
gloss	CH 650/50 LN	CH 650/50 HN	CH 650/50 SN	CH 650/50 DN	CH 650/50 MN	CH 650/50 KN
matte	CH 650/50 LN 1	CH 650/50 HN 1	CH 650/50 SN 1	CH 650/50 DN 1	CH 650/50 MN 1	CH 650/50 KN 1
gloss	CH 750/50 LN	CH 750/50 HN	CH 750/50 SN	CH 750/50 DN	CH 750/50 MN	CH 750/50 KN
matte	CH 750/50 LN 1	CH 750/50 HN 1	CH 750/50 SN 1	CH 750/50 DN 1	CH 750/50 MN 1	CH 750/50 KN 1
gloss	CH 850/50 LN	CH 850/50 HN	CH 850/50 SN	CH 850/50 DN	CH 850/50 MN	CH 850/50 KN
matte	CH 850/50 LN 1	CH 850/50 HN 1	CH 850/50 SN 1	CH 850/50 DN 1	CH 850/50 MN 1	CH 850/50 KN 1
gloss	CH 950/50 LN	CH 950/50 HN	CH 950/50 SN	CH 950/50 DN	CH 950/50 MN	CH 950/50 KN
matte	CH 950/50 LN 1	CH 950/50 HN 1	CH 950/50 SN 1	CH 950/50 DN 1	CH 950/50 MN 1	CH 950/50 KN 1
gloss	CH 1050/50 LN	CH 1050/50 HN	CH 1050/50 SN	CH 1050/50 DN	CH 1050/50 MN	CH 1050/50 KN
matte	CH 1050/50 LN 1	CH 1050/50 HN 1	CH 1050/50 SN 1	CH 1050/50 DN 1	CH 1050/50 MN 1	CH 1050/50 KN 1

LINEAR FLOOR DRAIN WITH SIDE OUTLET D50 AND SWIVEL SIPHON 360°





» Flow rate: 46-52 l/min. | Lowest installation height: 75 mm | Outlet diameter: 50 mm



✓ The package also includes
polystyrene drain support

DRAIN DIMENSIONS

L [mm]	650	750	850	950	1050
L1 [mm]	715	815	915	1015	1115
Weight [kg/pc]	2,54	2,80	2,98	3,32	3,55



PART NUMBER

	LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
gloss	CH PA 650 L	CH PA 650 H	CH PA 650 S	CH PA 650 D	CH PA 650 M	CH PA 650 K
matte	CH PA 650 L 1	CH PA 650 H 1	CH PA 650 S 1	CH PA 650 D 1	CH PA 650 M 1	CH PA 650 K 1
gloss	CH PA 750 L	CH PA 750 H	CH PA 750 S	CH PA 750 D	CH PA 750 M	CH PA 750 K
matte	CH PA 750 L 1	CH PA 750 H 1	CH PA 750 S 1	CH PA 750 D 1	CH PA 750 M 1	CH PA 750 K 1
gloss	CH PA 850 L	CH PA 850 H	CH PA 850 S	CH PA 850 D	CH PA 850 M	CH PA 850 K
matte	CH PA 850 L 1	CH PA 850 H 1	CH PA 850 S 1	CH PA 850 D 1	CH PA 850 M 1	CH PA 850 K 1
gloss	CH PA 950 L	CH PA 950 H	CH PA 950 S	CH PA 950 D	CH PA 950 M	CH PA 950 K
matte	CH PA 950 L 1	CH PA 950 H 1	CH PA 950 S 1	CH PA 950 D 1	CH PA 950 M 1	CH PA 950 K 1
gloss	CH PA 1050 L	CH PA 1050 H	CH PA 1050 S	CH PA 1050 D	CH PA 1050 M	CH PA 1050 K
matte	CH PA 1050 L 1	CH PA 1050 H 1	CH PA 1050 S 1	CH PA 1050 D 1	CH PA 1050 M 1	CH PA 1050 K 1

LINEAR FLOOR DRAIN WITH STAINLESS STEEL FRAME, SIDE OUTLET D50 AND SWIVEL SIPHON 360°





» Flow rate: 44-52 l/min. | Lowest installation height: 75 mm | Outlet diameter: 50 mm



✓ The package also includes polystyrene drain support

DRAIN DIMENSIONS

L [mm]	650	750	850	950	1050
L1 [mm]	715	815	915	1015	1115
Weight [kg/pc]	2,74	3,00	3,18	3,52	3,75



PART NUMBER

	LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
gloss	CH PA 650 LN	CH PA 650 HN	CH PA 650 SN	CH PA 650 DN	CH PA 650 MN	CH PA 650 KN
matte	CH PA 650 LN 1	CH PA 650 HN 1	CH PA 650 SN 1	CH PA 650 DN 1	CH PA 650 MN 1	CH PA 650 KN 1
gloss	CH PA 750 LN	CH PA 750 HN	CH PA 750 SN	CH PA 750 DN	CH PA 750 MN	CH PA 750 KN
matte	CH PA 750 LN 1	CH PA 750 HN 1	CH PA 750 SN 1	CH PA 750 DN 1	CH PA 750 MN 1	CH PA 750 KN 1
gloss	CH PA 850 LN	CH PA 850 HN	CH PA 850 SN	CH PA 850 DN	CH PA 850 MN	CH PA 850 KN
matte	CH PA 850 LN 1	CH PA 850 HN 1	CH PA 850 SN 1	CH PA 850 DN 1	CH PA 850 MN 1	CH PA 850 KN 1
gloss	CH PA 950 LN	CH PA 950 HN	CH PA 950 SN	CH PA 950 DN	CH PA 950 MN	CH PA 950 KN
matte	CH PA 950 LN 1	CH PA 950 HN 1	CH PA 950 SN 1	CH PA 950 DN 1	CH PA 950 MN 1	CH PA 950 KN 1
gloss	CH PA 1050 LN	CH PA 1050 HN	CH PA 1050 SN	CH PA 1050 DN	CH PA 1050 MN	CH PA 1050 KN
matte	CH PA 1050 LN 1	CH PA 1050 HN 1	CH PA 1050 SN 1	CH PA 1050 DN 1	CH PA 1050 MN 1	CH PA 1050 KN 1

Slim Line


The unobtrusive slim line offers a safe and elegant shower solution. The appearance of the bathroom thus gets a whole new dimension of modern design.

The body of the drain is equipped with a rotating anti-odor siphon D50. The frame and grid are made of high quality stainless steel AISI 304.

Slim line is an unrivaled product with a thin and elegant body offered in dimensions from 500 to 1200 mm.



- 1 Stainless steel grid 1 mm
- 2 Strainer to catch dirt
- 3 Height-adjustable stainless steel frame support from 0-8 mm
- 4 Swivel siphon D 50
- 5 Stainless steel adjustable supports
- 6 Tiles
- 7 Glue
- 8 Waterproofing coating
- 9 Waterproofing insulation




A grid can also be used for tiles




LINEAR FLOOR DRAIN SLIM LINE **WITH SIDE OUTLET D50 AND SWIVEL SIPHON 360°**



>> Flow rate: 45 l/min. | Lowest installation height: 70 mm | Outlet diameter: 50 mm



DRAIN DIMENSIONS								
L [mm]	500	600	700	800	900	1000	1100	1200
L1 [mm]	565	665	765	865	965	1065	1165	1265
Hmotnost [kg/ks]	1,36	1,53	1,73	1,91	2,09	2,28	2,46	2,65




PART NUMBER		
500 mm	CH 500 SL	CH 500 SLC
600 mm	CH 600 SL	CH 600 SLC
700 mm	CH 700 SL	CH 700 SLC
800 mm	CH 800 SL	CH 800 SLC
900 mm	CH 900 SL	CH 900 SLC
1000 mm	CH 1000 SL	CH 1000 SLC
1100 mm	CH 1100 SL	CH 1100 SLC
1200 mm	CH 1200 SL	CH 1200 SLC



LINEAR FLOOR DRAIN SLIM LINE PREMIUM WITH SIDE OUTLET D50 AND SWIVEL SIPHON 360°





» Flow rate: 45 l/min. | Lowest installation height: 70 mm | Outlet diameter: 50 mm



The package also includes
polystyrene drain support

DRAIN DIMENSIONS

L [mm]	500	600	700	800	900	1000	1100	1200
L1 [mm]	565	665	765	865	965	1065	1165	1265
Hmotnost [kg/ks]	1,46	1,63	1,83	2,01	2,19	2,38	2,56	2,75



PART NUMBER

500 mm	CH 500 SLP	CH 500 SLPC
600 mm	CH 600 SLP	CH 600 SLPC
700 mm	CH 700 SLP	CH 700 SLPC
800 mm	CH 800 SLP	CH 800 SLPC
900 mm	CH 900 SLP	CH 900 SLPC
1000 mm	CH 1000 SLP	CH 1000 SLPC
1100 mm	CH 1100 SLP	CH 1100 SLPC
1200 mm	CH 1200 SLP	CH 1200 SLPC



*Black
Edition*



LINEAR FLOOR DRAIN WITH SIDE OUTLET D40




» Flow rate: 30-38 l/min. | Lowest installation height: 50 mm | Outlet diameter: 40 mm



DRAIN DIMENSIONS

L [mm]	350	450	550	650	750	850	950
L1 [mm]	415	515	615	715	815	915	1015
L2 [mm]	295	295	295	595	695	795	895
Weight [kg/pc]	1,04	1,19	1,32	1,71	1,85	2,02	2,20



PART NUMBER

	LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
350 mm	CH 350 LC	CH 350 HC	CH 350 SC	CH 350 DC	CH 350 MC	CH 350 KC
450 mm	CH 450 LC	CH 450 HC	CH 450 SC	CH 450 DC	CH 450 MC	CH 450 KC
550 mm	CH 550 LC	CH 550 HC	CH 550 SC	CH 550 DC	CH 550 MC	CH 550 KC
650 mm	CH 650 LC	CH 650 HC	CH 650 SC	CH 650 DC	CH 650 MC	CH 650 KC
750 mm	CH 750 LC	CH 750 HC	CH 750 SC	CH 750 DC	CH 750 MC	CH 750 KC
850 mm	CH 850 LC	CH 850 HC	CH 850 SC	CH 850 DC	CH 850 MC	CH 850 KC
950 mm	CH 950 LC	CH 950 HC	CH 950 SC	CH 950 DC	CH 950 MC	CH 950 KC

LINEAR FLOOR DRAIN TO THE WALL WITH SIDE OUTLET D40





» Flow rate: 30-38 l/min. | Lowest installation height: 50 mm | Outlet diameter: 40 mm



DRAIN DIMENSIONS

L [mm]	350	450	650	750	850	950
L1 [mm]	415	515	715	815	915	1015
L2 [mm]	295	295	595	695	795	895
Weight [kg/pc]	1,15	1,30	1,79	1,93	2,14	2,40



PART NUMBER

	LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
350 mm	CH 350 LC 2	CH 350 HC 2	CH 350 SC 2	CH 350 DC 2	CH 350 MC 2	CH 350 KC 2
450 mm	CH 450 LC 2	CH 450 HC 2	CH 450 SC 2	CH 450 DC 2	CH 450 MC 2	CH 450 KC 2
550 mm	CH 550 LC 2	CH 550 HC 2	CH 550 SC 2	CH 550 DC 2	CH 550 MC 2	CH 550 KC 2
650 mm	CH 650 LC 2	CH 650 HC 2	CH 650 SC 2	CH 650 DC 2	CH 650 MC 2	CH 650 KC 2
750 mm	CH 750 LC 2	CH 750 HC 2	CH 750 SC 2	CH 750 DC 2	CH 750 MC 2	CH 750 KC 2
850 mm	CH 850 LC 2	CH 850 HC 2	CH 850 SC 2	CH 850 DC 2	CH 850 MC 2	CH 850 KC 2
950 mm	CH 950 LC 2	CH 950 HC 2	CH 950 SC 2	CH 950 DC 2	CH 950 MC 2	CH 950 KC 2

LINEAR FLOOR DRAIN WITH BOTTOM OUTLET D40




» Flow rate: 60-70 l/min. | Lowest installation height: 65 mm | Outlet diameter: 40 mm



DRAIN DIMENSIONS

L [mm]	650	750	850	950	1050
L1 [mm]	715	815	915	1015	1115
L2 [mm]	595	695	795	895	995
Weight [kg/pc]	1,75	1,86	2,14	2,32	2,45



PART NUMBER

	LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
650 mm	CH 650/S40 LC	CH 650/S40 HC	CH 650/S40 SC	CH 650/S40 DC	CH 650/S40 MC	CH 650/S40 KC
750 mm	CH 750/S40 LC	CH 750/S40 HC	CH 750/S40 SC	CH 750/S40 DC	CH 750/S40 MC	CH 750/S40 KC
850 mm	CH 850/S40 LC	CH 850/S40 HC	CH 850/S40 SC	CH 850/S40 DC	CH 850/S40 MC	CH 850/S40 KC
950 mm	CH 950/S40 LC	CH 950/S40 HC	CH 950/S40 SC	CH 950/S40 DC	CH 950/S40 MC	CH 950/S40 KC
1050 mm	CH 1050/S40 LC	CH 1050/S40 HC	CH 1050/S40 SC	CH 1050/S40 DC	CH 1050/S40 MC	CH 1050/S40 KC


LINEAR FLOOR DRAIN WITH SIDE OUTLET D50



» Flow rate: 44-52 l/min. | Lowest installation height: 65 mm | Outlet diameter: 50 mm



DRAIN DIMENSIONS					
L [mm]	650	750	850	950	1050
L1 [mm]	715	815	915	1015	1115
L2 [mm]	595	695	795	895	995
Weight [kg/pc]	1,76	1,89	2,17	2,33	2,46




PART NUMBER						
	LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
650 mm	CH 650/50 LC	CH 650/50 HC	CH 650/50 SC	CH 650/50 DC	CH 650/50 MC	CH 650/50 KC
750 mm	CH 750/50 LC	CH 750/50 HC	CH 750/50 SC	CH 750/50 DC	CH 750/50 MC	CH 750/50 KC
850 mm	CH 850/50 LC	CH 850/50 HC	CH 850/50 SC	CH 850/50 DC	CH 850/50 MC	CH 850/50 KC
950 mm	CH 950/50 LC	CH 950/50 HC	CH 950/50 SC	CH 950/50 DC	CH 950/50 MC	CH 950/50 KC
1050 mm	CH 1050/50 LC	CH 1050/50 HC	CH 1050/50 SC	CH 1050/50 DC	CH 1050/50 MC	CH 1050/50 KC

LINEAR FLOOR DRAIN WITH SIDE OUTLET D50 AND SWIVEL SIPHON 360°





» Flow rate: 46-52 l/min. | Lowest installation height: 75 mm | Outlet diameter: 50 mm



✓ The package also includes
polystyrene drain support

DRAIN DIMENSIONS

L [mm]	650	750	850	950	1050
L1 [mm]	715	815	915	1015	1115
Weight [kg/pc]	2,54	2,80	2,98	3,32	3,55




PART NUMBER

	LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
650 mm	CH PA 650 LC	CH PA 650 HC	CH PA 650 SC	CH PA 650 DC	CH PA 650 MC	CH PA 650 KC
750 mm	CH PA 750 LC	CH PA 750 HC	CH PA 750 SC	CH PA 750 DC	CH PA 750 MC	CH PA 750 KC
850 mm	CH PA 850 LC	CH PA 850 HC	CH PA 850 SC	CH PA 850 DC	CH PA 850 MC	CH PA 850 KC
950 mm	CH PA 950 LC	CH PA 950 HC	CH PA 950 SC	CH PA 950 DC	CH PA 950 MC	CH PA 950 KC
1050 mm	CH PA 1050 LC	CH PA 1050 HC	CH PA 1050 SC	CH PA 1050 DC	CH PA 1050 MC	CH PA 1050 KC

WELDING IS A THING OF THE PAST...

AQUARIUS




Aquarius is thanks to top modern technology protecting your bathroom from unwanted leaks water. The body of the gutter is pressed as one piece. The waterproofing membrane foil is hermetically sealed already in production.

Our new technology makes it easier and at the same time pushes the boundaries of the possibility of easier work production and assembly process.


A new dimension of modern bathroom now gives unlimited perfect options harmony of design and functionality.

- ☑ Stainless steel DIN 1.4401 AISI 316
- ☑ Easy dismantling when cleaning
- ☑ Without tiling height limit
- ☑ Load capacity K3 – 300 kg

Stainless steel linear floor drains Aquarius



- 1** ALU grid for gluing tiles (paving, glass, stainless steel, ...)
- 2** Height adjustable support leg
- 3** Additional pad for supporting legs, 5 mm
- 4** Waterproofing insulation
- 5** Height adjustable legs
- 6** Pressed body without welding DIN 1.4401 AISI 316
- 7** Strainer for catching dirt
- 8a** Swivel siphon D50
- 8b** Siphon D40



SIPHON D 40

STAINLESS STEEL LINEAR FLOOR DRAIN WITH SIDE OUTLET D40 AND WATERPROOF MEMBRANE




» Flow rate: 30-34 l/min. | Lowest installation height: 62 mm | Outlet diameter: 40 mm




✓ The package also includes
polystyrene drain support

DRAIN DIMENSIONS

L [mm]		700	800	900
L1 [mm]		735	835	936
L2 [mm]		1000	1100	1200
Weight [kg/pc]	ALU grid	1,58	1,71	1,85
Weight [kg/pc]	ALU grid + stainless steel	1,99	2,17	2,36



PART NUMBER



ALU grid for gluing tiles (glass)



ALU grid + stainless steel 1,5 mm

700 mm	CH N 7001	CH N 7005
800 mm	CH N 8001	CH N 8005
900 mm	CH N 9001	CH N 9005

STAINLESS STEEL LINEAR FLOOR DRAIN WITH SIDE OUTLET D40





» Flow rate: 30-34 l/min. | Lowest installation height: 62 mm | Outlet diameter: 40 mm



The package also includes
polystyrene drain support

DRAIN DIMENSIONS				
L [mm]		700	800	900
L1 [mm]		800	900	1000
Weight [kg/pc]	ALU grid	1,97	2,17	2,63
Weight [kg/pc]	ALU grid + stainless steel	2,38	2,63	2,87




PART NUMBER



ALU grid for gluing tiles (glass)

700 mm	CH N 7002
800 mm	CH N 8002
900 mm	CH N 9002




ALU grid + stainless steel 1,5 mm

CH N 7006
CH N 8006
CH N 9006

STAINLESS STEEL LINEAR FLOOR DRAIN WITH SWIVEL SIDE SIPHON D50 AND WATERPROOF MEMBRANE




» Flow rate: 46-50 l/min. | Lowest installation height: 70 mm | Outlet diameter: 50 mm




✓ The package also includes polystyrene drain support

DRAIN DIMENSIONS

L [mm]		700	800	900
L1 [mm]		735	835	936
L2 [mm]		1000	1100	1200
Weight [kg/pc]	ALU grid	1,78	1,94	2,10
Weight [kg/pc]	ALU grid + stainless steel	2,19	2,40	2,58



PART NUMBER



ALU grid for gluing tiles (glass)




ALU grid + stainless steel 1,5 mm

700 mm	CH N 7003	CH N 7007
800 mm	CH N 8003	CH N 8007
900 mm	CH N 9003	CH N 9007

STAINLESS STEEL LINEAR FLOOR DRAIN WITH SWIVEL SIDE SIPHON D50





» Flow rate: 46-50 l/min. | Lowest installation height: 70 mm | Outlet diameter: 50 mm




✓ The package also includes
polystyrene drain support

DRAIN DIMENSIONS

L [mm]		700	800	900
L1 [mm]		800	900	1000
Weight [kg/pc]	ALU grid	2,17	2,40	2,58
Weight [kg/pc]	ALU grid + stainless steel	2,58	2,85	3,10



PART NUMBER



ALU grid for gluing tiles (glass)



ALU grid + stainless steel 1,5 mm

700 mm	CH N 7004	CH N 7008
800 mm	CH N 8004	CH N 8008
900 mm	CH N 9004	CH N 9008

STAINLESS STEEL LINEAR FLOOR DRAIN WITH PLASTIC SWIVEL SIDE SIPHON D50




» Flow rate: 42-48 l/min. | Lowest installation height: 59 mm | Outlet diameter: 50 mm



✓ The package also includes
polystyrene drain support

DRAIN DIMENSIONS

L [mm]	650	750	850	950	1050	1200
L1 [mm]	700	800	900	1000	1100	1250
L2 [mm]	595	695	795	895	995	1145
Weight [kg/pc]	2,54	2,80	2,98	3,32	3,55	4,03




PART NUMBER

	LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
gloss	CH NA 650 L	CH NA 650 H	CH NA 650 S	CH NA 650 D	CH NA 650 M	CH NA 650 K
matte	CH NA 650 L 1	CH NA 650 H 1	CH NA 650 S 1	CH NA 650 D 1	CH NA 650 M 1	CH NA 650 K 1
gloss	CH NA 750 L	CH NA 750 H	CH NA 750 S	CH NA 750 D	CH NA 750 M	CH NA 750 K
matte	CH NA 750 L 1	CH NA 750 H 1	CH NA 750 S 1	CH NA 750 D 1	CH NA 750 M 1	CH NA 750 K 1
gloss	CH NA 850 L	CH NA 850 H	CH NA 850 S	CH NA 850 D	CH NA 850 M	CH NA 850 K
matte	CH NA 850 L 1	CH NA 850 H 1	CH NA 850 S 1	CH NA 850 D 1	CH NA 850 M 1	CH NA 850 K 1
gloss	CH NA 950 L	CH NA 950 H	CH NA 950 S	CH NA 950 D	CH NA 950 M	CH NA 950 K
matte	CH NA 950 L 1	CH NA 950 H 1	CH NA 950 S 1	CH NA 950 D 1	CH NA 950 M 1	CH NA 950 K 1
gloss	CH NA 1050 L	CH NA 1050 H	CH NA 1050 S	CH NA 1050 D	CH NA 1050 M	CH NA 1050 K
matte	CH NA 1050 L 1	CH NA 1050 H 1	CH NA 1050 S 1	CH NA 1050 D 1	CH NA 1050 M 1	CH NA 1050 K 1
gloss	CH NA 1200 L	CH NA 1200 H	CH NA 1200 S	CH NA 1200 D	CH NA 1200 M	CH NA 1200 K
matte	CH NA 1200 L 1	CH NA 1200 H 1	CH NA 1200 S 1	CH NA 1200 D 1	CH NA 1200 M 1	CH NA 1200 K 1

STAINLESS STEEL LINEAR FLOOR DRAIN WITH PLASTIC SWIVEL HEIGHT ADJUST. SIDE SIPHON D50




» Flow rate: 42-48 l/min. | Lowest installation height: 64 mm | Outlet diameter: 50 mm



✓ The package also includes
polystyrene drain support

DRAIN DIMENSIONS

L [mm]	650	750	850	950	1050	1200
L1 [mm]	700	800	900	1000	1100	1250
L2 [mm]	595	695	795	895	995	1145
Weight [kg/pc]	2,54	2,80	2,98	3,32	3,55	4,03



PART NUMBER

	LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
gloss	CH N 650 L	CH N 650 H	CH N 650 S	CH N 650 D	CH N 650 M	CH N 650 K
matte	CH N 650 L 1	CH N 650 H 1	CH N 650 S 1	CH N 650 D 1	CH N 650 M 1	CH N 650 K 1
gloss	CH N 750 L	CH N 750 H	CH N 750 S	CH N 750 D	CH N 750 M	CH N 750 K
matte	CH N 750 L 1	CH N 750 H 1	CH N 750 S 1	CH N 750 D 1	CH N 750 M 1	CH N 750 K 1
gloss	CH N 850 L	CH N 850 H	CH N 850 S	CH N 850 D	CH N 850 M	CH N 850 K
matte	CH N 850 L 1	CH N 850 H 1	CH N 850 S 1	CH N 850 D 1	CH N 850 M 1	CH N 850 K 1
gloss	CH N 950 L	CH N 950 H	CH N 950 S	CH N 950 D	CH N 950 M	CH N 950 K
matte	CH N 950 L 1	CH N 950 H 1	CH N 950 S 1	CH N 950 D 1	CH N 950 M 1	CH N 950 K 1
gloss	CH N 1050 L	CH N 1050 H	CH N 1050 S	CH N 1050 D	CH N 1050 M	CH N 1050 K
matte	CH N 1050 L 1	CH N 1050 H 1	CH N 1050 S 1	CH N 1050 D 1	CH N 1050 M 1	CH N 1050 K 1
gloss	CH N 1200 L	CH N 1200 H	CH N 1200 S	CH N 1200 D	CH N 1200 M	CH N 1200 K
matte	CH N 1200 L 1	CH N 1200 H 1	CH N 1200 S 1	CH N 1200 D 1	CH N 1200 M 1	CH N 1200 K 1

SPARE PARTS



Plastic body drain without grid D40

Dimension L [mm]	Part Nr. (gray)	Part Nr. (black)
350	CH 350/1	CH 350/1 C
450	CH 450/1	CH 450/1 C
550	CH 550/1	CH 550/1 C
650	CH 650/1	CH 650/1 C
750	CH 750/1	CH 750/1 C
850	CH 850/1	CH 850/1 C
950	CH 950/1	CH 950/1 C



Plastic body drain with stainless steel frame without grid D40

Dimension L [mm]	Part number
350	CH 350/1 N
450	CH 450/1 N
550	CH 550/1 N
650	CH 650/1 N
750	CH 750/1 N
850	CH 850/1 N
950	CH 950/1 N



Plastic body drain to the wall without grid D40

Dimension L [mm]	Part Nr. (gray)	Part Nr. (black)
350	CH 350/2	CH 350/2 C
450	CH 450/2	CH 450/2 C
650	CH 650/2	CH 650/2 C
750	CH 750/2	CH 750/2 C
850	CH 850/2	CH 850/2 C
950	CH 950/2	CH 950/2 C



Plastic body drain to the wall with stainless steel frame without grid D40

Dimension L [mm]	Part number
350	CH 350/2 N
450	CH 450/2 N
650	CH 650/2 N
750	CH 750/2 N
850	CH 850/2 N



Plastic body drain without grid, bottom outlet D40

Dimension L [mm]	Part Nr. (gray)	Part Nr. (black)
650	CH 650/S40	CH 650/S40 C
750	CH 750/S40	CH 750/S40 C
850	CH 850/S40	CH 850/S40 C
950	CH 950/S40	CH 950/S40 C
1050	CH 1050/S40	CH 1050/S40 C



Plastic body drain with stainless steel frame without grid, bottom outlet D40

Dimension L [mm]	Part number
650	CH 650/S40 N
750	CH 750/S40 N
850	CH 850/S40 N
950	CH 950/S40 N
1050	CH 1050/S40 N



Plastic body drain without grid D50


Dimension L [mm]	Part Nr. (gray)	Part Nr. (black)
650	CH 650/50	CH 650/50 C
750	CH 750/50	CH 750/50 C
850	CH 850/50	CH 850/50 C
950	CH 950/50	CH 950/50 C
1050	CH 1050/50	CH 1050/50 C



Plastic body drain with stainless steel frame without grid D50

Dimension L [mm]	Part number
650	CH 650/50 N
750	CH 750/50 N
850	CH 850/50 N
950	CH 950/50 N
1050	CH 1050/50 N

SPARE PARTS



Plastic body drain without grid and siphon D50

Dimension L [mm]	Part Nr. (gray)	Part Nr. (black)
650	P 65	P 65 C
750	P 75	P 75 C
850	P 85	P 85 C
950	P 95	P 95 C
1050	P 105	P 105 C



Plastic body drain without grid and siphon D50, with stainless steel frame

Dimension L [mm]	Part number
650	P 65 N
750	P 75 N
850	P 85 N
950	P 95 N
1050	P 105 N



Stainless steel body with ALU grid, insulation and without siphon, Aquarius

Dimension L [mm]	Part number
700	3028
800	3029
900	3030



Stainless steel body with ALU grid, without insulation and siphon, Aquarius

Dimension L [mm]	Part number
700	3025
800	3026
900	3027



ALU rail for Aquarius incl. 4 adjustable support legs

Dimension L [mm]	Part number
700	3005
800	3006
900	3007



Stainless steel grid 1,5 mm for ALU rail

Dimension L [mm]	Part number
700	3013
800	3014
900	3015



Swivel siphon D50 with silicone membrane, Aquarius


Part number	3002
-------------	------



Swivel siphon D50, height adjustable

Part number	804/4
-------------	-------

Stainless steel grids



	LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
350 gloss	L 350	H 350	S 350	D 350	M 350	K 350
350 matte	L 350 1	H 350 1	S 350 1	D 350 1	M 350 1	K 350 1
350 black	L 350 C	H 350 C	S 350 C	D 350 C	M 350 C	K 350 C
450 gloss	L 450	H 450	S 450	D 450	M 450	K 450
450 matte	L 450 1	H 450 1	S 450 1	D 450 1	M 450 1	K 450 1
450 black	L 450 C	H 450 C	S 450 C	D 450 C	M 450 C	K 450 C
550 gloss	L 550	H 550	S 550	D 550	M 550	K 550
550 matte	L 550 1	H 550 1	S 550 1	D 550 1	M 550 1	K 550 1
550 black	L 550 C	H 550 C	S 550 C	D 550 C	M 550 C	K 550 C
650 gloss	L 650	H 650	S 650	D 650	M 650	K 650
650 matte	L 650 1	H 650 1	S 650 1	D 650 1	M 650 1	K 650 1
650 black	L 650 C	H 650 C	S 650 C	D 650 C	M 650 C	K 650 C
750 gloss	L 750	H 750	S 750	D 750	M 750	K 750
750 matte	L 750 1	H 750 1	S 750 1	D 750 1	M 750 1	K 750 1
750 black	L 750 C	H 750 C	S 750 C	D 750 C	M 750 C	K 750 C
850 gloss	L 850	H 850	S 850	D 850	M 850	K 850
850 matte	L 850 1	H 850 1	S 850 1	D 850 1	M 850 1	K 850 1
850 black	L 850 C	H 850 C	S 850 C	D 850 C	M 850 C	K 850 C
950 gloss	L 950	H 950	S 950	D 950	M 950	K 950
950 matte	L 950 1	H 950 1	S 950 1	D 950 1	M 950 1	K 950 1
950 black	L 950 C	H 950 C	S 950 C	D 950 C	M 950 C	K 950 C
1050 gloss	L 1050	H 1050	S 1050	D 1050	M 1050	K 1050
1050 matte	L 1050 1	H 1050 1	S 1050 1	D 1050 1	M 1050 1	K 1050 1
1050 black	L 1050 C	H 1050 C	S 1050 C	D 1050 C	M 1050 C	K 1050 C
1200 gloss	L 1200	H 1200	S 1200	D 1200	M 1200	K 1200
1200 matte	L 1200 1	H 1200 1	S 1200 1	D 1200 1	M 1200 1	K 1200 1

SPARE PARTS



Slim Line grid	500 mm	600 mm	700 mm	800 mm	900 mm	1000 mm	1100 mm	1200 mm
Slim Line	CH 605	CH 606	CH 607	CH 608	CH 609	CH 610	CH 611	CH 612
Slim Line PREMIUM	CH 605 P	CH 606 P	CH 607 P	CH 608 P	CH 609 P	CH 610 P	CH 611 P	CH 612 P
Slim Line Black	CH 605 C	CH 606 C	CH 607 C	CH 608 C	CH 609 C	CH 610 C	CH 611 C	CH 612 C
Slim Line PREMIUM Black	CH 605 PC	CH 606 PC	CH 607 PC	CH 608 PC	CH 609 PC	CH 610 PC	CH 611 PC	CH 612 PC



Plastic hafak sifter

For stainless steel drain (page 29)	CH 460
For plastic drain (P 65 - P 105; P 65 N - P 105 N)	CH 460 A

Strainer to catch dirt

Strainer for LFD D40	CH 468
Strainer for LFD D50	CH 469
Strainer for LFD D40 - black	CH 468 C
Strainer for LFD D50 - black	CH 469 C
Strainer for Slim Line	CH 601
Strainer for Slim Line Black	CH 601 C



Siphon cover

GRAY • BLACK

Part number	CH 430 • CH 430 C
--------------------	-------------------

Flap

GRAY • BLACK

Part number	CH 432 • CH 432 C
--------------------	-------------------



Adjustable legs

47 mm	CH 433
62 mm	CH 433/1
For stainless steel drain	CH 3038

Height-adjustable stainless steel frame support from 0-8 mm

Part number	CH 602
Part number Black	CH 602 C



Adjustable support leg for ALU rail, 0-4 mm

Part number	3008
--------------------	------

Additional pad for supporting legs, 5 mm

Part number	3009
--------------------	------

Attachment D50/100

Part number	CH 465
--------------------	--------

SPARE PARTS



Grid support for stainless steel drains

HARMONY	CH 463
SQUARE	CH 463
DROPS	CH 463
MEDIUM	CH 463
KLASIK	CH 462
FLOOR	CH 461



Grid support for plastic drains

	GRAY	• BLACK
HARMONY	CH 463/1	• CH 463/1 C
SQUARE	CH 463/1	• CH 463/1 C
DROPS	CH 463/1	• CH 463/1 C
MEDIUM	CH 463/1	• CH 463/1 C
KLASIK	CH 462/1	• CH 462/1 C
FLOOR	CH 462/1	• CH 462/1 C



Self-adhesive waterproofing membrane 1000 x 80mm

Part number	391/7
--------------------	-------



Sealing tape, width 120mm x 10m KLASIK

Part number	391/8
--------------------	-------



Gasket HT D50

Part number	9810
--------------------	------



Sealing O-ring

For siphon cover	CH 431
For attachment	CH 388/2




Reducer 40/50

Part number	CH 434
--------------------	--------



Key for grid removal

Plastic	CH 439
Stainless steel	387/1





CHUDEJ s.r.o.

Hutisko 310
756 62 Hutisko-Solanec
Czech Republic
Tel.: +420 723 126 125 • +420 571 757 745
Fax: +420 571 757 737
export@chudej.cz
WWW.CHUDEJ.EU



BIM READY

 bimproject.cloud