





CHUDĚJ[®]

LINEAR FLOOR DRAINS

Catalogue





4-15

Linear floor drain

16-19

Linear floor drain Slim Line



20-27

Black linear floor drain

28-35

Stainless steel linear floor
drain Aquarius



36-41

Spare parts

Stainless steel grids



LINE



LINE BLACK EDITION



HARMONY



HARMONY BLACK EDITION



SQUARE



SQUARE BLACK EDITION



DROPS



DROPS BLACK EDITION



MEDIUM



MEDIUM BLACK EDITION



KLASIK/FLOOR



KLASIK BLACK EDITION



SLIM LINE



SLIM LINE BLACK EDITION



Design for everyone

The modern style of the shower enclosure is often distinguished by simplicity and functionality of the elements.

Our wide range can adorn your bathroom drains with stainless steel grid. Glossy, matte or we offer a black grid all in six versions.

Stainless steel grids are made according to DIN 1.4301 AISI 304 and they are very carefully crafted.


Line



Harmony




Square



Drops



Medium



Klasik/Floor






- 1 Stainless steel grid 1.5 mm
- 2 Siphon cover with rubber sealing
- 3 Strainers to catch dirt
- 4 Anti-odour dry flaps
- 5 Grid supports
- 6 Connection to side D40/D50 or bottom drain D40
- 7 Height-adjustable legs (47mm /64 mm)
- 8 Tiles
- 9 Glue
- 10 Waterproofing coating
- 11 Waterproofing insulation

Linear floor drain with side outlet D40

flow rate $\approx$ 30-38 l/min, lowest installation height: 50 mm, outlet diameter: 40 mm


PART NUMBER*

LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH 350 L (L1)	CH 350 H (H1)	CH 350 S (S1)	CH 350 D (D1)	CH 350 M (M1)	CH 350 K (K1)
CH 450 L (L1)	CH 450 H (H1)	CH 450 S (S1)	CH 450 D (D1)	CH 450 M (M1)	CH 450 K (K1)
CH 550 L (L1)	CH 550 H (H1)	CH 550 S (S1)	CH 550 D (D1)	CH 550 M (M1)	CH 550 K (K1)
CH 650 L (L1)	CH 650 H (H1)	CH 650 S (S1)	CH 650 D (D1)	CH 650 M (M1)	CH 650 K (K1)
CH 750 L (L1)	CH 750 H (H1)	CH 750 S (S1)	CH 750 D (D1)	CH 750 M (M1)	CH 750 K (K1)
CH 850 L (L1)	CH 850 H (H1)	CH 850 S (S1)	CH 850 D (D1)	CH 850 M (M1)	CH 850 K (K1)
CH 950 L (L1)	CH 950 H (H1)	CH 950 S (S1)	CH 950 D (D1)	CH 950 M (M1)	CH 950 K (K1)
L-glossy • L1-matte	H-glossy • H1-matte	S-glossy • S1-matte	D-glossy • D1-matte	M-glossy • M1-matte	K-glossy • K1-matte



DRAIN DIMENSIONS

L	350 mm	450 mm	550 mm	650 mm	750 mm	850 mm	950 mm
L1	415 mm	515 mm	615 mm	715 mm	815 mm	915 mm	1015 mm
L2	295 mm	295 mm	295 mm	595 mm	695 mm	795 mm	895 mm
Weight [1 pc]	1,04 kg	1,19 kg	1,32 kg	1,71 kg	1,85 kg	2,02 kg	2,20 kg



* Example of an order | Glossy order - CH 350 L; Matte order - CH 350 L1.


Linear floor drain with stainless steel frame and side outlet D40

flow rate $\approx$ 30-38 l/min, lowest installation height: 50 mm, outlet diameter: 40 mm

PART NUMBER*


LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH 350 LN (LN1)	CH 350 HN (HN1)	CH 350 SN (SN1)	CH 350 DN (DN1)	CH 350 MN (MN1)	CH 350 KN (KN1)
CH 450 LN (LN1)	CH 450 HN (HN1)	CH 450 SN (SN1)	CH 450 DN (DN1)	CH 450 MN (MN1)	CH 450 KN (KN1)
CH 550 LN (LN1)	CH 550 HN (HN1)	CH 550 SN (SN1)	CH 550 DN (DN1)	CH 550 MN (MN1)	CH 550 KN (KN1)
CH 650 LN (LN1)	CH 650 HN (HN1)	CH 650 SN (SN1)	CH 650 DN (DN1)	CH 650 MN (MN1)	CH 650 KN (KN1)
CH 750 LN (LN1)	CH 750 HN (HN1)	CH 750 SN (SN1)	CH 750 DN (DN1)	CH 750 MN (MN1)	CH 750 KN (KN1)
CH 850 LN (LN1)	CH 850 HN (HN1)	CH 850 SN (SN1)	CH 850 DN (DN1)	CH 850 MN (MN1)	CH 850 KN (KN1)
CH 950 LN (LN1)	CH 950 HN (HN1)	CH 950 SN (SN1)	CH 950 DN (DN1)	CH 950 MN (MN1)	CH 950 KN (KN1)

LN-glossy • LN1-matte HN-glossy • HN1-matte SN-glossy • SN1-matte DN-glossy • DN1-matte MN-glossy • MN1-matte KN-glossy • KN1-matte



DRAIN DIMENSIONS

L	350 mm	450 mm	550 mm	650 mm	750 mm	850 mm	950 mm
L1	415 mm	515 mm	615 mm	715 mm	815 mm	915 mm	1015 mm
L2	295 mm	295 mm	295 mm	595 mm	695 mm	795 mm	895 mm
Weight [1 pc]	1,13 kg	1,30 kg	1,52 kg	1,76 kg	2,04 kg	2,22 kg	2,42 kg




* Example of an order | Glossy order - CH 350 LN; Matte order - CH 350 LN1.

Linear floor drain to the wall with side outlet D40

flow rate $\approx$ 30-38 l/min, lowest installation height: 50 mm, outlet diameter: 40 mm


PART NUMBER*

LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH 350 L2 (L3)	CH 350 H2 (H3)	CH 350 S2 (S3)	CH 350 D2 (D3)	CH 350 M2 (M3)	CH 350 K2 (K3)
CH 450 L2 (L3)	CH 450 H2 (H3)	CH 450 S2 (S3)	CH 450 D2 (D3)	CH 450 M2 (M3)	CH 450 K2 (K3)
CH 650 L2 (L3)	CH 650 H2 (H3)	CH 650 S2 (S3)	CH 650 D2 (D3)	CH 650 M2 (M3)	CH 650 K2 (K3)
CH 750 L2 (L3)	CH 750 H2 (H3)	CH 750 S2 (S3)	CH 750 D2 (D3)	CH 750 M2 (M3)	CH 750 K2 (K3)
CH 850 L2 (L3)	CH 850 H2 (H3)	CH 850 S2 (S3)	CH 850 D2 (D3)	CH 850 M2 (M3)	CH 850 K2 (K3)
CH 950 L2 (L3)	CH 950 H2 (H3)	CH 950 S2 (S3)	CH 950 D2 (D3)	CH 950 M2 (M3)	CH 950 K2 (K3)
L2-glossy • L3-matte	H2-glossy • H3-matte	S2-glossy • S3-matte	D2-glossy • D3-matte	M2-glossy • M3-matte	K2-glossy • K3-matte



DRAIN DIMENSIONS

L	350 mm	450 mm	650 mm	750 mm	850 mm	950 mm
L1	415 mm	515 mm	715 mm	815 mm	915 mm	1015 mm
L2	295 mm	295 mm	595 mm	695 mm	795 mm	895 mm
Weight [1 pc]	1,15 kg	1,30 kg	1,79 kg	1,93 kg	2,14 kg	2,40 kg



* Example of an order | Glossy order - CH 350 L2; Matte order - CH 350 L3.

Linear floor drain to the wall with stainless steel frame and side outlet D40

flow rate $\approx$ 30-38 l/min, lowest installation height: 50 mm, outlet diameter: 40 mm

PART NUMBER*


LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH 350 LN2 (LN3)	CH 350 HN2 (HN3)	CH 350 SN2 (SN3)	CH 350 DN2 (DN3)	CH 350 MN2 (MN3)	CH 350 KN2 (KN3)
CH 450 LN2 (LN3)	CH 450 HN2 (HN3)	CH 450 SN2 (SN3)	CH 450 DN2 (DN3)	CH 450 MN2 (MN3)	CH 450 KN2 (KN3)
CH 650 LN2 (LN3)	CH 650 HN2 (HN3)	CH 650 SN2 (SN3)	CH 650 DN2 (DN3)	CH 650 MN2 (MN3)	CH 650 KN2 (KN3)
CH 750 LN2 (LN3)	CH 750 HN2 (HN3)	CH 750 SN2 (SN3)	CH 750 DN2 (DN3)	CH 750 MN2 (MN3)	CH 750 KN2 (KN3)
CH 850 LN2 (LN3)	CH 850 HN2 (HN3)	CH 850 SN2 (SN3)	CH 850 DN2 (DN3)	CH 850 MN2 (MN3)	CH 850 KN2 (KN3)
CH 950 LN2 (LN3)	CH 950 HN2 (HN3)	CH 950 SN2 (SN3)	CH 950 DN2 (DN3)	CH 950 MN2 (MN3)	CH 950 KN2 (KN3)

LN2-glossy • LN3-matte HN2-glossy • HN3-matte SN2-glossy • SN3-matte DN2-glossy • DN3-matte MN2-glossy • MN3-matte KN2-glossy • KN3-matte



DRAIN DIMENSIONS

L	350 mm	450 mm	650 mm	750 mm	850 mm	950 mm
L1	415 mm	515 mm	715 mm	815 mm	915 mm	1015 mm
L2	295 mm	295 mm	595 mm	695 mm	795 mm	895 mm
Weight [1 pc]	1,25 kg	1,43 kg	1,96 kg	2,12 kg	2,36 kg	2,70 kg




* Example of an order | Glossy order - CH 350 LN2; Matte order - CH 350 LN3.

Linear floor drain with bottom outlet D40

flow rate $\approx$ 60-70 l/min, lowest installation height: 65 mm, outlet diameter: 40 mm


PART NUMBER*

LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH 650/S40 L (L1)	CH 650/S40 H (H1)	CH 650/S40 S (S1)	CH 650/S40 D (D1)	CH 650/S40 M (M1)	CH 650/S40 K (K1)
CH 750/S40 L (L1)	CH 750/S40 H (H1)	CH 750/S40 S (S1)	CH 750/S40 D (D1)	CH 750/S40 M (M1)	CH 750/S40 K (K1)
CH 850/S40 L (L1)	CH 850/S40 H (H1)	CH 850/S40 S (S1)	CH 850/S40 D (D1)	CH 850/S40 M (M1)	CH 850/S40 K (K1)
CH 950/S40 L (L1)	CH 950/S40 H (H1)	CH 950/S40 S (S1)	CH 950/S40 D (D1)	CH 950/S40 M (M1)	CH 950/S40 K (K1)
CH 1050/S40 L (L1)	CH 1050/S40 H (H1)	CH 1050/S40 S (S1)	CH 1050/S40 D (D1)	CH 1050/S40 M (M1)	CH 1050/S40 K (K1)
L-glossy • L1-matte	H-glossy • H1-matte	S-glossy • S1-matte	D-glossy • D1-matte	M-glossy • M1-matte	K-glossy • K1-matte



DRAIN DIMENSIONS

L	650 mm	750 mm	850 mm	950 mm	1050 mm
L1	715 mm	815 mm	915 mm	1015 mm	1115 mm
L2	595 mm	695 mm	795 mm	895 mm	995 mm
Weight [1 pc]	1,75 kg	1,86 kg	2,14 kg	2,32 kg	2,45 kg




* Example of an order | Glossy order - CH 750/S40 L; Matte order - CH 750/S40 L1.

Linear floor drain with stainless steel frame and bottom outlet D40

flow rate $\approx$ 60-70 l/min, lowest installation height: 65 mm, outlet diameter: 40 mm


PART NUMBER*

LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH 650/S40 LN (LN1)	CH 650/S40 HN (HN1)	CH 650/S40 SN (SN1)	CH 650/S40 DN (DN1)	CH 650/S40 MN (MN1)	CH 650/S40 KN (KN1)
CH 750/S40 LN (LN1)	CH 750/S40 HN (HN1)	CH 750/S40 SN (SN1)	CH 750/S40 DN (DN1)	CH 750/S40 MN (MN1)	CH 750/S40 KN (KN1)
CH 850/S40 LN (LN1)	CH 850/S40 HN (HN1)	CH 850/S40 SN (SN1)	CH 850/S40 DN (DN1)	CH 850/S40 MN (MN1)	CH 850/S40 KN (KN1)
CH 950/S40 LN (LN1)	CH 950/S40 HN (HN1)	CH 950/S40 SN (SN1)	CH 950/S40 DN (DN1)	CH 950/S40 MN (MN1)	CH 950/S40 KN (KN1)
CH 1050/S40 LN (LN1)	CH 1050/S40 HN (HN1)	CH 1050/S40 SN (SN1)	CH 1050/S40 DN (DN1)	CH 1050/S40 MN (MN1)	CH 1050/S40 KN (KN1)
LN-glossy • LN1-matte HN-glossy • HN1-matte SN-glossy • SN1-matte DN-glossy • DN1-matte MN-glossy • MN1-matte KN-glossy • KN1-matte					



DRAIN DIMENSIONS

L	650 mm	750 mm	850 mm	950 mm	1050 mm
L1	715 mm	815 mm	915 mm	1015 mm	1115 mm
L2	595 mm	695 mm	795 mm	895 mm	995 mm
Weight [1 pc]	1,89 kg	2,04 kg	2,34 kg	2,54 kg	2,69 kg




* Example of an order | Glossy order - CH 750/S40 LN; Matte order - CH 750/S40 LN1.

Linear floor drain with side outlet D50

flow rate $\approx$ 44-52 l/min, lowest installation height: 65 mm, outlet diameter: 50 mm



PART NUMBER*

LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH 650/50 L (L1)	CH 650/50 H (H1)	CH 650/50 S (S1)	CH 650/50 D (D1)	CH 650/50 M (M1)	CH 650/50 K (K1)
CH 750/50 L (L1)	CH 750/50 H (H1)	CH 750/50 S (S1)	CH 750/50 D (D1)	CH 750/50 M (M1)	CH 750/50 K (K1)
CH 850/50 L (L1)	CH 850/50 H (H1)	CH 850/50 S (S1)	CH 850/50 D (D1)	CH 850/50 M (M1)	CH 850/50 K (K1)
CH 950/50 L (L1)	CH 950/50 H (H1)	CH 950/50 S (S1)	CH 950/50 D (D1)	CH 950/50 M (M1)	CH 950/50 K (K1)
CH 1050/50 L (L1)	CH 1050/50 H (H1)	CH 1050/50 S (S1)	CH 1050/50 D (D1)	CH 1050/50 M (M1)	CH 1050/50 K (K1)
L-glossy • L1-matte	H-glossy • H1-matte	S-glossy • S1-matte	D-glossy • D1-matte	M-glossy • M1-matte	K-glossy • K1-matte



DRAIN DIMENSIONS

L	650 mm	750 mm	850 mm	950 mm	1050 mm
L1	715 mm	815 mm	915 mm	1015 mm	1115 mm
L2	595 mm	695 mm	795 mm	895 mm	995 mm
Weight [1 pc]	1,76 kg	1,89 kg	2,17 kg	2,33 kg	2,46 kg



* Example of an order | Glossy order - CH 750/50 L; Matte order - CH 750/50 L1.


Linear floor drain with stainless steel frame and side outlet D50

flow rate $\approx$ 44-52 l/min, lowest installation height: 65 mm, outlet diameter: 50 mm

PART NUMBER*



LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH 650/50 LN (LN1)	CH 650/50 HN (HN1)	CH 650/50 SN (SN1)	CH 650/50 DN (DN1)	CH 650/50 MN (MN1)	CH 650/50 KN (KN1)
CH 750/50 LN (LN1)	CH 750/50 HN (HN1)	CH 750/50 SN (SN1)	CH 750/50 DN (DN1)	CH 750/50 MN (MN1)	CH 750/50 KN (KN1)
CH 850/50 LN (LN1)	CH 850/50 HN (HN1)	CH 850/50 SN (SN1)	CH 850/50 DN (DN1)	CH 850/50 MN (MN1)	CH 850/50 KN (KN1)
CH 950/50 LN (LN1)	CH 950/50 HN (HN1)	CH 950/50 SN (SN1)	CH 950/50 DN (DN1)	CH 950/50 MN (MN1)	CH 950/50 KN (KN1)
CH 1050/50 LN (LN1)	CH 1050/50 HN (HN1)	CH 1050/50 SN (SN1)	CH 1050/50 DN (DN1)	CH 1050/50 MN (MN1)	CH 1050/50 KN (KN1)

LN-glossy • LN1-matte HN-glossy • HN1-matte SN-glossy • SN1-matte DN-glossy • DN1-matte MN-glossy • MN1-matte KN-glossy • KN1-matte



DRAIN DIMENSIONS

L	650 mm	750 mm	850 mm	950 mm	1050 mm
L1	715 mm	815 mm	915 mm	1015 mm	1115 mm
L2	595 mm	695 mm	795 mm	895 mm	995 mm
Weight [1 pc]	1,91 kg	2,06 kg	2,36 kg	2,55 kg	2,74 kg



* Example of an order | Glossy order - CH 750/50 LN; Matte order - CH 750/50 LN1.

Linear floor drain with side outlet D50 and swivel siphon 360°

flow rate $\approx$ 46-52 l/min, lowest installation height: 75 mm, outlet diameter: 50 mm


PART NUMBER*

LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH PA 650 L (L1)	CH PA 650 H (H1)	CH PA 650 S (S1)	CH PA 650 D (D1)	CH PA 650 M (M1)	CH PA 650 K (K1)
CH PA 750 L (L1)	CH PA 750 H (H1)	CH PA 750 S (S1)	CH PA 750 D (D1)	CH PA 750 M (M1)	CH PA 750 K (K1)
CH PA 850 L (L1)	CH PA 850 H (H1)	CH PA 850 S (S1)	CH PA 850 D (D1)	CH PA 850 M (M1)	CH PA 850 K (K1)
CH PA 950 L (L1)	CH PA 950 H (H1)	CH PA 950 S (S1)	CH PA 950 D (D1)	CH PA 950 M (M1)	CH PA 950 K (K1)
CH PA 1050 L (L1)	CH PA 1050 H (H1)	CH PA 1050 S (S1)	CH PA 1050 D (D1)	CH PA 1050 M (M1)	CH PA 1050 K (K1)
L-glossy • L1-matte	H-glossy • H1-matte	S-glossy • S1-matte	D-glossy • D1-matte	M-glossy • M1-matte	K-glossy • K1-matte



DRAIN DIMENSIONS

L	650 mm	750 mm	850 mm	950 mm	1050 mm
L1	715 mm	815 mm	915 mm	1015 mm	1115 mm
Weight [1 pc]	2,54 kg	2,80 kg	2,98 kg	3,32 kg	3,55 kg



* Example of an order | Glossy order - CH PA 650 L; Matte order - CH PA 650 L1.

Linear floor drain with stainless steel frame, side outlet D50 and swivel siphon 360°

flow rate $\approx$ 44-52 l/min, lowest installation height: 75 mm, outlet diameter: 50 mm

PART NUMBER*


LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH PA 650 LN (LN1)	CH PA 650 HN (HN1)	CH PA 650 SN (SN1)	CH PA 650 DN (DN1)	CH PA 650 MN (MN1)	CH PA 650 KN (KN1)
CH PA 750 LN (LN1)	CH PA 750 HN (HN1)	CH PA 750 SN (SN1)	CH PA 750 DN (DN1)	CH PA 750 MN (MN1)	CH PA 750 KN (KN1)
CH PA 850 LN (LN1)	CH PA 850 HN (HN1)	CH PA 850 SN (SN1)	CH PA 850 DN (DN1)	CH PA 850 MN (MN1)	CH PA 850 KN (KN1)
CH PA 950 LN (LN1)	CH PA 950 HN (HN1)	CH PA 950 SN (SN1)	CH PA 950 DN (DN1)	CH PA 950 MN (MN1)	CH PA 950 KN (KN1)
CH PA 1050 LN (LN1)	CH PA 1050 HN (HN1)	CH PA 1050 SN (SN1)	CH PA 1050 DN (DN1)	CH PA 1050 MN (MN1)	CH PA 1050 KN (KN1)
LN-glossy • LN1-matte	HN-glossy • HN1-matte	SN-glossy • SN1-matte	DN-glossy • DN1-matte	MN-glossy • MN1-matte	KN-glossy • KN1-matte



The package also includes
polystyrene drain support

DRAIN DIMENSIONS

L	650 mm	750 mm	850 mm	950 mm	1050 mm
L1	715 mm	815 mm	915 mm	1015 mm	1115 mm
Weight [1 pc]	2,74 kg	3,00 kg	3,18 kg	3,52 kg	3,75 kg




* Example of an order | Glossy order - CH PA 650 LN; Matte order - CH PA 650 LN1.

Slim Line



- 1 Stainless steel grid 1 mm
- 2 Strainer to catch dirt
- 3 Height-adjustable stainless steel frame support from 0-8 mm
- 4 Grid support SLIM LINE
- 5 Swivel siphon D 50
- 6 Stainless steel adjustable legs
- 7 Tiles
- 8 Glue
- 9 Waterproofing coating
- 10 Waterproofing insulation



The unobtrusive slim line offers a safe and elegant shower solution. The appearance of the bathroom thus gets a whole new dimension of modern design.

The body of the drain is equipped with a rotating anti-odor siphon D50.


The frame and grid are made of high quality stainless steel AISI 304. Slim line is an unrivaled product with a thin and elegant body offered in dimensions from 500 to 1200 mm.

Linear floor drain slim line with side outlet D50 and swivel siphon 360°

flow rate $\approx$ 45 l/min, lowest installation height: 70 mm, outlet diameter: 50 mm

PART NUMBER*



DRAIN DIMENSIONS	STAINLESS STEEL	BLACK
500 mm	CH 500 SL	CH 500 SLC
600 mm	CH 600 SL	CH 600 SLC
700 mm	CH 700 SL	CH 700 SLC
800 mm	CH 800 SL	CH 800 SLC
900 mm	CH 900 SL	CH 900 SLC
1000 mm	CH 1000 SL	CH 1000 SLC
1100 mm	CH 1100 SL	CH 1100 SLC
1200 mm	CH 1200 SL	CH 1200 SLC



✓ The package also includes
polystyrene drain support

DRAIN DIMENSIONS

L	500 mm	600 mm	700 mm	800 mm	900 mm	1000 mm	1100 mm	1200 mm
L1	565 mm	665 mm	765 mm	865 mm	965 mm	1065 mm	1165 mm	1265 mm
Weight [1 pc]	1,36 kg	1,53 kg	1,73 kg	1,91 kg	2,09 kg	2,28 kg	2,46 kg	2,65 kg




* Example order | Stainless steel order - CH 700 SL; Order black - CH 750 SLC

Linear floor drain slim line premium with side outlet D50 and swivel siphon 360°

flow rate $\approx$ 45 l/min, lowest installation height: 70 mm, outlet diameter: 50 mm



PART NUMBER*

DRAIN DIMENSIONS	STAINLESS STEEL	BLACK
500 mm	CH 500 SLP	CH 500 SLPC
600 mm	CH 600 SLP	CH 600 SLPC
700 mm	CH 700 SLP	CH 700 SLPC
800 mm	CH 800 SLP	CH 800 SLPC
900 mm	CH 900 SLP	CH 900 SLPC
1000 mm	CH 1000 SLP	CH 1000 SLPC
1100 mm	CH 1100 SLP	CH 1100 SLPC
1200 mm	CH 1200 SLP	CH 1200 SLPC



DRAIN DIMENSIONS

L	500 mm	600 mm	700 mm	800 mm	900 mm	1000 mm	1100 mm	1200 mm
L1	565 mm	665 mm	765 mm	865 mm	965 mm	1065 mm	1165 mm	1265 mm
Weight [1 pc]	1,46 kg	1,63 kg	1,83 kg	2,01 kg	2,19 kg	2,38 kg	2,56 kg	2,75 kg



* Example order | Stainless steel order - CH 700 SLP; Order black - CH 750 SLPC.



Linear floor drain - Klasik Black

Black Edition




- 1 Stainless steel grid 1.5 mm
- 2 Strainers to catch dirt
- 3 Siphon cover
- 4 Rubber sealing
- 5 Anti-odour dry flaps
- 6 Grid supports
- 7 Connection to side D40/D50 or bottom drain D40
- 8 Height-adjustable legs (47 mm/64 mm)
- 9 Anti-odour water level
- 10 Plastic frame 15 mm high

Linear floor drain with side outlet D40

flow rate $\approx$ 30-38 l/min, lowest installation height: 50 mm, outlet diameter: 40 mm


PART NUMBER*

LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH 350 LC	CH 350 HC	CH 350 SC	CH 350 DC	CH 350 MC	CH 350 KC
CH 450 LC	CH 450 HC	CH 450 SC	CH 450 DC	CH 450 MC	CH 450 KC
CH 550 LC	CH 550 HC	CH 550 SC	CH 550 DC	CH 550 MC	CH 550 KC
CH 650 LC	CH 650 HC	CH 650 SC	CH 650 DC	CH 650 MC	CH 650 KC
CH 750 LC	CH 750 HC	CH 750 SC	CH 750 DC	CH 750 MC	CH 750 KC
CH 850 LC	CH 850 HC	CH 850 SC	CH 850 DC	CH 850 MC	CH 850 KC
CH 950 LC	CH 950 HC	CH 950 SC	CH 950 DC	CH 950 MC	CH 950 KC



DRAIN DIMENSIONS

L	350 mm	450 mm	550 mm	650 mm	750 mm	850 mm	950 mm
L1	415 mm	515 mm	615 mm	715 mm	815 mm	915 mm	1015 mm
L2	295 mm	295 mm	295 mm	595 mm	695 mm	795 mm	895 mm
Weight [1 pc]	1,04 kg	1,19 kg	1,32 kg	1,71 kg	1,85 kg	2,02 kg	2,20 kg



* Example of an order - CH 450 LC.

Linear floor drain to the wall with side outlet D40

flow rate $\approx$ 30-38 l/min, lowest installation height: 50 mm, outlet diameter: 40 mm


PART NUMBER*

LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH 350 LC 2	CH 350 HC 2	CH 350 SC 2	CH 350 DC 2	CH 350 MC 2	CH 350 KC 2
CH 450 LC 2	CH 450 HC 2	CH 450 SC 2	CH 450 DC 2	CH 450 MC 2	CH 450 KC 2
CH 650 LC 2	CH 650 HC 2	CH 650 SC 2	CH 650 DC 2	CH 650 MC 2	CH 650 KC 2
CH 750 LC 2	CH 750 HC 2	CH 750 SC 2	CH 750 DC 2	CH 750 MC 2	CH 750 KC 2
CH 850 LC 2	CH 850 HC 2	CH 850 SC 2	CH 850 DC 2	CH 850 MC 2	CH 850 KC 2
CH 950 LC 2	CH 950 HC 2	CH 950 SC 2	CH 950 DC 2	CH 950 MC 2	CH 950 KC 2



DRAIN DIMENSIONS

L	350 mm	450 mm	650 mm	750 mm	850 mm	950 mm
L1	415 mm	515 mm	715 mm	815 mm	915 mm	1015 mm
L2	295 mm	295 mm	595 mm	695 mm	795 mm	895 mm
Weight [1 pc]	1,15 kg	1,30 kg	1,79 kg	1,93 kg	2,14 kg	2,40 kg



* Example of an order - CH 450 LC 2.

Linear floor drain with bottom outlet D40

flow rate $\approx$ 60-70 l/min, lowest installation height: 65 mm, outlet diameter: 40 mm


PART NUMBER*

LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH 650/S40 LC	CH 650/S40 HC	CH 650/S40 SC	CH 650/S40 DC	CH 650/S40 MC	CH 650/S40 KC
CH 750/S40 LC	CH 750/S40 HC	CH 750/S40 SC	CH 750/S40 DC	CH 750/S40 MC	CH 750/S40 KC
CH 850/S40 LC	CH 850/S40 HC	CH 850/S40 SC	CH 850/S40 DC	CH 850/S40 MC	CH 850/S40 KC
CH 950/S40 LC	CH 950/S40 HC	CH 950/S40 SC	CH 950/S40 DC	CH 950/S40 MC	CH 950/S40 KC
CH 1050/S40LC	CH 1050/S40 HC	CH 1050/S40 SC	CH 1050/S40 DC	CH 1050/S40 MC	CH 1050/S40 KC



DRAIN DIMENSIONS

L	650 mm	750 mm	850 mm	950 mm	1050 mm
L1	715 mm	815 mm	915 mm	1015 mm	1115 mm
L2	595 mm	695 mm	795 mm	895 mm	995 mm
Weight [1 pc]	1,75 kg	1,86 kg	2,14 kg	2,32 kg	2,45 kg




* Example of an order - CH 750/S40 LC.

Linear floor drain with side outlet D50

flow rate $\approx$ 44-52 l/min, lowest installation height: 65 mm, outlet diameter: 50 mm



PART NUMBER*

LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH 650/50 LC	CH 650/50 HC	CH 650/50 SC	CH 650/50 DC	CH 650/50 MC	CH 650/50 KC
CH 750/50 LC	CH 750/50 HC	CH 750/50 SC	CH 750/50 DC	CH 750/50 MC	CH 750/50 KC
CH 850/50 LC	CH 850/50 HC	CH 850/50 SC	CH 850/50 DC	CH 850/50 MC	CH 850/50 KC
CH 950/50 LC	CH 950/50 HC	CH 950/50 SC	CH 950/50 DC	CH 950/50 MC	CH 950/50 KC
CH 1050/50 LC	CH 1050/50 HC	CH 1050/50 SC	CH 1050/50 DC	CH 1050/50 MC	CH 1050/50 KC



DRAIN DIMENSIONS

L	650 mm	750 mm	850 mm	950 mm	1050 mm
L1	715 mm	815 mm	915 mm	1015 mm	1115 mm
L2	595 mm	695 mm	795 mm	895 mm	995 mm
Weight [1 pc]	1,76 kg	1,89 kg	2,17 kg	2,33 kg	2,46 kg




* Example of an order - CH 750/50 LC.

Linear floor drain with side outlet D50 and swivel siphon 360°

flow rate $\approx$ 46-52 l/min, lowest installation height: 75 mm, outlet diameter: 50 mm


PART NUMBER*

LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH PA 650 LC	CH PA 650 HC	CH PA 650 SC	CH PA 650 DC	CH PA 650 MC	CH PA 650 KC
CH PA 750 LC	CH PA 750 HC	CH PA 750 SC	CH PA 750 DC	CH PA 750 MC	CH PA 750 KC
CH PA 850 LC	CH PA 850 HC	CH PA 850 SC	CH PA 850 DC	CH PA 850 MC	CH PA 850 KC
CH PA 950 LC	CH PA 950 HC	CH PA 950 SC	CH PA 950 DC	CH PA 950 MC	CH PA 950 KC
CH PA 1050 LC	CH PA 1050 HC	CH PA 1050 SC	CH PA 1050 DC	CH PA 1050 MC	CH PA 1050 KC



DRAIN DIMENSIONS


L	650 mm	750 mm	850 mm	950 mm	1050 mm
L1	715 mm	815 mm	915 mm	1015 mm	1115 mm
Weight [1 pc]	2,54 kg	2,80 kg	2,98 kg	3,32 kg	3,55 kg



* Example of an order - CH PA 750 LC.



Linear floor drain - Medium Black




Aquarius is thanks to top modern technology protecting your bathroom from unwanted leaks water. The body of the gutter is pressed as one piece. The waterproofing membrane foil is hermetically sealed already in production.

Our new technology makes it easier and at the same time pushes the boundaries of the possibility of easier work production and assembly process.

A new dimension of modern bathroom now gives unlimited perfect options harmony of design and functionality.

- ☑ Stainless steel DIN 1.4401 AISI 316
- ☑ Easy dismantling when cleaning
- ☑ Without tiling height limit
- ☑ Load capacity K3 – 300 kg



Stainless steel linear floor drains




Stainless steel linear floor drain with side outlet D40 and waterproof membrane

flow rate $\approx$ 30-34 l/min, lowest installation height: 62 mm, outlet diameter: 40 mm

PART NUMBER*


	ALU grid for gluing tiles (glass)		ALU grid + stainless steel 1,5 mm
	CH N 7001		CH N 7005
	CH N 8001		CH N 8005
	CH N 9001		CH N 9005



The package also includes
polystyrene drain support

DRAIN DIMENSIONS

L		700 mm	800 mm	900 mm
L1		735 mm	835 mm	936 mm
L2		1000 mm	1100 mm	1200 mm
Weight [1 pc]	ALU grid	1,58 kg	1,71 kg	1,85 kg
Weight [1 pc]	ALU grid + stainless steel	1,99 kg	2,17 kg	2,36 kg






* Example of an order | Grid for gluing tiles - CH N 8001; Grids + stainless steel strip - CH N 8005.

Stainless steel linear floor drain with side outlet D40 and without waterproof membrane

flow rate $\approx$ 30-34 l/min, lowest installation height: 62 mm, outlet diameter: 40 mm

PART NUMBER*



	ALU grid for gluing tiles (glass)		ALU grid + stainless steel 1,5 mm
	CH N 7002		CH N 7006
	CH N 8002		CH N 8006
	CH N 9002		CH N 9006



 The package also includes polystyrene drain support

DRAIN DIMENSIONS

L		700 mm	800 mm	900 mm
L1		800 mm	900 mm	1000 mm
Weight [1 pc]	ALU grid	1,97 kg	2,17 kg	2,63 kg
Weight [1 pc]	ALU grid + stainless steel	2,38 kg	2,63 kg	2,87 kg




* Example of an order | Grid for gluing tiles - CH N 8002; Grids + stainless steel strip - CH N 8006.

Stainless steel linear floor drain with swivel side siphon D50 and waterproof membrane

flow rate $\approx$ 46-50 l/min, lowest installation height: 70 mm, outlet diameter: 50 mm

PART NUMBER*




ALU grid for gluing tiles (glass)

CH N 7003

CH N 8003

CH N 9003



ALU grid + stainless steel 1,5 mm

CH N 7007

CH N 8007

CH N 9007




The package also includes
polystyrene drain support



DRAIN DIMENSIONS

L		700 mm	800 mm	900 mm
L1		735 mm	835 mm	936 mm
L2		1000 mm	1100 mm	1200 mm
Weight [1 pc]	ALU grid	1,78 kg	1,94 kg	2,10 kg
Weight [1 pc]	ALU grid + stainless steel	2,19 kg	2,40 kg	2,58 kg






* Example of an order | Grid for gluing tiles - CH N 8003; Grids + stainless steel strip - CH N 8007.

Stainless steel linear floor drain with swivel side siphon D50 and without waterproof membrane

flow rate $\approx$ 46-50 l/min, lowest installation height: 70 mm, outlet diameter: 50 mm

PART NUMBER*


	ALU grid for gluing tiles (glass)		ALU grid + stainless steel 1,5 mm
	CH N 7004		CH N 7008
	CH N 8004		CH N 8008
	CH N 9004		CH N 9008



The package also includes
polystyrene drain support

DRAIN DIMENSIONS

L		700 mm	800 mm	900 mm
L1		800 mm	900 mm	1000 mm
Weight [1 pc]	ALU grid	2,17 kg	2,40 kg	2,58 kg
Weight [1 pc]	ALU grid + stainless steel	2,58 kg	2,85 kg	3,10 kg



* Example of an order | Grid for gluing tiles - CH N 8004; Grids + stainless steel strip - CH N 8008.

Stainless steel linear floor drain with plastic swivel side siphon D50

flow rate $\approx$ 42-48 l/min, lowest installation height: 59 mm, outlet diameter: 50 mm


PART NUMBER*

LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH NA 650 L (L1)	CH NA 650 H (H1)	CH NA 650 S (S1)	CH NA 650 D (D1)	CH NA 650 M (M1)	CH NA 650 K (K1)
CH NA 750 L (L1)	CH NA 750 H (H1)	CH NA 750 S (S1)	CH NA 750 D (D1)	CH NA 750 M (M1)	CH NA 750 K (K1)
CH NA 850 L (L1)	CH NA 850 H (H1)	CH NA 850 S (S1)	CH NA 850 D (D1)	CH NA 850 M (M1)	CH NA 850 K (K1)
CH NA 950 L (L1)	CH NA 950 H (H1)	CH NA 950 S (S1)	CH NA 950 D (D1)	CH NA 950 M (M1)	CH NA 950 K (K1)
CH NA 1050 L (L1)	CH NA 1050 H (H1)	CH NA 1050 S (S1)	CH NA 1050 D (D1)	CH NA 1050 M (M1)	CH NA 1050 K (K1)
CH NA 1200 L (L1)	CH NA 1200 H (H1)	CH NA 1200 S (S1)	CH NA 1200 D (D1)	CH NA 1200 M (M1)	CH NA 1200 K (K1)
L-glossy • L1-matte	H-glossy • H1-matte	S-glossy • S1-matte	D-glossy • D1-matte	M-glossy • M1-matte	K-glossy • K1-matte



DRAIN DIMENSIONS

L	650 mm	750 mm	850 mm	950 mm	1050 mm	1200 mm
L1	700 mm	800 mm	900 mm	1000 mm	1100 mm	1250 mm
L2	595 mm	695 mm	795 mm	895 mm	995 mm	1145 mm
Weight [1 pc]	2,54 kg	2,80 kg	2,98 kg	3,32 kg	3,55 kg	4,03 kg




* Example of an order | Glossy order - CH NA 750 L; Matte order - CH NA 750 L1.

Stainless steel linear floor drain with plastic swivel height adjustable side siphon D50

flow rate $\approx$ 42-48 l/min, lowest installation height: 64 mm, outlet diameter: 50 mm


PART NUMBER*

LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH N 650 L (L1)	CH N 650 H (H1)	CH N 650 S (S1)	CH N 650 D (D1)	CH N 650 M (M1)	CH N 650 K (K1)
CH N 750 L (L1)	CH N 750 H (H1)	CH N 750 S (S1)	CH N 750 D (D1)	CH N 750 M (M1)	CH N 750 K (K1)
CH N 850 L (L1)	CH N 850 H (H1)	CH N 850 S (S1)	CH N 850 D (D1)	CH N 850 M (M1)	CH N 850 K (K1)
CH N 950 L (L1)	CH N 950 H (H1)	CH N 950 S (S1)	CH N 950 D (D1)	CH N 950 M (M1)	CH N 950 K (K1)
CH N 1050 L (L1)	CH N 1050 H (H1)	CH N 1050 S (S1)	CH N 1050 D (D1)	CH N 1050 M (M1)	CH N 1050 K (K1)
CH N 1200 L (L1)	CH N 1200 H (H1)	CH N 1200 S (S1)	CH N 1200 D (D1)	CH N 1200 M (M1)	CH N 1200 K (K1)
L-glossy • L1-matte	H-glossy • H1-matte	S-glossy • S1-matte	D-glossy • D1-matte	M-glossy • M1-matte	K-glossy • K1-matte



DRAIN DIMENSIONS


L	650 mm	750 mm	850 mm	950 mm	1050 mm	1200 mm
L1	700 mm	800 mm	900 mm	1000 mm	1100 mm	1250 mm
L2	595 mm	695 mm	795 mm	895 mm	995 mm	1145 mm
Weight [1 pc]	2,54 kg	2,80 kg	2,98 kg	3,32 kg	3,55 kg	4,03 kg



* Example of an order | Glossy order - CH N 750 L; Matte order - CH N 750 L1.

Spare parts

Plastic body drain without grid D40




DIMENSION L [mm]	PART NR. * gray - (black - C)
350	CH 350/1 (C)
450	CH 450/1 (C)
550	CH 550/1 (C)
650	CH 650/1 (C)
750	CH 750/1 (C)
850	CH 850/1 (C)
950	CH 950/1 (C)

Plastic body drain with stainless steel frame without grid D40




DIMENSION L [mm]	PART NUMBER
350	CH 350/1 N
450	CH 450/1 N
550	CH 550/1 N
650	CH 650/1 N
750	CH 750/1 N
850	CH 850/1 N
950	CH 950/1 N

Plastic body drain to the wall without grid D40



DIMENSION L [mm]	PART NR. * gray - (black - C)
350	CH 350/2 (C)
450	CH 450/2 (C)
650	CH 650/2 (C)
750	CH 750/2 (C)
850	CH 850/2 (C)
950	CH 950/2 (C)

Plastic body drain to the wall with stainless steel frame without grid D40



DIMENSION L [mm]	PART NUMBER
350	CH 350/2 N
450	CH 450/2 N
650	CH 650/2 N
750	CH 750/2 N
850	CH 850/2 N
950	CH 950/2 N

Plastic body drain without grid, bottom outlet D40



DIMENSION L [mm]	PART NR. * gray - (black - C)
650	CH 650/S40 (C)
750	CH 750/S40 (C)
850	CH 850/S40 (C)
950	CH 950/S40 (C)
1050	CH 1050/S40 (C)

Plastic body drain with stainless steel frame without grid, bottom outlet D40



DIMENSION L [mm]	PART NUMBER
650	CH 650/S40 N
750	CH 750/S40 N
850	CH 850/S40 N
950	CH 950/S40 N
1050	CH 1050/S40 N

Plastic body drain without grid D50



DIMENSION L [mm]	PART NR. * gray - (black - C)
650	CH 650/50 (C)
750	CH 750/50 (C)
850	CH 850/50 (C)
950	CH 950/50 (C)
1050	CH 1050/50 (C)

Plastic body drain with stainless steel frame without grid D50




DIMENSION L [mm]	PART NUMBER
650	CH 650/50 N
750	CH 750/50 N
850	CH 850/50 N
950	CH 950/50 N
1050	CH 1050/50 N

* Example of an order | Gray order - CH 350/1; Black order - CH 350/1 (C).

Spare parts

Plastic body drain without grid and siphon D50



DIMENSION L [mm]	PART NR. * gray - (black - C)
650	P 65 (C)
750	P 75 (C)
850	P 85 (C)
950	P 95 (C)
1050	P 105 (C)

Plastic body drain without grid and siphon D50, with stainless steel frame



DIMENSION L [mm]	PART NUMBER
650	P 65 N
750	P 75 N
850	P 85 N
950	P 95 N
1050	P 105 N

Stainless steel body with ALU grid, insulation and without siphon, Aquarius




DIMENSION L [mm]	PART NUMBER
700	3028
800	3029
900	3030

Stainless steel body with ALU grid, without insulation and siphon, Aquarius




DIMENSION L [mm]	PART NUMBER
700	3025
800	3026
900	3027

ALU rail for Aquarius incl. 4 adjustable plastic supports




DIMENSION L [mm]	PART NUMBER
700	3005
800	3006
900	3007

Stainless steel grid 1,5 mm for ALU rail



DIMENSION L [mm]	PART NUMBER
700	3013
800	3014
900	3015

Swivel siphon D50 Aquarius



PART NUMBER	3002
-------------	------


Swivel siphon D50, height adjustable



PART NUMBER	804/4
-------------	-------

Spare parts

Stainless steel grids



PART NUMBER

	LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
350 glossy	L 350	H 350	S 350	D 350	M 350	K 350
350 matte	L 350 1	H 350 1	S 350 1	D 350 1	M 350 1	K 350 1
350 black	L 350 C	H 350 C	S 350 C	D 350 C	M 350 C	K 350 C
450 glossy	L 450	H 450	S 450	D 450	M 450	K 450
450 matte	L 450 1	H 450 1	S 450 1	D 450 1	M 450 1	K 450 1
450 black	L 450 C	H 450 C	S 450 C	D 450 C	M 450 C	K 450 C
550 glossy	L 550	H 550	S 550	D 550	M 550	K 550
550 matte	L 550 1	H 550 1	S 550 1	D 550 1	M 550 1	K 550 1
550 black	L 550 C	H 550 C	S 550 C	D 550 C	M 550 C	K 550 C
650 glossy	L 650	H 650	S 650	D 650	M 650	K 650
650 matte	L 650 1	H 650 1	S 650 1	D 650 1	M 650 1	K 650 1
650 black	L 650 C	H 650 C	S 650 C	D 650 C	M 650 C	K 650 C
750 glossy	L 750	H 750	S 750	D 750	M 750	K 750
750 matte	L 750 1	H 750 1	S 750 1	D 750 1	M 750 1	K 750 1
750 black	L 750 C	H 750 C	S 750 C	D 750 C	M 750 C	K 750 C
850 glossy	L 850	H 850	S 850	D 850	M 850	K 850
850 matte	L 850 1	H 850 1	S 850 1	D 850 1	M 850 1	K 850 1
850 black	L 850 C	H 850 C	S 850 C	D 850 C	M 850 C	K 850 C
950 glossy	L 950	H 950	S 950	D 950	M 950	K 950
950 matte	L 950 1	H 950 1	S 950 1	D 950 1	M 950 1	K 950 1
950 black	L 950 C	H 950 C	S 950 C	D 950 C	M 950 C	K 950 C
1050 glossy	L 1050	H 1050	S 1050	D 1050	M 1050	K 1050
1050 matte	L 1050 1	H 1050 1	S 1050 1	D 1050 1	M 1050 1	K 1050 1
1050 black	L 1050 C	H 1050 C	S 1050 C	D 1050 C	M 1050 C	K 1050 C
1200 glossy	L 1200	H 1200	S 1200	D 1200	M 1200	K 1200
1200 matte	L 1200 1	H 1200 1	S 1200 1	D 1200 1	M 1200 1	K 1200 1

Spare parts

Slim Line GRIDS



PART NUMBER

	500 mm	600 mm	700 mm	800 mm	900 mm	1000 mm	1100 mm	1200 mm
Slim Line	CH 605	CH 606	CH 607	CH 608	CH 609	CH 610	CH 611	CH 612
Slim Line Premium	CH 605 P	CH 606 P	CH 607 P	CH 608 P	CH 609 P	CH 610 P	CH 611 P	CH 612 P
Slim Line Black	CH 605 C	CH 606 C	CH 607 C	CH 608 C	CH 609 C	CH 610 C	CH 611 C	CH 612 C
Slim Line Premium Black	CH 605 PC	CH 606 PC	CH 607 PC	CH 608 PC	CH 609 PC	CH 610 PC	CH 611 PC	CH 612 PC

Plastic sifter



PART NUMBER

For stainless steel drain (page 29)	CH 460
For plastic drain (P 65 - P 105; P 65 N - P 105 N)	CH 460 A
For plastic drain - black	CH 460 AC

Strainer



PART NUMBER

Strainer for DN 40	CH 468
Strainer for DN 50	CH 469
Strainer for DN 40 Black	CH 468 C
Strainer for DN 50 Black	CH 469 C
Strainer for Slim Line	CH 601
Strainer for Slim Line Black	CH 601 C

Siphon cover



Gray	Black
CH 430	CH 430 C

Flap



Gray	Black
CH 432	CH 432 C


Adjustable legs



PART NUMBER

47 mm	CH 433
64 mm	CH 433/1
For stainless steel liner floor rain	3038

Height-adjustable stainless steel frame support from 0-8 mm




Gray	Black
CH 602	CH 602 C

Adjustable PLASTIC SUPPORT for ALU rail, 0-4 mm



PART NUMBER	3008
-------------	------

Additional pad for SUPPORT, 5 mm



PART NUMBER	3009
-------------	------


Attachment D50/100



PART NUMBER	CH 465
-------------	--------


Spare parts

Grid support for stainless steel FLOOR DRAINS



	PART NUMBER
HARMONY	CH 463
SQUARE	CH 463
DROPS	CH 463
MEDIUM	CH 463
KLASIK	CH 462
FLOOR	CH 461

Grid support for plastic FLOOR DRAINS



	PART NUMBER
HARMONY	CH 463/1 (C)
SQUARE	CH 463/1 (C)
DROPS	CH 463/1 (C)
MEDIUM	CH 463/1 (C)
KLASIK	CH 462/1 (C)
FLOOR	CH 462/1 (C)

C = black

Self-adhesive waterproofing membrane 1000 x 80mm



PART NUMBER	391/7
-------------	-------

Sealing tape, width 120mm x 10m KLASIK



PART NUMBER	391/8
-------------	-------

Gasket HT D50



PART NUMBER	9810
-------------	------

Sealing O-ring



For siphon cover	CH 431
For attachment	CH 388/2

Reducer 40/50



PART NUMBER	CH 434
-------------	--------

Key for grid removal



Plastic	CH 439
Stainless steel	387/1

Grid support for SLIM LINE




Grid support for SLIM LINE	CH 602/1
Grid support for SLIM LINE - black	CH 602/1 C

New decors of linear floor drain grids

Linear floor drains with a stainless steel frame and grid are available in three exclusive color variants: Gold, Gold rose/Bronze, Metal gray/Titan. These luxurious finishes will give your bathroom a unique look.

Each of the color variants is available in both matte and glossy versions, to suit your individual preferences and design requirements. Grids are available in Line, Harmony, Square, Drops, Medium, Classic/Floor.

When ordering these color variants, write the order number of the linear floor drain with the desired shade, i.e. Gold, Gold rose/Bronze or Metal gray/Titan. Let your bathroom shine with elegance and timeless style with our exclusive grids.



NEW

GOLD

NEW

GOLD ROSE/BRONZE

NEW

METAL GRAY/TITAN


Line glossy




Harmony glossy



Square glossy



Drops glossy



Medium glossy



Klasik glossy



Line matte



Harmony matte



Square matte



Drops matte



Medium matte



Klasik matte





A: 192x60x53 cm




B: 120x80 cm



C: 192x60x53 cm



D: 43x18 cm



E: 43x18x20 cm



F: 75x50 cm



G: 43x26 cm



More information at www.chudej.eu.

Are you designer or an architect?




BIM PROJECT

„Building information modeling“ or BIM can do much more than a 3D model of a building. It is a methodology of creating a construction project, which plays an indispensable role in modern design. And in order for BIM to be fully usable, it is necessary to fill it with information about all used manufacturers.

The company Chuděj, s.r.o. offers more than 1 500 products from its portfolio ready for BIM under the bimproject.cloud service. We have prepared BIM product models for you, such as linear floor drains, floor, street and roof drains and exterior gutters.



More information at www.chudej.eu.



Contact

Company owner:

Miroslav Chuděj
Phone: +420 571 757 730
E-mail: chudej@chudej.cz

Export director:

Ing. Karel Háek
Phone: +420 723 126 125
Phone: +420 774 557 994
E-mail: export@chudej.cz

Assistant of export director:

Mgr. Adéla Hlaváčková
Phone: +420 571 757 745
Phone: +420 737 537 430
E-mail: trade@chudej.cz

Assistant of export director:

Bc. Dominika Jahodová
Phone: +420 571 757 745
E-mail: trade@chudej.cz

Manager for Western Balkan:

Bekim Hasani
Phone: +386 49 112 080
Phone: +383 49 112 080
E-mail: bh@chudej.cz

Financial department:

Irena Janků
E-mail: janku@chudej.cz



Czech manufacturer

04/24



CHUDĚJ s.r.o.

Hutisko 310
756 62 Hutisko-Solanec
Czech Republic

Phone: +420 723 126 125 • +420 571 757 745

E-mail: export@chudej.cz

www.chudej.eu

