



CHUDEJ[®]

SANITARY ASSORTMENT



Product
catalogue

Table of contents




4-7

FOR-TOP Skirting board trim

10-11

Wall brackets for plastic pipes



12-15

Wall brackets for copper pipes

16-17

Floor brackets



17

Hammer-in plastic dowels


18-19

Pipe trims (rosettes)



20-22

Other sanitary assortment



Tacker – to apply floor brackets of type D



Skirting board cover FOR TOP


FOR-TOP skirting board trims

FOR-TOP systems allow heating and cable ducts to be covered easily and fast with a skirting board. They are suitable for use in reconstructions and modernization as well as in new structures. They are made from PVC.


- easy to assemble and disassemble
- without cutting grooves in the wall
- without the need for masonry and painting work
- 5 colour of design
- suitable for pipes with diameter 12 - 22mm
- easy access for duct repair
- boards made of heat-resistant PVC
- bracket and fitting made from PA and PS




Colour range:




Bracket



Trim



Cross-section of pipe with skirting board



Inner corner

Connecting trim

Skirting board

Connecting piece

Bracket with dowel


End piece - left/right

Outer corner

FOR-TOP skirting board trims



Part number	Name	Pieces/Packaging	Weight [kg/pcs]
SKIRTING BOARD (lengths 2 m and 4 m)			
FT 510	White	10	1,9
FT 511	Maple	10	1,9
FT 512	Beech	10	1,9
FT 514	Oak	10	1,9
FT 515	Cherry	10	1,9
BRACKET FOR SKIRTING BOARD			
FT 501	White	25	0,336
SCREW DOWEL PIN			
FT 308	8x80	25	0,313
INNER CORNER FOR SKIRTING BOARD			
FT 502	White	5	0,092
FT 502 A	Maple	5	0,092
FT 502 B	Beech	5	0,092
FT 502 D	Oak	5	0,092
FT 502 E	Cherry	5	0,092
OUTER CORNER FOR SKIRTING BOARD			
FT 503	White	5	0,08
FT 503 A	Maple	5	0,08
FT 503 B	Beech	5	0,08
FT 503 D	Oak	5	0,08
FT 503 E	Cherry	5	0,08
CONNECTING TRIM			
FT 504	White	5	0,06
FT 504 A	Maple	5	0,06
FT 504 B	Beech	5	0,06
FT 504 D	Oak	5	0,06
FT 504 E	Cherry	5	0,06
LEFT END PIECE FOR SKIRTING BOARD			
FT 505	White	5	0,07
FT 505 A	Maple	5	0,07
FT 505 B	Beech	5	0,07
FT 505 D	Oak	5	0,07
FT 505 E	Cherry	5	0,07
RIGHT END PIECE FOR SKIRTING BOARD			
FT 506	White	5	0,07
FT 506 A	Maple	5	0,07
FT 506 B	Beech	5	0,07
FT 506 D	Oak	5	0,07
FT 506 E	Cherry	5	0,07
CONNECTING SKIRTING BOARD			
FT 520	White	1	0,16
FT 520 A	Maple	1	0,16
FT 520 B	Beech	1	0,16
FT 520 D	Oak	1	0,16
FT 520 E	Cherry	1	0,16




Bracket with a clip


Wall brackets for pipes

A comprehensive assortment of pipe clamps and brackets is used to fix all types of piping, namely PPR, CU, PEX or AL-PEX. The clamps are made from PP/PA, with a hole, oval, or M6 thread. The production range includes options with a clip or with(out) a shackle. The assembly temperature range is 5 - 90 °C.


- simple assembly
- optionally fixed through oval/round hole or with an M6 nut
- allowing to fix pipes up to D110
- low weight, very good strength
- options with a clip, with or without a shackle
- suitable for all pipe types: PPR, CU, PEX, AL-PEX




Twin bracket




Twin bracket with shackle



Bracket with shackle
and M6 metal nut



Twin bracket with clip










Bracket with clip

Wall brackets for plastic pipes

Part number	Dimension [mm]	Pieces per pag	Pieces per carton	Packaging weight [kg]
BRACKET WITH A CLIP				
1K020P	20	50	500	3,76
1K025P	25	50	500	4,68
1K032P	32	50	500	6,30
1K040P	40	50	400	8,30
1K050P	50	25	200	5,70
1K063P	63	25	100	3,90
TWIN BRACKET WITH A CLIP				
2K020P	2x20	50	400	6,00
2K025P	2x25	50	400	5,70
BRACKET				
10008P	8,5	50	2000	2,10
10016P	16	50	1000	7,00
10020P	20	50	500	3,75
10025P	25	50	500	4,80
10032P	32	50	500	6,30
TWIN BRACKET				
20016P	2x16	50	800	12,20
20020P	2x20	50	600	10,50
20025P	2x25	50	400	9,20
20032P	2x32	50	400	8,70
BRACKET WITH A SHACKLE				
1T020P	20	50	500	6,00
1T025P	25	50	500	6,90
1T032P	32	50	500	6,80
1T040P	40	50	500	9,20
1T050P	50	25	200	7,30
1T063P	63	25	100	5,00
1T075P	75	1	50	4,40
1T090P	90	1	50	6,20
1T110P	110	1	20	2,70
K075	Protection ring for D75	10	100	1,99
BRACKET WITH A SHACKLE AND M6-Z METAL NUT				
Z1T016P	16	50	1000	7,40
Z1T020P	20	50	500	8,70
Z1T025P	25	50	500	11,50
Z1T032P	32	50	500	14,50
TWIN BRACKET WITH A SHACKLE				
20032PT	2x32	50	300	6,00
LOW BRACKET				
D20N	20	50	1000	5,14
D25N	25	50	1000	6,03

Wall brackets for plastic pipes










Part number	A [mm]	B [mm]	C [mm]	D [mm]	E [mm]
BRACKET WITH A CLIP					
1K020P	36,9	38,7	15,6	25,1	
1K025P	43	44,7	15,6	27,7	
1K032P	52,8	51,8	16	30,4	
1K040P	63,1	62,3	16	35,7	
1K050P	77,7	74	19	40,3	
1K063P	94,7	92,7	19	51	
TWIN BRACKET WITH A CLIP					
2K020P	70,9	38,5	15,7	25,2	42,8
2K025P	88,5	44,7	15,9	27,8	54,5
BRACKET					
10008P	24,5	22,5	15,7	16,95	
10016P	33,7	29,9	15,7	24,2	
10020P	38,1	32,8	15,8	25,7	
10025P	42,6	38,3	15,8	27,9	
10032P	49,4	43,6	15,7	31,6	
TWIN BRACKET					
20016P	65,3	30,2	15,9	24,2	40,4
20020P	70,5	34,8	15,9	25,5	43,4
20025P	89	40	15,8	27,8	54,7
20032P	106,4	44,3	16	31,9	63,2
BRACKET WITH A SHACKLE					
1T020P	45,2	43,2	15,9	25,5	
1T025P	52,2	49,2	15,8	28,1	
1T032P	52,5	54,7	15,8	31,8	
1T040P	63,4	63,6	15,8	36,6	
1T050P	80,2	77	18,7	40,4	
1T063P	96,3	91	18,9	46,6	
1T075P	120,1	90,6	24,1	62,5	
1T090P	138,7	129,3	24,2	68,3	
1T110P	164	149,2	24	78,3	
K075	Protection ring for D75	10	100	1,99	
BRACKET WITH A SHACKLE AND M6-Z METAL NUT					
Z1T016P	33,7	38	15,7	24,2	
Z1T020P	45,2	43,2	15,9	25,5	
Z1T025P	52,2	49,2	15,8	28,1	
Z1T032P	52,5	54,7	15,8	31,8	
TWIN BRACKET WITH A SHACKLE					
20032PT	110,8	53,4	16	31,8	63,1
LOW BRACKET					
D20N	28,1	25,4	14,1	15,8	
D25N	32,8	29,2	14,1	17,9	

Wall brackets for copper pipes

Part number	Dimension [mm]	Pieces per pag	Pieces per carton	Packaging weight [kg]
BRACKET WITH A CLIP				
1K015B	15	50	1000	4,20
1K018B	18	50	500	3,10
1K022B	22	50	500	3,70
1K028B	28	50	500	5,50
BRACKET WITH A CLIP AND M6-Z METAL NUT				
Z1K015B	15	50	1000	6,10
Z1K018B	18	50	500	4,50
Z1K022B	22	50	500	5,10
Z1K028B	28	50	500	6,90
TWIN BRACKET WITH A CLIP				
2K015B	2x15	50	500	5,30
2K018B	2x18	50	500	5,80
2K022B	2x22	50	400	5,40
2K028B	2x28	50	250	4,40
TWIN BRACKET WITH A CLIP AND M6-Z METAL NUT				
Z2K015B	2x15	50	500	6,70
Z2K018B	2x18	50	500	7,20
Z2K022B	2x22	50	400	6,30
Z2K028B	2x28	50	250	5,00
BRACKET				
10010Cu	10	50	2000	9,00
10012Cu	12	50	1000	5,40
10015Cu	15	50	1000	5,40
10018Cu	18	50	1000	6,80
10022Cu	22	50	1000	7,70
BRACKET WITH M6-Z METAL NUT				
Z10012Cu	12	50	1000	7,10
Z10015Cu	15	50	1000	8,20
Z10018Cu	18	50	1000	9,50
Z10022Cu	22	50	1000	10,40
TWIN BRACKET				
20012Cu	2x12	50	500	5,30
20015Cu	2x15	50	800	9,40
20018Cu	2x18	50	400	6,00
20022Cu	2x22	50	500	8,60

Wall brackets for copper pipes



Part number	A [mm]	B [mm]	C [mm]	D [mm]	E [mm]
BRACKET WITH A CLIP					
1K015B	28,9	30,8	15,7	20,8	
1K018B	32,2	34,5	15,8	22,2	
1K022B	37,4	39,7	15,7	25	
1K028B	45,5	46,5	15,7	28	
BRACKET WITH A CLIP AND M6-Z METAL NUT					
Z1K015B	28,9	30,8	15,7	20,8	
Z1K018B	32,2	34,5	15,8	22,2	
Z1K022B	37,4	39,7	15,7	25	
Z1K028B	45,5	46,5	15,7	28	
TWIN BRACKET WITH A CLIP					
2K015B	56	30,9	15,7	20,5	34,8
2K018B	65,4	34,4	15,7	22,2	40
2K022B	75,5	42,2	15,7	27,4	45
2K028B	91,4	46,4	15,6	27,7	52,7
TWIN BRACKET WITH A CLIP AND M6-Z METAL NUT					
Z2K015B	56	30,9	15,7	20,5	34,8
Z2K018B	65,4	34,4	15,7	22,2	40
Z2K022B	75,5	42,2	15,7	27,4	45
Z2K028B	91,4	46,4	15,6	27,7	52,7
BRACKET					
10010Cu	24,5	23,5	15,8	17,8	
10012Cu	28,2	28,5	15,7	19,9	
10015Cu	29,8	30,3	15,7	20,6	
10018Cu	33,6	31,5	15,8	22,3	
10022Cu	38,7	35	15,7	24,7	
BRACKET WITH M6-Z METAL NUT					
Z10012Cu	28,2	28,5	15,7	19,9	
Z10015Cu	29,8	30,3	15,7	20,6	
Z10018Cu	33,6	31,5	15,8	22,3	
Z10022Cu	38,7	35	15,7	23,9	
TWIN BRACKET					
20012Cu	51,6	28,8	15,8	21,1	33,1
20015Cu	58,1	32,2	15,8	22,7	35,9
20018Cu	67,2	33,9	15,8	24,2	40,9
20022Cu	75,6	39,7	15,8	26,2	44,9

Wall brackets for copper pipes




Part number	Dimension [mm]	Pieces per pag	Pieces per carton	Packaging weight [kg]
TWIN BRACKET WITH M6-Z METAL NUT				
Z20012Cu	2x12	50	500	6,80
Z20015Cu	2x15	50	800	11,50
Z20018Cu	2x18	50	400	7,00
Z20022Cu	2x22	50	600	11,60
BRACKET WITH A SHACKLE				
1T028Cu	28	50	500	5,70
1T035Cu	35	50	500	7,20
BRACKET WITH A SHACKLE AND M6-Z METAL NUT				
Z1T028Cu	28	50	500	7,30
Z1T035Cu	35	50	500	8,40
TWIN BRACKET WITH A SHACKLE				
20028CuT	2x28	50	300	8,00
TWIN BRACKET WITH A SHACKLE AND M6-Z METAL NUT				
Z20028CuT	2x28	50	300	9,20

Brackets for aluminium-plastic pipes




Part number	Dimension [mm]	Pieces per pag	Pieces per carton	Packaging weight [kg]
BRACKET FOR ALUMINIUM-PLASTIC PIPES				
10016B	16	50	1000	7,00
10020B	20	50	1000	7,70
10025B	25/26	50	500	4,80
TWIN BRACKET FOR ALUMINIUM-PLASTIC PIPES				
20016B	2x16	50	800	12,20
20020B	2x20	50	600	10,50
20025B	2x25/26	50	400	9,20

Wall brackets for copper pipes



Part number	A [mm]	B [mm]	C [mm]	D [mm]	E [mm]
TWIN BRACKET WITH M6-Z METAL NUT					
Z20012Cu	51,6	28,8	15,8	21,1	33,1
Z20015Cu	58,1	32,2	15,8	22,7	35,9
Z20018Cu	67,2	33,9	15,8	24,2	40,9
Z20022Cu	75,6	39,7	15,8	26,2	44,9
BRACKET WITH A SHACKLE					
1T028Cu	48	52,5	15,8	29,3	
1T035Cu	57	55,1	15,8	31	
BRACKET WITH A SHACKLE AND M6-Z METAL NUT					
Z1T028Cu	48	52,5	15,8	29,3	
Z1T035Cu	57	55,1	15,8	31	
TWIN BRACKET WITH A SHACKLE					
20028CuT	104,3	51,8	15,8	29,5	60,1
TWIN BRACKET WITH A SHACKLE AND M6-Z METAL NUT					
Z20028CuT	104,3	51,8	15,8	29,5	60,1

Brackets for aluminium-plastic pipes




Part number	A [mm]	B [mm]	C [mm]	D [mm]	E [mm]
BRACKET FOR ALUMINIUM-PLASTIC PIPES					
10016B	33,7	29,9	15,7	24,2	33,1
10020B	38,1	32,8	15,8	25,7	35,9
10025B	42,6	38,3	15,8	27,9	40,9
TWIN BRACKET FOR ALUMINIUM-PLASTIC PIPES					
20016B	65,3	30,2	15,9	24,2	40,4
20020B	70,5	34,8	15,9	24,2	43,4
20025B	89	40	15,9	25,5	53,7

FLOOR BRACKETS


FLOOR BRACKETS FOR D14–22mm

Floor brackets are used to fix floor heating pipes in their place. Bracket types A, B, C and E are applied manually only. A tacker must be used to apply type D. The tacker is not suggested for other brackets.


Part number	Pieces per bag	Pieces per carton	Weight [kg/carton]
A 303	50	2000	7,00
B 304	50	2000	5,30
C 312	50	1000	4,40
D 305	200	2000	4,68
E 306	50	1000	4,60




type A




type B



type C



type D



type E

TACKER – TO APPLY FLOOR BRACKETS OF TYPE D

Part number	Number of items	Weight [kg/pcs]
TAC 1	1	2,00

INSULATION STAPLE

Part number	Name	Pieces per bag	Pieces per carton	Weight [kg/carton]
301 S	light	100	10000	3,10
301 T	dark	100	10000	3,10



FLOOR BRACKETS

type A/type B/type C/type E/type D



INSULATION STAPLE

dark/light


TACKER
for applying floor
brackets of type D




Hammer-in plastic dowels

The hammer-in plastic dowels are designed to allow a fast and easy installation and assembly of pipes, cable tracts, protection tubing, and the like. They are installed through drilled holes D8 mm using a hammer. Made from PA, with heat resistance up to 130 °C.


Part number	Diameter [mm]	Pieces per bag	Pieces per carton	Weight [kg/carton]
N 1032 8/75	8	50	500	2,98
N 1032 8/95	8	50	500	3,50
N 1025 8/75	8	50	1000	2,24
N 1025 8/95	8	50	500	2,64
N 2032 8/75	8	50	500	4,02
N 2032 8/95	8	50	500	4,60
N 2025 8/75	8	50	1000	2,68
N 2025 8/95	8	50	500	3,18



N 1032 8/75 • N 1032 8/95






N 1025 8/75 • N 1025 8/95



N 2032 8/75 • N 2032 8/95



N 2025 8/75 • N 2025 8/95



ROSETTES



PIPE TRIMS (ROSETTES) D12-28mm





Segmented pipe caps are used to cover pipe passages in floors and walls. This comprehensive size range allows to use caps for pipe sizes from D12 to D28 mm. The KB/KCH frame is used to install two pipe caps; the cap frame is segmented.

SINGLE TRIM, WHITE

Part number White	Part number Black	Part number Chrome	Diameter [mm]	H [mm]	Pieces per bag	Pieces per carton
KB 1012	KC 1012	KCH 1012	12	13	20	1000
KB 1015	KC 1015	KCH 1015	15	12	20	1000
KB 1016	KC 1016	KCH 1016	16	11,7	20	1000
KB 1018	KC 1018	KCH 1018	18	11,1	20	1000
KB 1020	KC 1020	KCH 1020	20	10,6	20	1000
KB 1022	KC 1022	KCH 1022	22	10	20	1000
KB 1025	KC 1025	KCH 1025	25-26	9,1	20	1000
KB 1028	KC 1028	KCH 1028	28	8,2	20	1000

TWIN TRIM FRAME

KB 2000	KC 2000	KCH 2000	–	–	10	200
---------	---------	----------	---	---	----	-----




ROSETTES

ECCENTRIC PIPE TRIMS (ROSETTES) D15- 22mm

The eccentric segmented caps are used to cover pipe passages in floors and walls where no standard distance is adhered to. The eccentric caps allow to adjust the pipe size to installation needs, using the table below. This comprehensive size range from D15 to D22 mm. The KB/KCH frame is used to install two pipe caps; the cap frame is segmented.

SINGLE ECCENTRIC TRIM						
Part number White	Part number Chrome	Diameter [mm]	E _{MIN} [mm]	E _{MAX} [mm]	Pieces per bag	Pieces per carton
KB E015	KCH E015	15	23	77	20	1000
KB E016	KCH E016	16	24	76	20	1000
KB E018	KCH E018	18	26	74	20	1000
KB E020	KCH E020	20	28	72	20	1000
KB E022	KCH E022	22	30	70	20	1000
TWIN TRIM FRAME						
KB 2000	KCH 2000	–	–	–	10	200





Pressure plugs



Pressure plug blue/red

Part number	Pieces /Packaging	Weight [kg/pcs]
CH 523 1 A 	10	0,02
CH 523 1 B 	10	0,02




Pressure plugs

Toilet connectors


Toilet connector, short, straight

Part number	Pieces /Packaging	Weight [kg/pcs]
CH 530 E	12	0,27




Toilet connector, short, 20mm eccentric piece

Part number	Pieces /Packaging	Weight [kg/pcs]
CH 530 20	12	0,27




Toilet connector, short, 40mm eccentric piece

Part number	Pieces /Packaging	Weight [kg/pcs]
CH 530 40	12	0,29




Washing machine siphon, white

Part number	Pieces /Packaging	Weight [kg/pcs]
CH 529	10	0,10




Draining tank with a twin anti-odour closing and a rossete, white

Part number	Pieces /Packaging	Weight [kg/pcs]
CH 517 1	10	0,10



Draining tank with a twin anti-odour closing and a rossete, chrome plated





Part number	Pieces /Packaging	Weight [kg/pcs]
CH 517 1 K	10	0,09



Pipe sleeves and plastic sinks

The pipe sleeves are used to cover drainage pipes in diameters of 40/50/90/110mm.


Part number	Diameter [mm]	Packaging [ks]	Weight [kg/packaging]
CH 067 40	40	5	0,05
CH 067 50	50	5	0,06
CH 067 90	90	5	0,35
CH 067 110	110	5	0,30



NEW

Plastic sink with grid and siphon/white


Part number	Pieces /Packaging	Weight [kg/pcs]
CH 355	1	3,01



NEW


Plastic sink with grid and siphon/black

Part number	Pieces /Packaging	Weight [kg/pcs]
CH 355 C	1	3,01




Plastic sink with siphon

Part number	Pieces /Packaging	Weight [kg/pcs]
CH 350	1	3,11



Plastic grid, loading capacity 15 kg

Part number	Pieces /Packaging	Weight [kg/pcs]
CH 350 1	1	0,27



Are you designer or an architect?


BIM PROJECT

„Building information modeling“ or BIM can do much more than a 3D model of a building. It is a methodology of creating a construction project, which plays an indispensable role in modern design. And in order for BIM to be fully usable, it is necessary to fill it with information about all used manufacturers.

The company Chuděj, s.r.o. offers more than 1 500 products from its portfolio ready for BIM under the bimproject.cloud service. We have prepared BIM product models for you, such as linear floor drains, floor, street and roof drains and exterior gutters.



More information at www.chudej.eu.



Contact

Company owner:

Miroslav Chuděj
Phone: +420 571 757 730
E-mail: chudej@chudej.cz

Export director:

Ing. Karel Hák
Phone: +420 723 126 125
Phone: +420 774 557 994
E-mail: export@chudej.cz

Assistant of export director:

Mgr. Adéla Hlaváčková
Phone: +420 571 757 745
Phone: +420 737 537 430
E-mail: trade@chudej.cz

Assistant of export director:

Bc. Dominika Jahodová
Phone.: +420 571 757 745
Phone: +420 777 706 766
E-mail: trade@chudej.cz

Manager for Western Balkan:

Bekim Hasani
Phone: +386 49 112 080
Phone: +383 49 112 080
E-mail: bh@chudej.cz

Financial department:

Irena Janků
E-mail: janku@chudej.cz



Czech manufacturer

09/24



CHUDĚJ s.r.o.

Hutisko 310
756 62 Hutisko-Solanec
Czech Republic

Phone: +420 723 126 125 • +420 571 757 745

E-mail: export@chudej.cz

www.chudej.eu

