



CHUDĚJ[®]

LINEAR FLOOR DRAINS

Product
catalogue



4-27

Linear floor drains

pp. **6-15** With integrated waterproofing **NEW**

28-35

SLIM LINE linear floor drains

pp. **30-31** With integrated waterproofing **NEW**



36-49

Black linear floor drains

pp. **38-42** With integrated waterproofing **NEW**



50-55


Aquarius floor drains



56-63

Stainless steel linear floor drains

pp. **58-59** With integrated waterproofing **NEW**
p. **63** For vinyl flooring **NEW**



64-69

Accessories and spare parts



Grate Finishes

Grates for linear floor drains are now available in four new premium finishes: **GOLD, BRONZE, GUNMETAL** and **dark OAK**.

These finishes give your bathroom a distinctive and elegant look.

Gold, bronze and gunmetal are available in both matt and gloss finishes to suit different styles and preferences.

Grate designs for linear floor drains:


LINE | HARMONY | SQUARE | DROPS | MEDIUM | KLASIK / FLOOR



To order one of these finishes, add the corresponding suffix to the item number:

- **ZL** for gold,
- **BR** for bronze,
- **GM** for gunmetal,
- **OAK** for wood.

Examples of item numbers are provided on the following pages.



PLASTIC LINEAR FLOOR DRAINS

CHUDĚJ plastic linear floor drains are now also available with a waterproofing membrane integrated during manufacture.

The drain body is made of polypropylene and has been redesigned. It features a unique anti-odour system, strainers for collecting debris and height-adjustable legs for easier positioning during installation.

The stainless steel grates are made of DIN 1.4301 (AISI 304) stainless steel and comply with load class K3 – 300 kg.



LINE


HARMONY


SQUARE

DROPS


MEDIUM

KLASIK/FLOOR





Tile insert option for
KLASIK/FLOOR grate



- 1 Stainless steel grate, 1.5 mm
- 2 Anti-odour siphon cover with sealing O-ring
- 3 Debris strainer
- 4 Anti-odour flap
- 5 Grate support
- 6 Connection to side or bottom outlet D40 / D50

- 7 Height-adjustable drain support
- 8 Tiles
- 9 Tile adhesive
- 10 Waterproofing coating
- 11 WP membrane
- 12 Waterproofing coating

Linear floor drain D40

side outlet, with waterproofing membrane and plastic frame

flow rate $\approx$ 30-38 l/min, min. installation height: 50 mm



LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH Z350 L (L 1)	CH Z350 H (H 1)	CH Z350 S (S 1)	CH Z350 D (D 1)	CH Z350 M (M 1)	CH Z350 K (K 1)
CH Z450 L (L 1)	CH Z450 H (H 1)	CH Z450 S (S 1)	CH Z450 D (D 1)	CH Z450 M (M 1)	CH Z450 K (K 1)
CH Z550 L (L 1)	CH Z550 H (H 1)	CH Z550 S (S 1)	CH Z550 D (D 1)	CH Z550 M (M 1)	CH Z550 K (K 1)
CH Z650 L (L 1)	CH Z650 H (H 1)	CH Z650 S (S 1)	CH Z650 D (D 1)	CH Z650 M (M 1)	CH Z650 K (K 1)
CH Z750 L (L 1)	CH Z750 H (H 1)	CH Z750 S (S 1)	CH Z750 D (D 1)	CH Z750 M (M 1)	CH Z750 K (K 1)
CH Z850 L (L 1)	CH Z850 H (H 1)	CH Z850 S (S 1)	CH Z850 D (D 1)	CH Z850 M (M 1)	CH Z850 K (K 1)
CH Z950 L (L 1)	CH Z950 H (H 1)	CH Z950 S (S 1)	CH Z950 D (D 1)	CH Z950 M (M 1)	CH Z950 K (K 1)

L-gloss • L 1-matt


H-gloss • H 1-matt

S-gloss • S 1-matt


D-gloss • D 1-matt

M-gloss • M 1-matt

K-gloss • K 1-matt




Drain dimensions							
L	350 mm	450 mm	550 mm	650 mm	750 mm	850 mm	950 mm
L1	415 mm	515 mm	615 mm	715 mm	815 mm	915 mm	1015 mm
L2	-	-	-	595 mm	695 mm	795 mm	795 mm
L3	540 mm	640 mm	740 mm	840 mm	940 mm	1040 mm	1140 mm
Weight	1,07 kg	1,23 kg	1,37 kg	1,76 kg	1,91 kg	2,09 kg	2,27 kg



Linear floor drain D40


side outlet, with waterproofing membrane and stainless steel frame

flow rate $\approx$ 30-38 l/min, min. installation height: 50 mm





LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH Z350 LN (LN 1)	CH Z350 HN (HN 1)	CH Z350 SN (SN 1)	CH Z350 DN (DN 1)	CH Z350 MN (MN 1)	CH Z350 KN (KN 1)
CH Z450 LN (LN 1)	CH Z450 HN (HN 1)	CH Z450 SN (SN 1)	CH Z450 DN (DN 1)	CH Z450 MN (MN 1)	CH Z450 KN (KN 1)
CH Z550 LN (LN 1)	CH Z550 HN (HN 1)	CH Z550 SN (SN 1)	CH Z550 DN (DN 1)	CH Z550 MN (MN 1)	CH Z550 KN (KN 1)
CH Z650 LN (LN 1)	CH Z650 HN (HN 1)	CH Z650 SN (SN 1)	CH Z650 DN (DN 1)	CH Z650 MN (MN 1)	CH Z650 KN (KN 1)
CH Z750 LN (LN 1)	CH Z750 HN (HN 1)	CH Z750 SN (SN 1)	CH Z750 DN (DN 1)	CH Z750 MN (MN 1)	CH Z750 KN (KN 1)
CH Z850 LN (LN 1)	CH Z850 HN (HN 1)	CH Z850 SN (SN 1)	CH Z850 DN (DN 1)	CH Z850 MN (MN 1)	CH Z850 KN (KN 1)
CH Z950 LN (LN 1)	CH Z950 HN (HN 1)	CH Z950 SN (SN 1)	CH Z950 DN (DN 1)	CH Z950 MN (MN 1)	CH Z950 KN (KN 1)

LN-gloss • LN 1-matt HN-gloss • HN 1-matt SN-gloss • SN 1-matt DN-gloss • DN 1-matt MN-gloss • MN 1-matt KN-gloss • KN 1-matt



Also available in these finishes:
gold • bronze • gunmetal • oak

Drain dimensions							
L	350 mm	450 mm	550 mm	650 mm	750 mm	850 mm	950 mm
L1	415 mm	515 mm	615 mm	715 mm	815 mm	915 mm	1015 mm
L2	-	-	-	595 mm	695 mm	795 mm	795 mm
L3	540 mm	640 mm	740 mm	840 mm	940 mm	1040 mm	1140 mm
Weight	1,16 kg	1,34 kg	1,57 kg	1,81 kg	2,10 kg	2,29 kg	2,49 kg



 **Order example:** Gloss gold - CH Z350 LN ZL; Matt bronze - CH Z350 LN 1 BR; Gloss gunmetal - CH Z350 LN GM; Oak - CH Z350 LN OAK

Linear floor drain D40 against the wall


side outlet, with waterproofing membrane and plastic frame

flow rate $\approx$ 30-38 l/min, min. installation height: 50 mm





LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH Z350 L 2 (L 3)	CH Z350 H 2 (H 3)	CH Z350 S 2 (S 3)	CH Z350 D 2 (D 3)	CH Z350 M 2 (M 3)	CH Z350 K 2 (K 3)
CH Z450 L 2 (L 3)	CH Z450 H 2 (H 3)	CH Z450 S 2 (S 3)	CH Z450 D 2 (D 3)	CH Z450 M 2 (M 3)	CH Z450 K 2 (K 3)
CH Z650 L 2 (L 3)	CH Z650 H 2 (H 3)	CH Z650 S 2 (S 3)	CH Z650 D 2 (D 3)	CH Z650 M 2 (M 3)	CH Z650 K 2 (K 3)
CH Z750 L 2 (L 3)	CH Z750 H 2 (H 3)	CH Z750 S 2 (S 3)	CH Z750 D 2 (D 3)	CH Z750 M 2 (M 3)	CH Z750 K 2 (K 3)
CH Z850 L 2 (L 3)	CH Z850 H 2 (H 3)	CH Z850 S 2 (S 3)	CH Z850 D 2 (D 3)	CH Z850 M 2 (M 3)	CH Z850 K 2 (K 3)
CH Z950 L 2 (L 3)	CH Z950 H 2 (H 3)	CH Z950 S 2 (S 3)	CH Z950 D 2 (D 3)	CH Z950 M 2 (M 3)	CH Z950 K 2 (K 3)

L 2-gloss • L 3-matt H 2-gloss • H 3-matt S 2-gloss • S 3-matt D 2-gloss • D 3-matt M 2-gloss • M 3-matt K 2-gloss • K 3-matt




Drain dimensions						
L	350 mm	450 mm	650 mm	750 mm	850 mm	950 mm
L1	415 mm	515 mm	715 mm	815 mm	915 mm	1015 mm
L2	–	–	595 mm	695 mm	795 mm	795 mm
L3	580 mm	670 mm	870 mm	970 mm	1070 mm	1170 mm
Weight	1,18 kg	1,34 kg	1,84 kg	1,99 kg	2,21 kg	2,47 kg



Linear floor drain D40 against the wall

side outlet, with waterproofing membrane and stainless steel frame

flow rate $\approx$ 30-38 l/min, min. installation height: 50 mm





LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH Z350 LN 2 (LN 3)	CH Z350 HN 2 (HN 3)	CH Z350 SN 2 (SN 3)	CH Z350 DN 2 (DN 3)	CH Z350 MN 2 (MN 3)	CH Z350 KN 2 (KN 3)
CH Z450 LN 2 (LN 3)	CH Z450 HN 2 (HN 3)	CH Z450 SN 2 (SN 3)	CH Z450 DN 2 (DN 3)	CH Z450 MN 2 (MN 3)	CH Z450 KN 2 (KN 3)
CH Z650 LN 2 (LN 3)	CH Z650 HN 2 (HN 3)	CH Z650 SN 2 (SN 3)	CH Z650 DN 2 (DN 3)	CH Z650 MN 2 (MN 3)	CH Z650 KN 2 (KN 3)
CH Z750 LN 2 (LN 3)	CH Z750 HN 2 (HN 3)	CH Z750 SN 2 (SN 3)	CH Z750 DN 2 (DN 3)	CH Z750 MN 2 (MN 3)	CH Z750 KN 2 (KN 3)
CH Z850 LN 2 (LN 3)	CH Z850 HN 2 (HN 3)	CH Z850 SN 2 (SN 3)	CH Z850 DN 2 (DN 3)	CH Z850 MN 2 (MN 3)	CH Z850 KN 2 (KN 3)
CH Z950 LN 2 (LN 3)	CH Z950 HN 2 (HN 3)	CH Z950 SN 2 (SN 3)	CH Z950 DN 2 (DN 3)	CH Z950 MN 2 (MN 3)	CH Z950 KN 2 (KN 3)

LN 2-gloss • LN 3-matt HN 2-gloss • HN 3-matt SN 2-gloss • SN 3-matt DN 2-gloss • DN 3-matt MN 2-gloss • MN 3-matt KN 2-gloss • KN 3-matt



Drain dimensions						
L	350 mm	450 mm	650 mm	750 mm	850 mm	950 mm
L1	415 mm	515 mm	715 mm	815 mm	915 mm	1015 mm
L2	-	-	595 mm	695 mm	795 mm	795 mm
L3	580 mm	670 mm	870 mm	970 mm	1070 mm	1170 mm
Weight	1,28 kg	1,47 kg	2,01 kg	2,18 kg	2,43 kg	2,77 kg




Order example: Matt gold - CH Z350 LN 3 ZL; Matt bronze - CH Z350 LN 3 BR; Gloss gunmetal - CH Z350 LN 2 GM; Oak - CH Z350 LN 2 OAK

Linear floor drain D40

bottom outlet, with waterproofing membrane and plastic frame

flow rate $\approx$ 60-70 l/min, min. installation height: 65 mm



LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH Z650/S40 L (L 1)	CH Z650/S40 H (H 1)	CH Z650/S40 S (S 1)	CH Z650/S40 D (D 1)	CH Z650/S40 M (M 1)	CH Z650/S40 K (K 1)
CH Z750/S40 L (L 1)	CH Z750/S40 H (H 1)	CH Z750/S40 S (S 1)	CH Z750/S40 D (D 1)	CH Z750/S40 M (M 1)	CH Z750/S40 K (K 1)
CH Z850/S40 L (L 1)	CH Z850/S40 H (H 1)	CH Z850/S40 S (S 1)	CH Z850/S40 D (D 1)	CH Z850/S40 M (M 1)	CH Z850/S40 K (K 1)
CH Z950/S40 L (L 1)	CH Z950/S40 H (H 1)	CH Z950/S40 S (S 1)	CH Z950/S40 D (D 1)	CH Z950/S40 M (M 1)	CH Z950/S40 K (K 1)
CH Z1050/S40 L (L 1)	CH Z1050/S40 H (H 1)	CH Z1050/S40 S (S 1)	CH Z1050/S40 D (D 1)	CH Z1050/S40 M (M 1)	CH Z1050/S40 K (K 1)

L-gloss • L 1-matt


H-gloss • H 1-matt

S-gloss • S 1-matt



D-gloss • D 1-matt

M-gloss • M 1-matt

K-gloss • K 1-matt



Drain dimensions					
L	650 mm	750 mm	850 mm	950 mm	1050 mm
L1	715 mm	815 mm	915 mm	1015 mm	1115 mm
L2	495 mm	595 mm	695 mm	795 mm	895 mm
L3	840 mm	940 mm	1040 mm	1140 mm	1240 mm
Weight	1,80 kg	1,92 kg	2,21 kg	2,39 kg	2,53 kg



Linear floor drain D40




bottom outlet, with waterproofing membrane and stainless steel frame

flow rate $\approx$ 60-70 l/min, min. installation height: 65 mm





LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH Z650/S40 LN (LN 1)	CH Z650/S40 HN (HN 1)	CH Z650/S40 SN (SN 1)	CH Z650/S40 DN (DN 1)	CH Z650/S40 MN (MN 1)	CH Z650/S40 KN (KN 1)
CH Z750/S40 LN (LN 1)	CH Z750/S40 HN (HN 1)	CH Z750/S40 SN (SN 1)	CH Z750/S40 DN (DN 1)	CH Z750/S40 MN (MN 1)	CH Z750/S40 KN (KN 1)
CH Z850/S40 LN (LN 1)	CH Z850/S40 HN (HN 1)	CH Z850/S40 SN (SN 1)	CH Z850/S40 DN (DN 1)	CH Z850/S40 MN (MN 1)	CH Z850/S40 KN (KN 1)
CH Z950/S40 LN (LN 1)	CH Z950/S40 HN (HN 1)	CH Z950/S40 SN (SN 1)	CH Z950/S40 DN (DN 1)	CH Z950/S40 MN (MN 1)	CH Z950/S40 KN (KN 1)
CH Z1050/S40 LN (LN 1)	CH Z1050/S40 HN (HN 1)	CH Z1050/S40 SN (SN 1)	CH Z1050/S40 DN (DN 1)	CH Z1050/S40 MN (MN 1)	CH Z1050/S40 KN (KN 1)

LN-gloss • LN 1-matt HN-gloss • HN 1-matt SN-gloss • SN 1-matt DN-gloss • DN 1-matt MN-gloss • MN 1-matt KN-gloss • KN 1-matt



Also available in these finishes:
gold • bronze • gunmetal • oak

Drain dimensions					
L	650 mm	750 mm	850 mm	950 mm	1050 mm
L1	715 mm	815 mm	915 mm	1015 mm	1115 mm
L2	495 mm	595 mm	695 mm	795 mm	895 mm
L3	840 mm	940 mm	1040 mm	1140 mm	1240 mm
Weight	1,94 kg	2,10 kg	2,41 kg	2,61 kg	2,77 kg




Order example:
Gloss gold - CH Z650/S40 LN ZL; Gloss bronze - CH Z650/S40 LN BR; Matt gunmetal - CH Z650/S40 LN 1 GM; Oak - CH Z650/S40 LN OAK

Linear floor drain D50

side outlet, with waterproofing membrane and plastic frame

flow rate $\approx$ 44-52 l/min, min. installation height: 65 mm



LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH Z650/50 L (L 1)	CH Z650/50 H (H 1)	CH Z650/50 S (S 1)	CH Z650/50 D (D 1)	CH Z650/50 M (M 1)	CH Z650/50 K (K 1)
CH Z750/50 L (L 1)	CH Z750/50 H (H 1)	CH Z750/50 S (S 1)	CH Z750/50 D (D 1)	CH Z750/50 M (M 1)	CH Z750/50 K (K 1)
CH Z850/50 L (L 1)	CH Z850/50 H (H 1)	CH Z850/50 S (S 1)	CH Z850/50 D (D 1)	CH Z850/50 M (M 1)	CH Z850/50 K (K 1)
CH Z950/50 L (L 1)	CH Z950/50 H (H 1)	CH Z950/50 S (S 1)	CH Z950/50 D (D 1)	CH Z950/50 M (M 1)	CH Z950/50 K (K 1)
CH Z1050/50 L (L 1)	CH Z1050/50 H (H 1)	CH Z1050/50 S (S 1)	CH Z1050/50 D (D 1)	CH Z1050/50 M (M 1)	CH Z1050/50 K (K 1)

L-gloss • L 1-matt


H-gloss • H 1-matt

S-gloss • S 1-matt



D-gloss • D 1-matt

M-gloss • M 1-matt

K-gloss • K 1-matt




Drain dimensions					
L	650 mm	750 mm	850 mm	950 mm	1050 mm
L1	715 mm	815 mm	915 mm	1015 mm	1115 mm
L2	495 mm	595 mm	695 mm	795 mm	895 mm
L3	840 mm	940 mm	1040 mm	1140 mm	1240 mm
Weight	1,81 kg	1,95 kg	2,24 kg	2,40 kg	2,54 kg



Linear floor drain D50


side outlet, with waterproofing membrane and stainless steel frame

flow rate $\approx$ 44-52 l/min, min. installation height: 65 mm





LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH Z650/50 LN (LN 1)	CH Z650/50 HN (HN 1)	CH Z650/50 SN (SN 1)	CH Z650/50 DN (DN 1)	CH Z650/50 MN (MN 1)	CH Z650/50 KN (KN 1)
CH Z750/50 LN (LN 1)	CH Z750/50 HN (HN 1)	CH Z750/50 SN (SN 1)	CH Z750/50 DN (DN 1)	CH Z750/50 MN (MN 1)	CH Z750/50 KN (KN 1)
CH Z850/50 LN (LN 1)	CH Z850/50 HN (HN 1)	CH Z850/50 SN (SN 1)	CH Z850/50 DN (DN 1)	CH Z850/50 MN (MN 1)	CH Z850/50 KN (KN 1)
CH Z950/50 LN (LN 1)	CH Z950/50 HN (HN 1)	CH Z950/50 SN (SN 1)	CH Z950/50 DN (DN 1)	CH Z950/50 MN (MN 1)	CH Z950/50 KN (KN 1)
CH Z1050/50 LN (LN 1)	CH Z1050/50 HN (HN 1)	CH Z1050/50 SN (SN 1)	CH Z1050/50 DN (DN 1)	CH Z1050/50 MN (MN 1)	CH Z1050/50 KN (KN 1)

LN-gloss • LN 1-matt HN-gloss • HN 1-matt SN-gloss • SN 1-matt DN-gloss • DN 1-matt MN-gloss • MN 1-matt KN-gloss • KN 1-matt



Also available in these finishes:
gold • bronze • gunmetal • oak

Drain dimensions					
L	650 mm	750 mm	850 mm	950 mm	1050 mm
L1	715 mm	815 mm	915 mm	1015 mm	1115 mm
L2	495 mm	595 mm	695 mm	795 mm	895 mm
L3	840 mm	940 mm	1040 mm	1140 mm	1240 mm
Weight	1,96 kg	2,12 kg	2,43 kg	2,62 kg	2,82 kg




Order example:

Matt gold - CH Z650/50 LN 1 ZL; Gloss bronze - CH Z650/50 LN BR; Matt gunmetal - CH Z650/50 LN 1 GM; Oak - CH Z650/50 LN OAK

Linear floor drain D50

with waterproofing membrane, plastic frame and swivel siphon

flow rate $\approx$ 46-52 l/min, min. installation height: 75 mm



LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH PA Z650 L (L 1)	CH PA Z650 H (H 1)	CH PA Z650 S (S 1)	CH PA Z650 D (D 1)	CH PA Z650 M (M 1)	CH PA Z650 K (K 1)
CH PA Z750 L (L 1)	CH PA Z750 H (H 1)	CH PA Z750 S (S 1)	CH PA Z750 D (D 1)	CH PA Z750 M (M 1)	CH PA Z750 K (K 1)
CH PA Z850 L (L 1)	CH PA Z850 H (H 1)	CH PA Z850 S (S 1)	CH PA Z850 D (D 1)	CH PA Z850 M (M 1)	CH PA Z850 K (K 1)
CH PA Z950 L (L 1)	CH PA Z950 H (H 1)	CH PA Z950 S (S 1)	CH PA Z950 D (D 1)	CH PA Z950 M (M 1)	CH PA Z950 K (K 1)
CH PA Z1050 L (L 1)	CH PA Z1050 H (H 1)	CH PA Z1050 S (S 1)	CH PA Z1050 D (D 1)	CH PA Z1050 M (M 1)	CH PA Z1050 K (K 1)

L-gloss • L 1-matt


H-gloss • H 1-matt

S-gloss • S 1-matt



D-gloss • D 1-matt

M-gloss • M 1-matt

K-gloss • K 1-matt




Drain dimensions					
L	650 mm	750 mm	850 mm	950 mm	1050 mm
L1	715 mm	815 mm	915 mm	1015 mm	1115 mm
L3	840 mm	940 mm	1040 mm	1140 mm	1240 mm
Weight	2,59 kg	2,86 kg	3,05 kg	3,39 kg	3,63 kg



Linear floor drain D50


with waterproofing membrane, stainless steel frame and swivel siphon

flow rate $\approx$ 46-52 l/min, min. installation height: 75 mm



LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH PA Z650 LN (LN 1)	CH PA Z650 HN (HN 1)	CH PA Z650 SN (SN 1)	CH PA Z650 DN (DN 1)	CH PA Z650 MN (MN 1)	CH PA Z650 KN (KN 1)
CH PA Z750 LN (LN 1)	CH PA Z750 HN (HN 1)	CH PA Z750 SN (SN 1)	CH PA Z750 DN (DN 1)	CH PA Z750 MN (MN 1)	CH PA Z750 KN (KN 1)
CH PA Z850 LN (LN 1)	CH PA Z850 HN (HN 1)	CH PA Z850 SN (SN 1)	CH PA Z850 DN (DN 1)	CH PA Z850 MN (MN 1)	CH PA Z850 KN (KN 1)
CH PA Z950 LN (LN 1)	CH PA Z950 HN (HN 1)	CH PA Z950 SN (SN 1)	CH PA Z950 DN (DN 1)	CH PA Z950 MN (MN 1)	CH PA Z950 KN (KN 1)
CH PA Z1050 LN (LN 1)	CH PA Z1050 HN (HN 1)	CH PA Z1050 SN (SN 1)	CH PA Z1050 DN (DN 1)	CH PA Z1050 MN (MN 1)	CH PA Z1050 KN (KN 1)

LN-gloss • LN 1-matt HN-gloss • HN 1-matt SN-gloss • SN 1-matt DN-gloss • DN 1-matt MN-gloss • MN 1-matt KN-gloss • KN 1-matt





Also available in these finishes:
gold • bronze • gunmetal • oak




Polystyrene drain
support also included

Drain dimensions					
L	650 mm	750 mm	850 mm	950 mm	1050 mm
L1	715 mm	815 mm	915 mm	1015 mm	1115 mm
L3	840 mm	940 mm	1040 mm	1140 mm	1240 mm
Weight	2,79 kg	3,06 kg	3,25 kg	3,59 kg	3,83 kg




Order example:

Gloss gold - CH PA Z650 LN ZL; Matt bronze - CH PA Z650 LN 1 BR; Matt gunmetal - CH PA Z650 LN 1 GM; Oak - CH PA Z650 LN OAK



Plastic linear floor drain – LINE matt




Plastic linear floor drain – LINE gloss gold

Linear floor drain D40

side outlet, with plastic frame

flow rate $\approx$ 30-38 l/min, min. installation height: 50 mm



LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH 350 L (L 1)	CH 350 H (H 1)	CH 350 S (S 1)	CH 350 D (D 1)	CH 350 M (M 1)	CH 350 K (K 1)
CH 450 L (L 1)	CH 450 H (H 1)	CH 450 S (S 1)	CH 450 D (D 1)	CH 450 M (M 1)	CH 450 K (K 1)
CH 550 L (L 1)	CH 550 H (H 1)	CH 550 S (S 1)	CH 550 D (D 1)	CH 550 M (M 1)	CH 550 K (K 1)
CH 650 L (L 1)	CH 650 H (H 1)	CH 650 S (S 1)	CH 650 D (D 1)	CH 650 M (M 1)	CH 650 K (K 1)
CH 750 L (L 1)	CH 750 H (H 1)	CH 750 S (S 1)	CH 750 D (D 1)	CH 750 M (M 1)	CH 750 K (K 1)
CH 850 L (L 1)	CH 850 H (H 1)	CH 850 S (S 1)	CH 850 D (D 1)	CH 850 M (M 1)	CH 850 K (K 1)
CH 950 L (L 1)	CH 950 H (H 1)	CH 950 S (S 1)	CH 950 D (D 1)	CH 950 M (M 1)	CH 950 K (K 1)

L-gloss • L 1-matt

H-gloss • H 1-matt

S-gloss • S 1-matt


D-gloss • D 1-matt

M-gloss • M 1-matt

K-gloss • K 1-matt




Drain dimensions							
L	350 mm	450 mm	550 mm	650 mm	750 mm	850 mm	950 mm
L1	415 mm	515 mm	615 mm	715 mm	815 mm	915 mm	1015 mm
L2	–	–	–	595 mm	695 mm	795 mm	795 mm
Weight	1,04 kg	1,19 kg	1,32 kg	1,71 kg	1,85 kg	2,02 kg	2,20 kg



Linear floor drain D40

side outlet, with stainless steel frame

flow rate $\approx$ 30-38 l/min, min. installation height: 50 mm



LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH 350 LN (LN 1)	CH 350 HN (HN 1)	CH 350 SN (SN 1)	CH 350 DN (DN 1)	CH 350 MN (MN 1)	CH 350 KN (KN 1)
CH 450 LN (LN 1)	CH 450 HN (HN 1)	CH 450 SN (SN 1)	CH 450 DN (DN 1)	CH 450 MN (MN 1)	CH 450 KN (KN 1)
CH 550 LN (LN 1)	CH 550 HN (HN 1)	CH 550 SN (SN 1)	CH 550 DN (DN 1)	CH 550 MN (MN 1)	CH 550 KN (KN 1)
CH 650 LN (LN 1)	CH 650 HN (HN 1)	CH 650 SN (SN 1)	CH 650 DN (DN 1)	CH 650 MN (MN 1)	CH 650 KN (KN 1)
CH 750 LN (LN 1)	CH 750 HN (HN 1)	CH 750 SN (SN 1)	CH 750 DN (DN 1)	CH 750 MN (MN 1)	CH 750 KN (KN 1)
CH 850 LN (LN 1)	CH 850 HN (HN 1)	CH 850 SN (SN 1)	CH 850 DN (DN 1)	CH 850 MN (MN 1)	CH 850 KN (KN 1)
CH 950 LN (LN 1)	CH 950 HN (HN 1)	CH 950 SN (SN 1)	CH 950 DN (DN 1)	CH 950 MN (MN 1)	CH 950 KN (KN 1)

LN-gloss • LN 1-matt HN-gloss • HN 1-matt SN-gloss • SN 1-matt DN-gloss • DN 1-matt MN-gloss • MN 1-matt KN-gloss • KN 1-matt




Also available in these finishes:
gold • bronze • gunmetal • oak



Self-adhesive waterproofing
membrane 1000 × 80 mm
also included

Drain dimensions							
L	350 mm	450 mm	550 mm	650 mm	750 mm	850 mm	950 mm
L1	415 mm	515 mm	615 mm	715 mm	815 mm	915 mm	1015 mm
L2	–	–	–	595 mm	695 mm	795 mm	795 mm
Weight	1,13 kg	1,30 kg	1,52 kg	1,76 kg	2,04 kg	2,22 kg	2,42 kg




Order example: Gloss gold - CH 350 LN ZL; Matt bronze - CH 350 LN 1 BR; Gloss gunmetal - CH 350 LN GM; Oak - CH 350 LN OAK

Linear floor drain D40 against the wall

side outlet, with plastic frame

flow rate $\approx$ 30-38 l/min, min. installation height: 50 mm




LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH 350 L 2 (L 3)	CH 350 H 2 (H 3)	CH 350 S 2 (S 3)	CH 350 D 2 (D 3)	CH 350 M 2 (M 3)	CH 350 K 2 (K 3)
CH 450 L 2 (L 3)	CH 450 H 2 (H 3)	CH 450 S 2 (S 3)	CH 450 D 2 (D 3)	CH 450 M 2 (M 3)	CH 450 K 2 (K 3)
CH 650 L 2 (L 3)	CH 650 H 2 (H 3)	CH 650 S 2 (S 3)	CH 650 D 2 (D 3)	CH 650 M 2 (M 3)	CH 650 K 2 (K 3)
CH 750 L 2 (L 3)	CH 750 H 2 (H 3)	CH 750 S 2 (S 3)	CH 750 D 2 (D 3)	CH 750 M 2 (M 3)	CH 750 K 2 (K 3)
CH 850 L 2 (L 3)	CH 850 H 2 (H 3)	CH 850 S 2 (S 3)	CH 850 D 2 (D 3)	CH 850 M 2 (M 3)	CH 850 K 2 (K 3)
CH 950 L 2 (L 3)	CH 950 H 2 (H 3)	CH 950 S 2 (S 3)	CH 950 D 2 (D 3)	CH 950 M 2 (M 3)	CH 950 K 2 (K 3)

L 2-gloss • L 3-matt H 2-gloss • H 3-matt S 2-gloss • S 3-matt D 2-gloss • D 3-matt M 2-gloss • M 3-matt K 2-gloss • K 3-matt




Drain dimensions						
L	350 mm	450 mm	650 mm	750 mm	850 mm	950 mm
L1	415 mm	515 mm	715 mm	815 mm	915 mm	1015 mm
L2	–	–	595 mm	695 mm	795 mm	795 mm
Weight	1,15 kg	1,30 kg	1,79 kg	1,93 kg	2,14 kg	2,40 kg



Linear floor drain D40 against the wall

side outlet, with stainless steel frame

flow rate $\approx$ 30-38 l/min, min. installation height: 50 mm



LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH 350 LN 2 (LN 3)	CH 350 HN 2 (HN 3)	CH 350 SN 2 (SN 3)	CH 350 DN 2 (DN 3)	CH 350 MN 2 (MN 3)	CH 350 KN 2 (KN 3)
CH 450 LN 2 (LN 3)	CH 450 HN 2 (HN 3)	CH 450 SN 2 (SN 3)	CH 450 DN 2 (DN 3)	CH 450 MN 2 (MN 3)	CH 450 KN 2 (KN 3)
CH 650 LN 2 (LN 3)	CH 650 HN 2 (HN 3)	CH 650 SN 2 (SN 3)	CH 650 DN 2 (DN 3)	CH 650 MN 2 (MN 3)	CH 650 KN 2 (KN 3)
CH 750 LN 2 (LN 3)	CH 750 HN 2 (HN 3)	CH 750 SN 2 (SN 3)	CH 750 DN 2 (DN 3)	CH 750 MN 2 (MN 3)	CH 750 KN 2 (KN 3)
CH 850 LN 2 (LN 3)	CH 850 HN 2 (HN 3)	CH 850 SN 2 (SN 3)	CH 850 DN 2 (DN 3)	CH 850 MN 2 (MN 3)	CH 850 KN 2 (KN 3)
CH 950 LN 2 (LN 3)	CH 950 HN 2 (HN 3)	CH 950 SN 2 (SN 3)	CH 950 DN 2 (DN 3)	CH 950 MN 2 (MN 3)	CH 950 KN 2 (KN 3)

LN 2-gloss • LN 3-matt HN 2-gloss • HN 3-matt SN 2-gloss • SN 3-matt DN 2-gloss • DN 3-matt MN 2-gloss • MN 3-matt KN 2-gloss • KN 3-matt




Also available in these finishes:
gold • bronze • gunmetal • oak



Self-adhesive waterproofing
membrane 1000 × 80 mm
also included

Drain dimensions						
L	350 mm	450 mm	650 mm	750 mm	850 mm	950 mm
L1	415 mm	515 mm	715 mm	815 mm	915 mm	1015 mm
L2	–	–	595 mm	695 mm	795 mm	795 mm
Weight	1,25 kg	1,43 kg	1,96 kg	2,12 kg	2,36 kg	2,70 kg



Order example: Matt gold - CH 350 LN 3 ZL; Matt bronze - CH 350 LN 3 BR; Gloss gunmetal - CH 350 LN 2 GM; Oak - CH 350 LN 2 OAK

Linear floor drain D40

bottom outlet, with plastic frame

flow rate $\approx$ 60-70 l/min, min. installation height: 65 mm



LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH 650/S40 L (L 1)	CH 650/S40 H (H 1)	CH 650/S40 S (S 1)	CH 650/S40 D (D 1)	CH 650/S40 M (M 1)	CH 650/S40 K (K 1)
CH 750/S40 L (L 1)	CH 750/S40 H (H 1)	CH 750/S40 S (S 1)	CH 750/S40 D (D 1)	CH 750/S40 M (M 1)	CH 750/S40 K (K 1)
CH 850/S40 L (L 1)	CH 850/S40 H (H 1)	CH 850/S40 S (S 1)	CH 850/S40 D (D 1)	CH 850/S40 M (M 1)	CH 850/S40 K (K 1)
CH 950/S40 L (L 1)	CH 950/S40 H (H 1)	CH 950/S40 S (S 1)	CH 950/S40 D (D 1)	CH 950/S40 M (M 1)	CH 950/S40 K (K 1)
CH 1050/S40 L (L 1)	CH 1050/S40 H (H 1)	CH 1050/S40 S (S 1)	CH 1050/S40 D (D 1)	CH 1050/S40 M (M 1)	CH 1050/S40 K (K 1)

L-gloss • L 1-matt

H-gloss • H 1-matt

S-gloss • S 1-matt

D-gloss • D 1-matt



M-gloss • M 1-matt

K-gloss • K 1-matt



Self-adhesive waterproofing
membrane 1000 × 80 mm
also included

Drain dimensions					
L	650 mm	750 mm	850 mm	950 mm	1050 mm
L1	715 mm	815 mm	915 mm	1015 mm	1115 mm
L2	495 mm	595 mm	695 mm	795 mm	895 mm
Weight	1,75 kg	1,86 kg	2,14 kg	2,32 kg	2,45 kg



Linear floor drain D40



bottom outlet, with stainless steel frame

flow rate $\approx$ 60-70 l/min, min. installation height: 65 mm



LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH 650/S40 LN (LN 1)	CH 650/S40 HN (HN 1)	CH 650/S40 SN (SN 1)	CH 650/S40 DN (DN 1)	CH 650/S40 MN (MN 1)	CH 650/S40 KN (KN 1)
CH 750/S40 LN (LN 1)	CH 750/S40 HN (HN 1)	CH 750/S40 SN (SN 1)	CH 750/S40 DN (DN 1)	CH 750/S40 MN (MN 1)	CH 750/S40 KN (KN 1)
CH 850/S40 LN (LN 1)	CH 850/S40 HN (HN 1)	CH 850/S40 SN (SN 1)	CH 850/S40 DN (DN 1)	CH 850/S40 MN (MN 1)	CH 850/S40 KN (KN 1)
CH 950/S40 LN (LN 1)	CH 950/S40 HN (HN 1)	CH 950/S40 SN (SN 1)	CH 950/S40 DN (DN 1)	CH 950/S40 MN (MN 1)	CH 950/S40 KN (KN 1)
CH 1050/S40 LN (LN 1)	CH 1050/S40 HN (HN 1)	CH 1050/S40 SN (SN 1)	CH 1050/S40 DN (DN 1)	CH 1050/S40 MN (MN 1)	CH 1050/S40 KN (KN 1)

LN-gloss • LN 1-matt HN-gloss • HN 1-matt SN-gloss • SN 1-matt DN-gloss • DN 1-matt MN-gloss • MN 1-matt KN-gloss • KN 1-matt




Also available in these finishes:
gold • bronze • gunmetal • oak



Self-adhesive waterproofing
membrane 1000 × 80 mm
also included

Drain dimensions

L	650 mm	750 mm	850 mm	950 mm	1050 mm
L1	715 mm	815 mm	915 mm	1015 mm	1115 mm
L2	495 mm	595 mm	695 mm	795 mm	895 mm
Weight	1,89 kg	2,04 kg	2,34 kg	2,54 kg	2,69 kg



Order example:

Gloss gold - CH 650/S40 LN ZL; Gloss bronze - CH 650/S40 LN BR; Matt gunmetal - CH 650/S40 LN 1 GM; Oak - CH 650/S40 LN OAK

Linear floor drain D50

side outlet, with plastic frame

flow rate $\approx$ 44-52 l/min, min. installation height: 65 mm



LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH 650/50 L (L 1)	CH 650/50 H (H 1)	CH 650/50 S (S 1)	CH 650/50 D (D 1)	CH 650/50 M (M 1)	CH 650/50 K (K 1)
CH 750/50 L (L 1)	CH 750/50 H (H 1)	CH 750/50 S (S 1)	CH 750/50 D (D 1)	CH 750/50 M (M 1)	CH 750/50 K (K 1)
CH 850/50 L (L 1)	CH 850/50 H (H 1)	CH 850/50 S (S 1)	CH 850/50 D (D 1)	CH 850/50 M (M 1)	CH 850/50 K (K 1)
CH 950/50 L (L 1)	CH 950/50 H (H 1)	CH 950/50 S (S 1)	CH 950/50 D (D 1)	CH 950/50 M (M 1)	CH 950/50 K (K 1)
CH 1050/50 L (L 1)	CH 1050/50 H (H 1)	CH 1050/50 S (S 1)	CH 1050/50 D (D 1)	CH 1050/50 M (M 1)	CH 1050/50 K (K 1)

L-gloss • L 1-matt

H-gloss • H 1-matt

S-gloss • S 1-matt

D-gloss • D 1-matt


M-gloss • M 1-matt

K-gloss • K 1-matt



Self-adhesive waterproofing membrane 1000 × 80 mm also included

Drain dimensions					
L	650 mm	750 mm	850 mm	950 mm	1050 mm
L1	715 mm	815 mm	915 mm	1015 mm	1115 mm
L2	495 mm	595 mm	695 mm	795 mm	895 mm
Weight	1,76 kg	1,89 kg	2,17 kg	2,33 kg	2,46 kg



Linear floor drain D50


side outlet, with stainless steel frame

flow rate $\approx$ 44-52 l/min, min. installation height: 65 mm



LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH 650/50 LN (LN 1)	CH 650/50 HN (HN 1)	CH 650/50 SN (SN 1)	CH 650/50 DN (DN 1)	CH 650/50 MN (MN 1)	CH 650/50 KN (KN 1)
CH 750/50 LN (LN 1)	CH 750/50 HN (HN 1)	CH 750/50 SN (SN 1)	CH 750/50 DN (DN 1)	CH 750/50 MN (MN 1)	CH 750/50 KN (KN 1)
CH 850/50 LN (LN 1)	CH 850/50 HN (HN 1)	CH 850/50 SN (SN 1)	CH 850/50 DN (DN 1)	CH 850/50 MN (MN 1)	CH 850/50 KN (KN 1)
CH 950/50 LN (LN 1)	CH 950/50 HN (HN 1)	CH 950/50 SN (SN 1)	CH 950/50 DN (DN 1)	CH 950/50 MN (MN 1)	CH 950/50 KN (KN 1)
CH 1050/50 LN (LN 1)	CH 1050/50 HN (HN 1)	CH 1050/50 SN (SN 1)	CH 1050/50 DN (DN 1)	CH 1050/50 MN (MN 1)	CH 1050/50 KN (KN 1)

LN-gloss • LN 1-matt HN-gloss • HN 1-matt SN-gloss • SN 1-matt DN-gloss • DN 1-matt MN-gloss • MN 1-matt KN-gloss • KN 1-matt




Also available in these finishes:
gold • bronze • gunmetal • oak



Self-adhesive waterproofing
membrane 1000 × 80 mm
also included

Drain dimensions					
L	650 mm	750 mm	850 mm	950 mm	1050 mm
L1	715 mm	815 mm	915 mm	1015 mm	1115 mm
L2	495 mm	595 mm	695 mm	795 mm	895 mm
Weight	1,91 kg	2,06 kg	2,36 kg	2,55 kg	2,74 kg



Order example:

Matt gold - CH 650/50 LN 1 ZL; Gloss bronze - CH 650/50 LN BR; Matt gunmetal - CH 650/50 LN 1 GM; Oak - CH 650/50 LN OAK

Linear floor drain D50

with plastic frame and swivel siphon

flow rate $\approx$ 46-52 l/min, min. installation height: 75 mm



LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH PA 650 L (L 1)	CH PA 650 H (H 1)	CH PA 650 S (S 1)	CH PA 650 D (D 1)	CH PA 650 M (M 1)	CH PA 650 K (K 1)
CH PA 750 L (L 1)	CH PA 750 H (H 1)	CH PA 750 S (S 1)	CH PA 750 D (D 1)	CH PA 750 M (M 1)	CH PA 750 K (K 1)
CH PA 850 L (L 1)	CH PA 850 H (H 1)	CH PA 850 S (S 1)	CH PA 850 D (D 1)	CH PA 850 M (M 1)	CH PA 850 K (K 1)
CH PA 950 L (L 1)	CH PA 950 H (H 1)	CH PA 950 S (S 1)	CH PA 950 D (D 1)	CH PA 950 M (M 1)	CH PA 950 K (K 1)
CH PA 1050 L (L 1)	CH PA 1050 H (H 1)	CH PA 1050 S (S 1)	CH PA 1050 D (D 1)	CH PA 1050 M (M 1)	CH PA 1050 K (K 1)

L-gloss • L 1-matt


H-gloss • H 1-matt

S-gloss • S 1-matt

D-gloss • D 1-matt

M-gloss • M 1-matt

K-gloss • K 1-matt




Polystyrene drain support also included



Self-adhesive waterproofing membrane 1000 × 80 mm also included

Drain dimensions


L	650 mm	750 mm	850 mm	950 mm	1050 mm
L1	715 mm	815 mm	915 mm	1015 mm	1115 mm
Weight	2,54 kg	2,80 kg	2,98 kg	3,32 kg	3,55 kg



Linear floor drain D50


with stainless steel frame and swivel siphon

flow rate $\approx$ 46-52 l/min, min. installation height: 75 mm



LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH PA 650 LN (LN 1)	CH PA 650 HN (HN 1)	CH PA 650 SN (SN 1)	CH PA 650 DN (DN 1)	CH PA 650 MN (MN 1)	CH PA 650 KN (KN 1)
CH PA 750 LN (LN 1)	CH PA 750 HN (HN 1)	CH PA 750 SN (SN 1)	CH PA 750 DN (DN 1)	CH PA 750 MN (MN 1)	CH PA 750 KN (KN 1)
CH PA 850 LN (LN 1)	CH PA 850 HN (HN 1)	CH PA 850 SN (SN 1)	CH PA 850 DN (DN 1)	CH PA 850 MN (MN 1)	CH PA 850 KN (KN 1)
CH PA 950 LN (LN 1)	CH PA 950 HN (HN 1)	CH PA 950 SN (SN 1)	CH PA 950 DN (DN 1)	CH PA 950 MN (MN 1)	CH PA 950 KN (KN 1)
CH PA 1050 LN (LN 1)	CH PA 1050 HN (HN 1)	CH PA 1050 SN (SN 1)	CH PA 1050 DN (DN 1)	CH PA 1050 MN (MN 1)	CH PA 1050 KN (KN 1)

LN-gloss • LN 1-matt HN-gloss • HN 1-matt SN-gloss • SN 1-matt DN-gloss • DN 1-matt MN-gloss • MN 1-matt KN-gloss • KN 1-matt



Also available in these finishes:
gold • bronze • gunmetal • oak




Polystyrene drain
support also included



Self-adhesive waterproofing
membrane 1000 × 80 mm
also included

Drain dimensions

L	650 mm	750 mm	850 mm	950 mm	1050 mm
L1	715 mm	815 mm	915 mm	1015 mm	1115 mm
Weight	2,74 kg	3,00 kg	3,18 kg	3,52 kg	3,75 kg




Order example:

Gloss gold - CH PA 650 LN ZL; Matt bronze - CH PA 650 LN 1 BR; Matt gunmetal - CH PA 650 LN 1 GM; Oak - CH PA 650 LN OAK

SLIM LINE



Tile-insert grate



The Slim Line linear floor drain stands out for its narrow, discreet design. Its tile-insert grate allows the drain to blend seamlessly into the floor, creating a clean, minimalist look in bathrooms and other spaces.

It is now also available with an integrated waterproofing membrane.

The drain body is made of polypropylene and has been redesigned. It features a swivel anti-odour siphon D50, a debris strainer and height-adjustable legs.

The frame and grate are made of high-quality DIN 1.4301 (AISI 304) stainless steel. Load class K3 – 300 kg.

The height-adjustable frame allows the use of tiles with a thickness of 15–23 mm.



1 Stainless steel grate, 1 mm

2 Debris strainer

3 SLIM LINE grate support

4 Stainless steel frame

5 Height-adjustable frame support, 0–8 mm

6 Swivel siphon D50

7 Height-adjustable drain support

8 Tiles

9 Tile adhesive

10 Waterproofing coating

11 WP membrane


12 Waterproofing coating

Linear floor drain D50



Slim Line with waterproofing membrane and swivel siphon

flow rate $\approx$ 45 l/min, min. installation height: 70 mm

DRAIN LENGTH	STAINLESS	BLACK	GOLD	BRONZE	GUNMETAL	OAK
500 mm	CH Z500 SL	CH Z500 SLC	CH Z500 SL ZL	CH Z500 SL BR	CH Z500 SL GM	CH Z500 SL OAK
600 mm	CH Z600 SL	CH Z600 SLC	CH Z600 SL ZL	CH Z600 SL BR	CH Z600 SL GM	CH Z600 SL OAK
700 mm	CH Z700 SL	CH Z700 SLC	CH Z700 SL ZL	CH Z700 SL BR	CH Z700 SL GM	CH Z700 SL OAK
800 mm	CH Z800 SL	CH Z800 SLC	CH Z800 SL ZL	CH Z800 SL BR	CH Z800 SL GM	CH Z800 SL OAK
900 mm	CH Z900 SL	CH Z900 SLC	CH Z900 SL ZL	CH Z900 SL BR	CH Z900 SL GM	CH Z900 SL OAK
1000 mm	CH Z1000 SL	CH Z1000 SLC	CH Z1000 SL ZL	CH Z1000 SL BR	CH Z1000 SL GM	CH Z1000 SL OAK
1100 mm	CH Z1100 SL	CH Z1100 SLC	CH Z1100 SL ZL	CH Z1100 SL BR	CH Z1100 SL GM	CH Z1100 SL OAK
1200 mm	CH Z1200 SL	CH Z1200 SLC	CH Z1200 SL ZL	CH Z1200 SL BR	CH Z1200 SL GM	CH Z1200 SL OAK



Drain dimensions								
L	500 mm	600 mm	700 mm	800 mm	900 mm	1000 mm	1100 mm	1200 mm
L1	565 mm	665 mm	765 mm	865 mm	965 mm	1065 mm	1165 mm	1265 mm
L2	415 mm	515 mm	395 mm	395 mm	395 mm	395 mm	395 mm	395 mm
L3	-	-	615 mm	715 mm	815 mm	915 mm	1015 mm	1115 mm
L4	770 mm	870 mm	970 mm	1070 mm	1170 mm	1280 mm	1380 mm	1480 mm
Weight	1,51 kg	1,68 kg	1,99 kg	2,18 kg	2,36 kg	2,56 kg	2,75 kg	2,95 kg




Linear floor drain D50



Slim Line Premium with waterproofing membrane and swivel siphon

flow rate ≈ 45 l/min, min. installation height: 70 mm

DRAIN LENGTH	STAINLESS	BLACK	GOLD	BRONZE	GUNMETAL	OAK
500 mm	CH Z500 SLP	CH Z500 SLPC	CH Z500 SLP ZL	CH Z500 SLP BR	CH Z500 SLP GM	CH Z500 SLP OAK
600 mm	CH Z600 SLP	CH Z600 SLPC	CH Z600 SLP ZL	CH Z600 SLP BR	CH Z600 SLP GM	CH Z600 SLP OAK
700 mm	CH Z700 SLP	CH Z700 SLPC	CH Z700 SLP ZL	CH Z700 SLP BR	CH Z700 SLP GM	CH Z700 SLP OAK
800 mm	CH Z800 SLP	CH Z800 SLPC	CH Z800 SLP ZL	CH Z800 SLP BR	CH Z800 SLP GM	CH Z800 SLP OAK
900 mm	CH Z900 SLP	CH Z900 SLPC	CH Z900 SLP ZL	CH Z900 SLP BR	CH Z900 SLP GM	CH Z900 SLP OAK
1000 mm	CH Z1000 SLP	CH Z1000 SLPC	CH Z1000 SLP ZL	CH Z1000 SLP BR	CH Z1000 SLP GM	CH Z1000 SLP OAK
1100 mm	CH Z1100 SLP	CH Z1100 SLPC	CH Z1100 SLP ZL	CH Z1100 SLP BR	CH Z1100 SLP GM	CH Z1100 SLP OAK
1200 mm	CH Z1200 SLP	CH Z1200 SLPC	CH Z1200 SLP ZL	CH Z1200 SLP BR	CH Z1200 SLP GM	CH Z1200 SLP OAK



Drain dimensions								
L	500 mm	600 mm	700 mm	800 mm	900 mm	1000 mm	1100 mm	1200 mm
L1	565 mm	665 mm	765 mm	865 mm	965 mm	1065 mm	1165 mm	1265 mm
L2	415 mm	515 mm	395 mm	395 mm	395 mm	395 mm	395 mm	395 mm
L3	-	-	615 mm	715 mm	815 mm	915 mm	1015 mm	1115 mm
L4	770 mm	870 mm	970 mm	1070 mm	1170 mm	1280 mm	1380 mm	1480 mm
Weight	1,61 kg	1,78 kg	2,09 kg	2,28 kg	2,44 kg	2,56 kg	2,85 kg	3,05 kg





Linear floor drain – SLIM LINE Premium




Linear floor drain – SLIM LINE Premium gold

Linear floor drain D50

Slim Line with swivel siphon

flow rate ≈ 45 l/min, min. installation height: 70 mm

DRAIN LENGTH	STAINLESS	BLACK	GOLD	BRONZE	GUNMETAL	OAK
500 mm	CH 500 SL	CH 500 SLC	CH 500 SL ZL	CH 500 SL BR	CH 500 SL GM	CH 500 SL OAK
600 mm	CH 600 SL	CH 600 SLC	CH 600 SL ZL	CH 600 SL BR	CH 600 SL GM	CH 600 SL OAK
700 mm	CH 700 SL	CH 700 SLC	CH 700 SL ZL	CH 700 SL BR	CH 700 SL GM	CH 700 SL OAK
800 mm	CH 800 SL	CH 800 SLC	CH 800 SL ZL	CH 800 SL BR	CH 800 SL GM	CH 800 SL OAK
900 mm	CH 900 SL	CH 900 SLC	CH 900 SL ZL	CH 900 SL BR	CH 900 SL GM	CH 900 SL OAK
1000 mm	CH 1000 SL	CH 1000 SLC	CH 1000 SL ZL	CH 1000 SL BR	CH 1000 SL GM	CH 1000 SL OAK
1100 mm	CH 1100 SL	CH 1100 SLC	CH 1100 SL ZL	CH 1100 SL BR	CH 1100 SL GM	CH 1100 SL OAK
1200 mm	CH 1200 SL	CH 1200 SLC	CH 1200 SL ZL	CH 1200 SL BR	CH 1200 SL GM	CH 1200 SL OAK





Also available in these finishes:
black • gold • bronze • gunmetal • oak



Self-adhesive waterproofing
membrane 1000 × 80 mm
also included

Drain dimensions								
L	500 mm	600 mm	700 mm	800 mm	900 mm	1000 mm	1100 mm	1200 mm
L1	565 mm	665 mm	765 mm	865 mm	965 mm	1065 mm	1165 mm	1265 mm
L2	415 mm	515 mm	395 mm	395 mm	395 mm	395 mm	395 mm	395 mm
L3	-	-	615 mm	715 mm	815 mm	915 mm	1015 mm	1115 mm
Weight	1,46 kg	1,63 kg	1,93 kg	2,11 kg	2,29 kg	2,48 kg	2,66 kg	2,85 kg




Linear floor drain D50

Slim Line Premium with swivel siphon

flow rate ≈ 45 l/min, min. installation height: 70 mm

DRAIN LENGTH	STAINLESS	BLACK	GOLD	BRONZE	GUNMETAL	OAK
500 mm	CH 500 SLP	CH 500 SLPC	CH 500 SLP ZL	CH 500 SLP BR	CH 500 SLP GM	CH 500 SLP OAK
600 mm	CH 600 SLP	CH 600 SLPC	CH 600 SLP ZL	CH 600 SLP BR	CH 600 SLP GM	CH 600 SLP OAK
700 mm	CH 700 SLP	CH 700 SLPC	CH 700 SLP ZL	CH 700 SLP BR	CH 700 SLP GM	CH 700 SLP OAK
800 mm	CH 800 SLP	CH 800 SLPC	CH 800 SLP ZL	CH 800 SLP BR	CH 800 SLP GM	CH 800 SLP OAK
900 mm	CH 900 SLP	CH 900 SLPC	CH 900 SLP ZL	CH 900 SLP BR	CH 900 SLP GM	CH 900 SLP OAK
1000 mm	CH 1000 SLP	CH 1000 SLPC	CH 1000 SLP ZL	CH 1000 SLP BR	CH 1000 SLP GM	CH 1000 SLP OAK
1100 mm	CH 1100 SLP	CH 1100 SLPC	CH 1100 SLP ZL	CH 1100 SLP BR	CH 1100 SLP GM	CH 1100 SLP OAK
1200 mm	CH 1200 SLP	CH 1200 SLPC	CH 1200 SLP ZL	CH 1200 SLP BR	CH 1200 SLP GM	CH 1200 SLP OAK





Also available in these finishes:
black • gold • bronze • gunmetal • oak



Self-adhesive waterproofing
membrane 1000 x 80 mm
also included

Drain dimensions								
L	500 mm	600 mm	700 mm	800 mm	900 mm	1000 mm	1100 mm	1200 mm
L1	565 mm	665 mm	765 mm	865 mm	965 mm	1065 mm	1165 mm	1265 mm
L2	415 mm	515 mm	395 mm	395 mm	395 mm	395 mm	395 mm	395 mm
L3	-	-	615 mm	715 mm	815 mm	915 mm	1015 mm	1115 mm
Weight	1,56 kg	1,73 kg	2,03 kg	2,21 kg	2,39 kg	2,58 kg	2,76 kg	2,95 kg





Linear floor drain - KLASIK/FLOOR Black

BLACK EDITION



- 1 1.5 mm stainless steel grate with a baked-on powder-coated finish
- 2 Anti-odour siphon cover with sealing O-ring
- 3 Debris strainer
- 4 Anti-odour flap
- 5 Grate support
- 6 Connection to side or bottom outlet D40 / D50
- 7 Height-adjustable drain support


Linear floor drain D40 Black

side outlet, with waterproofing membrane and plastic frame



flow rate $\approx$ 30-38 l/min, min. installation height: 50 mm



LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH Z350 LC	CH Z350 HC	CH Z350 SC	CH Z350 DC	CH Z350 MC	CH Z350 KC
CH Z450 LC	CH Z450 HC	CH Z450 SC	CH Z450 DC	CH Z450 MC	CH Z450 KC
CH Z550 LC	CH Z550 HC	CH Z550 SC	CH Z550 DC	CH Z550 MC	CH Z550 KC
CH Z650 LC	CH Z650 HC	CH Z650 SC	CH Z650 DC	CH Z650 MC	CH Z650 KC
CH Z750 LC	CH Z750 HC	CH Z750 SC	CH Z750 DC	CH Z750 MC	CH Z750 KC
CH Z850 LC	CH Z850 HC	CH Z850 SC	CH Z850 DC	CH Z850 MC	CH Z850 KC
CH Z950 LC	CH Z950 HC	CH Z950 SC	CH Z950 DC	CH Z950 MC	CH Z950 KC



Drain dimensions							
L	350 mm	450 mm	550 mm	650 mm	750 mm	850 mm	950 mm
L1	415 mm	515 mm	615 mm	715 mm	815 mm	915 mm	1015 mm
L2	-	-	-	595 mm	695 mm	795 mm	795 mm
L3	540 mm	640 mm	740 mm	840 mm	940 mm	1040 mm	1140 mm
Weight	1,07 kg	1,23 kg	1,37 kg	1,76 kg	1,91 kg	2,09 kg	2,27 kg



Linear floor drain D40 against the wall Black

side outlet, with waterproofing membrane and plastic frame



flow rate $\approx$ 30-38 l/min, min. installation height: 50 mm



LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH Z350 LC 2	CH Z350 HC 2	CH Z350 SC 2	CH Z350 DC 2	CH Z350 MC 2	CH Z350 KC 2
CH Z450 LC 2	CH Z450 HC 2	CH Z450 SC 2	CH Z450 DC 2	CH Z450 MC 2	CH Z450 KC 2
CH Z650 LC 2	CH Z650 HC 2	CH Z650 SC 2	CH Z650 DC 2	CH Z650 MC 2	CH Z650 KC 2
CH Z750 LC 2	CH Z750 HC 2	CH Z750 SC 2	CH Z750 DC 2	CH Z750 MC 2	CH Z750 KC 2
CH Z850 LC 2	CH Z850 HC 2	CH Z850 SC 2	CH Z850 DC 2	CH Z850 MC 2	CH Z850 KC 2
CH Z950 LC 2	CH Z950 HC 2	CH Z950 SC 2	CH Z950 DC 2	CH Z950 MC 2	CH Z950 KC 2



Drain dimensions						
L	350 mm	450 mm	650 mm	750 mm	850 mm	950 mm
L1	415 mm	515 mm	715 mm	815 mm	915 mm	1015 mm
L2	–	–	595 mm	695 mm	795 mm	795 mm
L3	580 mm	670 mm	870 mm	970 mm	1070 mm	1170 mm
Weight	1,18 kg	1,34 kg	1,84 kg	1,99 kg	2,21 kg	2,47 kg




Linear floor drain D40 Black

bottom outlet, with waterproofing membrane and plastic frame



flow rate $\approx$ 60-70 l/min, min. installation height: 65 mm



LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH Z650/S40 LC	CH Z650/S40 HC	CH Z650/S40 SC	CH Z650/S40 DC	CH Z650/S40 MC	CH Z650/S40 KC
CH Z750/S40 LC	CH Z750/S40 HC	CH Z750/S40 SC	CH Z750/S40 DC	CH Z750/S40 MC	CH Z750/S40 KC
CH Z850/S40 LC	CH Z850/S40 HC	CH Z850/S40 SC	CH Z850/S40 DC	CH Z850/S40 MC	CH Z850/S40 KC
CH Z950/S40 LC	CH Z950/S40 HC	CH Z950/S40 SC	CH Z950/S40 DC	CH Z950/S40 MC	CH Z950/S40 KC
CH Z1050/S40 LC	CH Z1050/S40 HC	CH Z1050/S40 SC	CH Z1050/S40 DC	CH Z1050/S40 MC	CH Z1050/S40 KC



Drain dimensions					
L	650 mm	750 mm	850 mm	950 mm	1050 mm
L1	715 mm	815 mm	915 mm	1015 mm	1115 mm
L2	495 mm	595 mm	695 mm	795 mm	895 mm
L3	840 mm	940 mm	1040 mm	1140 mm	1240 mm
Weight	1,80 kg	1,92 kg	2,21 kg	2,39 kg	2,53 kg




Linear floor drain D50 Black

side outlet, with waterproofing membrane and plastic frame



flow rate $\approx$ 44-52 l/min, min. installation height: 65 mm



LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH Z650/50 LC	CH Z650/50 HC	CH Z650/50 SC	CH Z650/50 DC	CH Z650/50 MC	CH Z650/50 KC
CH Z750/50 LC	CH Z750/50 HC	CH Z750/50 SC	CH Z750/50 DC	CH Z750/50 MC	CH Z750/50 KC
CH Z850/50 LC	CH Z850/50 HC	CH Z850/50 SC	CH Z850/50 DC	CH Z850/50 MC	CH Z850/50 KC
CH Z950/50 LC	CH Z950/50 HC	CH Z950/50 SC	CH Z950/50 DC	CH Z950/50 MC	CH Z950/50 KC
CH Z1050/50 LC	CH Z1050/50 HC	CH Z1050/50 SC	CH Z1050/50 DC	CH Z1050/50 MC	CH Z1050/50 KC



Drain dimensions					
L	650 mm	750 mm	850 mm	950 mm	1050 mm
L1	715 mm	815 mm	915 mm	1015 mm	1115 mm
L2	495 mm	595 mm	695 mm	795 mm	895 mm
L3	840 mm	940 mm	1040 mm	1140 mm	1240 mm
Weight	1,81 kg	1,95 kg	2,24 kg	2,40 kg	2,54 kg




Linear floor drain D50 Black

with waterproofing membrane, plastic frame and swivel siphon



flow rate $\approx$ 46-52 l/min, min. installation height: 75 mm



LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH PA Z650 LC	CH PA Z650 HC	CH PA Z650 SC	CH PA Z650 DC	CH PA Z650 MC	CH PA Z650 KC
CH PA Z750 LC	CH PA Z750 HC	CH PA Z750 SC	CH PA Z750 DC	CH PA Z750 MC	CH PA Z750 KC
CH PA Z850 LC	CH PA Z850 HC	CH PA Z850 SC	CH PA Z850 DC	CH PA Z850 MC	CH PA Z850 KC
CH PA Z950 LC	CH PA Z950 HC	CH PA Z950 SC	CH PA Z950 DC	CH PA Z950 MC	CH PA Z950 KC
CH PA Z1050 LC	CH PA Z1050 HC	CH PA Z1050 SC	CH PA Z1050 DC	CH PA Z1050 MC	CH PA Z1050 KC



Drain dimensions					
L	650 mm	750 mm	850 mm	950 mm	1050 mm
L1	715 mm	815 mm	915 mm	1015 mm	1115 mm
Weight	2,59 kg	2,86 kg	3,05 kg	3,39 kg	3,63 kg





Linear floor drain - LINE Black

Linear floor drain D40 Black

side outlet, with plastic frame


flow rate $\approx$ 30-38 l/min, min. installation height: 50 mm



LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH 350 LC	CH 350 HC	CH 350 SC	CH 350 DC	CH 350 MC	CH 350 KC
CH 450 LC	CH 450 HC	CH 450 SC	CH 450 DC	CH 450 MC	CH 450 KC
CH 550 LC	CH 550 HC	CH 550 SC	CH 550 DC	CH 550 MC	CH 550 KC
CH 650 LC	CH 650 HC	CH 650 SC	CH 650 DC	CH 650 MC	CH 650 KC
CH 750 LC	CH 750 HC	CH 750 SC	CH 750 DC	CH 750 MC	CH 750 KC
CH 850 LC	CH 850 HC	CH 850 SC	CH 850 DC	CH 850 MC	CH 850 KC
CH 950 LC	CH 950 HC	CH 950 SC	CH 950 DC	CH 950 MC	CH 950 KC



Drain dimensions							
L	350 mm	450 mm	550 mm	650 mm	750 mm	850 mm	950 mm
L1	415 mm	515 mm	615 mm	715 mm	815 mm	915 mm	1015 mm
L2	–	–	–	595 mm	695 mm	795 mm	795 mm
Weight	1,04 kg	1,19 kg	1,32 kg	1,71 kg	1,85 kg	2,02 kg	2,20 kg



Linear floor drain D40 against the wall Black



side outlet, with plastic frame


flow rate $\approx$ 30-38 l/min, min. installation height: 50 mm



LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH 350 LC 2	CH 350 HC 2	CH 350 SC 2	CH 350 DC 2	CH 350 MC 2	CH 350 KC 2
CH 450 LC 2	CH 450 HC 2	CH 450 SC 2	CH 450 DC 2	CH 450 MC 2	CH 450 KC 2
CH 650 LC 2	CH 650 HC 2	CH 650 SC 2	CH 650 DC 2	CH 650 MC 2	CH 650 KC 2
CH 750 LC 2	CH 750 HC 2	CH 750 SC 2	CH 750 DC 2	CH 750 MC 2	CH 750 KC 2
CH 850 LC 2	CH 850 HC 2	CH 850 SC 2	CH 850 DC 2	CH 850 MC 2	CH 850 KC 2
CH 950 LC 2	CH 950 HC 2	CH 950 SC 2	CH 950 DC 2	CH 950 MC 2	CH 950 KC 2



Drain dimensions						
L	350 mm	450 mm	650 mm	750 mm	850 mm	950 mm
L1	415 mm	515 mm	715 mm	815 mm	915 mm	1015 mm
L2	–	–	595 mm	695 mm	795 mm	795 mm
Weight	1,15 kg	1,30 kg	1,79 kg	1,93 kg	2,14 kg	2,40 kg



Linear floor drain D40 Black

bottom outlet, with plastic frame

flow rate $\approx$ 60-70 l/min, min. installation height: 65 mm




LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH 650/S40 LC	CH 650/S40 HC	CH 650/S40 SC	CH 650/S40 DC	CH 650/S40 MC	CH 650/S40 KC
CH 750/S40 LC	CH 750/S40 HC	CH 750/S40 SC	CH 750/S40 DC	CH 750/S40 MC	CH 750/S40 KC
CH 850/S40 LC	CH 850/S40 HC	CH 850/S40 SC	CH 850/S40 DC	CH 850/S40 MC	CH 850/S40 KC
CH 950/S40 LC	CH 950/S40 HC	CH 950/S40 SC	CH 950/S40 DC	CH 950/S40 MC	CH 950/S40 KC
CH 1050/S40LC	CH 1050/S40 HC	CH 1050/S40 SC	CH 1050/S40 DC	CH 1050/S40 MC	CH 1050/S40 KC



Self-adhesive waterproofing membrane 1000 x 80 mm also included

Drain dimensions					
L	650 mm	750 mm	850 mm	950 mm	1050 mm
L1	715 mm	815 mm	915 mm	1015 mm	1115 mm
L2	495 mm	595 mm	695 mm	795 mm	895 mm
Weight	1,75 kg	1,86 kg	2,14 kg	2,32 kg	2,45 kg



Linear floor drain D50 Black

side outlet, with plastic frame

flow rate $\approx$ 44-52 l/min, min. installation height: 65 mm




LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH 650/50 LC	CH 650/50 HC	CH 650/50 SC	CH 650/50 DC	CH 650/50 MC	CH 650/50 KC
CH 750/50 LC	CH 750/50 HC	CH 750/50 SC	CH 750/50 DC	CH 750/50 MC	CH 750/50 KC
CH 850/50 LC	CH 850/50 HC	CH 850/50 SC	CH 850/50 DC	CH 850/50 MC	CH 850/50 KC
CH 950/50 LC	CH 950/50 HC	CH 950/50 SC	CH 950/50 DC	CH 950/50 MC	CH 950/50 KC
CH 1050/50 LC	CH 1050/50 HC	CH 1050/50 SC	CH 1050/50 DC	CH 1050/50 MC	CH 1050/50 KC



Self-adhesive waterproofing membrane 1000 x 80 mm also included

Drain dimensions					
L	650 mm	750 mm	850 mm	950 mm	1050 mm
L1	715 mm	815 mm	915 mm	1015 mm	1115 mm
L2	495 mm	595 mm	695 mm	795 mm	895 mm
Weight	1,76 kg	1,89 kg	2,17 kg	2,33 kg	2,46 kg




Linear floor drain D50 Black

with plastic frame and swivel siphon


flow rate $\approx$ 46-52 l/min, min. installation height: 75 mm



LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH PA 650 LC	CH PA 650 HC	CH PA 650 SC	CH PA 650 DC	CH PA 650 MC	CH PA 650 KC
CH PA 750 LC	CH PA 750 HC	CH PA 750 SC	CH PA 750 DC	CH PA 750 MC	CH PA 750 KC
CH PA 850 LC	CH PA 850 HC	CH PA 850 SC	CH PA 850 DC	CH PA 850 MC	CH PA 850 KC
CH PA 950 LC	CH PA 950 HC	CH PA 950 SC	CH PA 950 DC	CH PA 950 MC	CH PA 950 KC
CH PA 1050 LC	CH PA 1050 HC	CH PA 1050 SC	CH PA 1050 DC	CH PA 1050 MC	CH PA 1050 KC



Drain dimensions					
L	650 mm	750 mm	850 mm	950 mm	1050 mm
L1	715 mm	815 mm	915 mm	1015 mm	1115 mm
L3	840 mm	940 mm	1040 mm	1140 mm	1240 mm
Weight	3,05 kg	3,38 kg	3,63 kg	4,03 kg	4,33 kg






Linear floor drain - MEDIUM Black



Thanks to advanced technology, Aquarius protects your bathroom from unwanted water leaks. The drain body is pressed as one piece. The waterproofing membrane is hermetically bonded during manufacture.

- ☑ DIN 1.4401 (AISI 316) stainless steel
- ☑ Easy disassembly for siphon cleaning
- ☑ No limit on tile height
- ☑ Load class K3 – 300 kg

AQUARIUS STAINLESS STEEL LINEAR DRAINS



SIPHON D40

Aquarius stainless steel linear drain D40

side outlet, with waterproofing membrane and siphon


flow rate $\approx$ 30-34 l/min, min. installation height: 62 mm

ALU rail for bonding tiles / glass		ALU rail + 1.5 mm SS strip	
	CH N 7001 CH N 8001 CH N 9001		CH N 7005 CH N 8005 CH N 9005



Polystyrene drain support also included

Drain dimensions				
L		700 mm	800 mm	900 mm
L1		735 mm	835 mm	936 mm
L2		1000 mm	1100 mm	1200 mm
Weight [1 pc]	ALU rail	1,58 kg	1,71 kg	1,85 kg
Weight [1 pc]	ALU rail + SS strip	1,99 kg	2,17 kg	2,36 kg



Aquarius stainless steel linear drain D40

side outlet, without waterproofing membrane and with siphon

flow rate $\approx$ 30-34 l/min, min. installation height: 62 mm





ALU rail for bonding tiles / glass		ALU rail + 1.5 mm SS strip	
	CH N 7002 CH N 8002 CH N 9002		CH N 7006 CH N 8006 CH N 9006



Polystyrene drain support also included

Drain dimensions				
L		700 mm	800 mm	900 mm
L1		800 mm	900 mm	1000 mm
Weight [1 pc]	ALU rail	1,97 kg	2,17 kg	2,63 kg
Weight [1 pc]	ALU rail + SS strip	2,38 kg	2,63 kg	2,87 kg



Aquarius stainless steel linear drain D50

with waterproofing membrane and swivel siphon

flow rate $\approx$ 46-50 l/min, min. installation height: 70 mm

ALU rail for bonding tiles / glass



CH N 7003

CH N 8003

CH N 9003

ALU rail + 1.5 mm SS strip



CH N 7007

CH N 8007

CH N 9007




Polystyrene drain
support also included



360°

Drain dimensions

L		700 mm	800 mm	900 mm
L1		735 mm	835 mm	936 mm
L2		1000 mm	1100 mm	1200 mm
Weight [1 pc]	ALU rail	1,78 kg	1,94 kg	2,10 kg
Weight [1 pc]	ALU rail + SS strip	2,19 kg	2,40 kg	2,58 kg



Aquarius stainless steel linear drain D50

without waterproofing membrane and with swivel siphon

flow rate $\approx$ 46-50 l/min, min. installation height: 70 mm



ALU rail for bonding tiles / glass



CH N 7004

CH N 8004

CH N 9004

ALU rail + 1.5 mm SS strip



CH N 7008

CH N 8008


CH N 9008



Polystyrene drain
support also included

Drain dimensions

L		700 mm	800 mm	900 mm
L1		800 mm	900 mm	1000 mm
Weight [1 pc]	ALU rail	2,17 kg	2,40 kg	2,58 kg
Weight [1 pc]	ALU rail + SS strip	2,58 kg	2,85 kg	3,10 kg






Stainless steel linear drain - HARMONY matt

Stainless steel linear drains



Stainless steel linear drains are now also available with an integrated waterproofing membrane. The drain body and grate are made of high-quality DIN 1.4301 (AISI 304) stainless steel.

The drain features a swivel anti-odour siphon D50, a debris strainer and height-adjustable legs. Load class K3 – 300 kg. The KLASIK/FLOOR grate allows a tile to be inserted and is therefore reversible.




- 1 Stainless steel grate, 1.5 mm
- 2 Grate support
- 3 Stainless steel debris strainer
- 4 Integrated WP membrane
- 5 Height-adjustable drain support
- 6 HT seal
- 7 Height-adjustable extension
- 8 Seal
- 9 Swivel siphon D50

Stainless steel linear drain D50


with waterproofing membrane and swivel siphon





flow rate $\approx$ 42-48 l/min, min. installation height: 59 mm



LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH NA Z650 L (L 1)	CH NA Z650 H (H 1)	CH NA Z650 S (S 1)	CH NA Z650 D (D 1)	CH NA Z650 M (M 1)	CH NA Z650 K (K 1)
CH NA Z750 L (L 1)	CH NA Z750 H (H 1)	CH NA Z750 S (S 1)	CH NA Z750 D (D 1)	CH NA Z750 M (M 1)	CH NA Z750 K (K 1)
CH NA Z850 L (L 1)	CH NA Z850 H (H 1)	CH NA Z850 S (S 1)	CH NA Z850 D (D 1)	CH NA Z850 M (M 1)	CH NA Z850 K (K 1)
CH NA Z950 L (L 1)	CH NA Z950 H (H 1)	CH NA Z950 S (S 1)	CH NA Z950 D (D 1)	CH NA Z950 M (M 1)	CH NA Z950 K (K 1)
CH NA Z1050 L (L 1)	CH NA Z1050 H (H 1)	CH NA Z1050 S (S 1)	CH NA Z1050 D (D 1)	CH NA Z1050 M (M 1)	CH NA Z1050 K (K 1)
CH NA Z1200 L (L 1)	CH NA Z1200 H (H 1)	CH NA Z1200 S (S 1)	CH NA Z1200 D (D 1)	CH NA Z1200 M (M 1)	CH NA Z1200 K (K 1)
L-gloss • L 1-matt	H-gloss • H 1-matt	S-gloss • S 1-matt	D-gloss • D 1-matt	M-gloss • M 1-matt	K-gloss • K 1-matt



Drain dimensions						
L	650 mm	750 mm	850 mm	950 mm	1050 mm	1200 mm
L1	700 mm	800 mm	900 mm	1000 mm	1100 mm	1250 mm
L2	595 mm	695 mm	795 mm	895 mm	995 mm	1145 mm
L3	840 mm	940 mm	1040 mm	1140 mm	1240 mm	1390 mm
Weight	2,59 kg	2,86 kg	3,05 kg	3,39 kg	3,63 kg	4,12 kg



Stainless steel linear drain D50

with waterproofing membrane and height-adjustable swivel siphon

flow rate $\approx 42-48$ l/min, min. installation height: 64 mm



LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH N Z650 L (L 1)	CH N Z650 H (H 1)	CH N Z650 S (S 1)	CH N Z650 D (D 1)	CH N Z650 M (M 1)	CH N Z650 K (K 1)
CH N Z750 L (L 1)	CH N Z750 H (H 1)	CH N Z750 S (S 1)	CH N Z750 D (D 1)	CH N Z750 M (M 1)	CH N Z750 K (K 1)
CH N Z850 L (L 1)	CH N Z850 H (H 1)	CH N Z850 S (S 1)	CH N Z850 D (D 1)	CH N Z850 M (M 1)	CH N Z850 K (K 1)
CH N Z950 L (L 1)	CH N Z950 H (H 1)	CH N Z950 S (S 1)	CH N Z950 D (D 1)	CH N Z950 M (M 1)	CH N Z950 K (K 1)
CH N Z1050 L (L 1)	CH N Z1050 H (H 1)	CH N Z1050 S (S 1)	CH N Z1050 D (D 1)	CH N Z1050 M (M 1)	CH N Z1050 K (K 1)
CH N Z1200 L (L 1)	CH N Z1200 H (H 1)	CH N Z1200 S (S 1)	CH N Z1200 D (D 1)	CH N Z1200 M (M 1)	CH N Z1200 K (K 1)

L-gloss • L 1-matt


H-gloss • H 1-matt

S-gloss • S 1-matt

D-gloss • D 1-matt



M-gloss • M 1-matt

K-gloss • K 1-matt



Drain dimensions

L	650 mm	750 mm	850 mm	950 mm	1050 mm	1200 mm
L1	700 mm	800 mm	900 mm	1000 mm	1100 mm	1250 mm
L2	595 mm	695 mm	795 mm	895 mm	995 mm	1145 mm
L3	840 mm	940 mm	1040 mm	1140 mm	1240 mm	1390 mm
Weight	2,59 kg	2,86 kg	3,05 kg	3,39 kg	3,63 kg	4,12 kg




Stainless steel linear drain D50




with swivel siphon

flow rate $\approx$ 42-48 l/min, min. installation height: 59 mm






LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH NA 650 L (L 1)	CH NA 650 H (H 1)	CH NA 650 S (S 1)	CH NA 650 D (D 1)	CH NA 650 M (M 1)	CH NA 650 K (K 1)
CH NA 750 L (L 1)	CH NA 750 H (H 1)	CH NA 750 S (S 1)	CH NA 750 D (D 1)	CH NA 750 M (M 1)	CH NA 750 K (K 1)
CH NA 850 L (L 1)	CH NA 850 H (H 1)	CH NA 850 S (S 1)	CH NA 850 D (D 1)	CH NA 850 M (M 1)	CH NA 850 K (K 1)
CH NA 950 L (L 1)	CH NA 950 H (H 1)	CH NA 950 S (S 1)	CH NA 950 D (D 1)	CH NA 950 M (M 1)	CH NA 950 K (K 1)
CH NA 1050 L (L 1)	CH NA 1050 H (H 1)	CH NA 1050 S (S 1)	CH NA 1050 D (D 1)	CH NA 1050 M (M 1)	CH NA 1050 K (K 1)
CH NA 1200 L (L 1)	CH NA 1200 H (H 1)	CH NA 1200 S (S 1)	CH NA 1200 D (D 1)	CH NA 1200 M (M 1)	CH NA 1200 K (K 1)
L-gloss • L 1-matt	H-gloss • H 1-matt	S-gloss • S 1-matt	D-gloss • D 1-matt	M-gloss • M 1-matt	K-gloss • K 1-matt



Self-adhesive waterproofing membrane 1000 x 80 mm also included

Drain dimensions

L	650 mm	750 mm	850 mm	950 mm	1050 mm	1200 mm
L1	700 mm	800 mm	900 mm	1000 mm	1100 mm	1250 mm
L2	595 mm	695 mm	795 mm	895 mm	995 mm	1145 mm
Weight	2,54 kg	2,80 kg	2,98 kg	3,32 kg	3,55 kg	4,03 kg



Stainless steel linear drain D50




with height-adjustable swivel siphon

flow rate $\approx$ 42-48 l/min, min. installation height: 64 mm





LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH N 650 L (L 1)	CH N 650 H (H 1)	CH N 650 S (S 1)	CH N 650 D (D 1)	CH N 650 M (M 1)	CH N 650 K (K 1)
CH N 750 L (L 1)	CH N 750 H (H 1)	CH N 750 S (S 1)	CH N 750 D (D 1)	CH N 750 M (M 1)	CH N 750 K (K 1)
CH N 850 L (L 1)	CH N 850 H (H 1)	CH N 850 S (S 1)	CH N 850 D (D 1)	CH N 850 M (M 1)	CH N 850 K (K 1)
CH N 950 L (L 1)	CH N 950 H (H 1)	CH N 950 S (S 1)	CH N 950 D (D 1)	CH N 950 M (M 1)	CH N 950 K (K 1)
CH N 1050 L (L 1)	CH N 1050 H (H 1)	CH N 1050 S (S 1)	CH N 1050 D (D 1)	CH N 1050 M (M 1)	CH N 1050 K (K 1)
CH N 1200 L (L 1)	CH N 1200 H (H 1)	CH N 1200 S (S 1)	CH N 1200 D (D 1)	CH N 1200 M (M 1)	CH N 1200 K (K 1)
L-gloss • L 1-matt	H-gloss • H 1-matt	S-gloss • S 1-matt	D-gloss • D 1-matt	M-gloss • M 1-matt	K-gloss • K 1-matt



Self-adhesive waterproofing membrane 1000 × 80 mm also included

Drain dimensions


L	650 mm	750 mm	850 mm	950 mm	1050 mm	1200 mm
L1	700 mm	800 mm	900 mm	1000 mm	1100 mm	1250 mm
L2	595 mm	695 mm	795 mm	895 mm	995 mm	1145 mm
Weight	2,54 kg	2,80 kg	2,98 kg	3,32 kg	3,55 kg	4,03 kg



STAINLESS STEEL LINEAR DRAIN FOR VINYL FLOORING

NEW

This stainless steel linear drain is designed to drain showers, bathrooms and other wet areas with vinyl or PVC flooring. Its design provides a secure mechanical and watertight connection between the flooring and the drain body. The frame is screwed to the drain body, securing the vinyl flooring evenly and firmly around the entire perimeter. This creates a strong, stable connection and prevents leaks at the drainage point.



The drain body and grate are made of high-quality DIN 1.4301 (AISI 304) stainless steel. The drain features a swivel anti-odour siphon D50, a stainless steel debris strainer and height-adjustable stainless steel legs. The construction includes a designated grounding point for safe grounding and electrical potential equalization. Load class K3 – 300 kg.

Applications:

- Barrier-free showers and sanitary facilities
- Hospitals, healthcare facilities and care homes
- Student accommodation, hotels, wellness centres and sports facilities
- Commercial and industrial facilities requiring hygienic PVC or vinyl flooring

1 Stainless steel grate, 1.5 mm

2 Grate support

3 Stainless steel debris strainer

4 Stainless steel frame for securing vinyl flooring

5 Vinyl flooring

6 Adhesive

7 Stainless steel drain body

8 Height-adjustable drain support

9 Swivel siphon D50


10 Concrete

Stainless steel linear drain for vinyl flooring D50



with swivel siphon

flow rate $\approx$ 42-48 l/min, min. installation height: 82 mm



LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
CH NV 650 L (L 1)	CH NV 650 H (H 1)	CH NV 650 S (S 1)	CH NV 650 D (D 1)	CH NV 650 M (M 1)	CH NV 650 K (K 1)
CH NV 750 L (L 1)	CH NV 750 H (H 1)	CH NV 750 S (S 1)	CH NV 750 D (D 1)	CH NV 750 M (M 1)	CH NV 750 K (K 1)
CH NV 850 L (L 1)	CH NV 850 H (H 1)	CH NV 850 S (S 1)	CH NV 850 D (D 1)	CH NV 850 M (M 1)	CH NV 850 K (K 1)

L-gloss • L 1-matt


H-gloss • H 1-matt

S-gloss • S 1-matt


D-gloss • D 1-matt

M-gloss • M 1-matt

K-gloss • K 1-matt




Drain dimensions			
L	666 mm	766 mm	866 mm
L1	726 mm	826 mm	926 mm
L2	595 mm	695 mm	795 mm
Weight	3,57 kg	3,96 kg	4,34 kg



Spare parts




Linear drain D40 with waterproofing, without grate




Dimension L [mm]	Order no. grey	Order no. black
350	CH Z350/1	CH Z350/1 C
450	CH Z450/1	CH Z450/1 C
550	CH Z550/1	CH Z550/1 C
650	CH Z650/1	CH Z650/1 C
750	CH Z750/1	CH Z750/1 C
850	CH Z850/1	CH Z850/1 C
950	CH Z950/1	CH Z950/1 C

Linear drain D40 with SS frame and waterproofing, without grate




Dimension L [mm]	Order no.
350	CH Z350/1 N
450	CH Z450/1 N
550	CH Z550/1 N
650	CH Z650/1 N
750	CH Z750/1 N
850	CH Z850/1 N
950	CH Z950/1 N

Linear drain D40 against the wall with waterproofing, without grate



Dimension L [mm]	Order no. grey	Order no. black
350	CH Z350/2	CH Z350/2 C
450	CH Z450/2	CH Z450/2 C
650	CH Z650/2	CH Z650/2 C
750	CH Z750/2	CH Z750/2 C
850	CH Z850/2	CH Z850/2 C
950	CH Z950/2	CH Z950/2 C

Linear drain D40 against the wall with SS frame and waterproofing, without grate



Dimension L [mm]	Order no.
350	CH Z350/2 N
450	CH Z450/2 N
650	CH Z650/2 N
750	CH Z750/2 N
850	CH Z850/2 N
950	CH Z950/2 N

Linear drain D40 with bottom outlet and waterproofing, without grate




Dimension L [mm]	Order no. grey	Order no. black
650	CH Z650/S40	CH Z650/S40 C
750	CH Z750/S40	CH Z750/S40 C
850	CH Z850/S40	CH Z850/S40 C
950	CH Z950/S40	CH Z950/S40 C
1050	CH Z1050/S40	CH Z1050/S40 C

Linear drain D40 with bottom outlet, SS frame and waterproofing, without grate




Dimension L [mm]	Order no.
650	CH Z650/S40 N
750	CH Z750/S40 N
850	CH Z850/S40 N
950	CH Z950/S40 N
1050	CH Z1050/S40 N

Linear drain D50 with waterproofing, without grate



Dimension L [mm]	Order no. grey	Order no. black
650	CH Z650/50	CH Z650/50 C
750	CH Z750/50	CH Z750/50 C
850	CH Z850/50	CH Z850/50 C
950	CH Z950/50	CH Z950/50 C
1050	CH Z1050/50	CH Z1050/50 C

Linear drain D50 with SS frame and waterproofing, without grate



Dimension L [mm]	Order no.
650	CH Z650/50 N
750	CH Z750/50 N
850	CH Z850/50 N
950	CH Z950/50 N
1050	CH Z1050/50 N

Spare parts

Linear drain D40 without grate



Dimension L [mm]	Order no. grey	Order no. black
350	CH 350/1	CH 350/1 C
450	CH 450/1	CH 450/1 C
550	CH 550/1	CH 550/1 C
650	CH 650/1	CH 650/1 C
750	CH 750/1	CH 750/1 C
850	CH 850/1	CH 850/1 C
950	CH 950/1	CH 950/1 C

Linear drain D40 with SS frame, without grate



Dimension L [mm]	Order no.
350	CH 350/1 N
450	CH 450/1 N
550	CH 550/1 N
650	CH 650/1 N
750	CH 750/1 N
850	CH 850/1 N
950	CH 950/1 N

Linear drain D40 against the wall, without grate



Dimension L [mm]	Order no. grey	Order no. black
350	CH 350/2	CH 350/2 C
450	CH 450/2	CH 450/2 C
650	CH 650/2	CH 650/2 C
750	CH 750/2	CH 750/2 C
850	CH 850/2	CH 850/2 C
950	CH 950/2	CH 950/2 C

Linear drain D40 against the wall with SS frame, without grate



Dimension L [mm]	Order no.
350	CH 350/2 N
450	CH 450/2 N
650	CH 650/2 N
750	CH 750/2 N
850	CH 850/2 N
950	CH 950/2 N

Linear drain D40 with bottom outlet, without grate



Dimension L [mm]	Order no. grey	Order no. black
650	CH 650/S40	CH 650/S40 C
750	CH 750/S40	CH 750/S40 C
850	CH 850/S40	CH 850/S40 C
950	CH 950/S40	CH 950/S40 C
1050	CH 1050/S40	CH 1050/S40 C

Linear drain D40 with bottom outlet and SS frame, without grate



Dimension L [mm]	Order no.
650	CH 650/S40 N
750	CH 750/S40 N
850	CH 850/S40 N
950	CH 950/S40 N
1050	CH 1050/S40 N

Linear drain D50 without grate



Dimension L [mm]	Order no. grey	Order no. black
650	CH 650/50	CH 650/50 C
750	CH 750/50	CH 750/50 C
850	CH 850/50	CH 850/50 C
950	CH 950/50	CH 950/50 C
1050	CH 1050/50	CH 1050/50 C

Linear drain D50 with SS frame, without grate




Dimension L [mm]	Order no.
650	CH 650/50 N
750	CH 750/50 N
850	CH 850/50 N
950	CH 950/50 N
1050	CH 1050/50 N

Spare parts



Linear drain D50 with bottom outlet and waterproofing, without grate or siphon



Dimension L [mm]	Order no. grey	Order no. black
650	P Z65	P Z65 C
750	P Z75	P Z75 C
850	P Z85	P Z85 C
950	P Z95	P Z95 C
1050	P Z105	P Z105 C

Linear drain D50 with bottom outlet, SS frame and waterproofing, without grate or siphon



Dimension L [mm]	Order no.
650	P Z65 N
750	P Z75 N
850	P Z85 N
950	P Z95 N
1050	P Z105 N

Linear drain D50 with bottom outlet, without grate or siphon



Dimension L [mm]	Order no. grey	Order no. black
650	P 65	P 65 C
750	P 75	P 75 C
850	P 85	P 85 C
950	P 95	P 95 C
1050	P 105	P 105 C

Linear drain D50 with bottom outlet and SS frame, without grate or siphon



Dimension L [mm]	Order no.
650	P 65 N
750	P 75 N
850	P 85 N
950	P 95 N
1050	P 105 N

Aquarius SS linear drain with ALU rail and waterproofing, without siphon



Dimension L [mm]	Order no.
700	3028
800	3029
900	3030

Aquarius SS linear drain with ALU rail, without siphon



Dimension L [mm]	Order no.
700	3025
800	3026
900	3027

ALU rail for Aquarius drain, incl. four adjustable supports



Dimension L [mm]	Order no.
700	3005
800	3006
900	3007

1.5 mm SS strip for bonding to the ALU rail



Dimension L [mm]	Order no.
700	3013
800	3014
900	3015

Swivel siphon D50 with silicone membrane




Order no.
3002

Height-adjustable swivel siphon D50



Order no.
804/4



SS grates	LINE	HARMONY	SQUARE	DROPS	MEDIUM	KLASIK/FLOOR
350 mm gloss	L 350	H 350	S 350	D 350	M 350	K 350
350 mm matt	L 350 1	H 350 1	S 350 1	D 350 1	M 350 1	K 350 1
350 mm black	L 350 C	H 350 C	S 350 C	D 350 C	M 350 C	K 350 C
450 mm gloss	L 450	H 450	S 450	D 450	M 450	K 450
450 mm matt	L 450 1	H 450 1	S 450 1	D 450 1	M 450 1	K 450 1
450 mm black	L 450 C	H 450 C	S 450 C	D 450 C	M 450 C	K 450 C
550 mm gloss	L 550	H 550	S 550	D 550	M 550	K 550
550 mm matt	L 550 1	H 550 1	S 550 1	D 550 1	M 550 1	K 550 1
550 mm black	L 550 C	H 550 C	S 550 C	D 550 C	M 550 C	K 550 C
650 mm gloss	L 650	H 650	S 650	D 650	M 650	K 650
650 mm matt	L 650 1	H 650 1	S 650 1	D 650 1	M 650 1	K 650 1
650 mm black	L 650 C	H 650 C	S 650 C	D 650 C	M 650 C	K 650 C
750 mm gloss	L 750	H 750	S 750	D 750	M 750	K 750
750 mm matt	L 750 1	H 750 1	S 750 1	D 750 1	M 750 1	K 750 1
750 mm black	L 750 C	H 750 C	S 750 C	D 750 C	M 750 C	K 750 C
850 mm gloss	L 850	H 850	S 850	D 850	M 850	K 850
850 mm matt	L 850 1	H 850 1	S 850 1	D 850 1	M 850 1	K 850 1
850 mm black	L 850 C	H 850 C	S 850 C	D 850 C	M 850 C	K 850 C
950 mm gloss	L 950	H 950	S 950	D 950	M 950	K 950
950 mm matt	L 950 1	H 950 1	S 950 1	D 950 1	M 950 1	K 950 1
950 mm black	L 950 C	H 950 C	S 950 C	D 950 C	M 950 C	K 950 C
1050 mm gloss	L 1050	H 1050	S 1050	D 1050	M 1050	K 1050
1050 mm matt	L 1050 1	H 1050 1	S 1050 1	D 1050 1	M 1050 1	K 1050 1
1050 mm black	L 1050 C	H 1050 C	S 1050 C	D 1050 C	M 1050 C	K 1050 C
1200 mm gloss	L 1200	H 1200	S 1200	D 1200	M 1200	K 1200
1200 mm matt	L 1200 1	H 1200 1	S 1200 1	D 1200 1	M 1200 1	K 1200 1



Also available in these finishes:
gold • bronze • gunmetal • oak



Order example:

LINE 850 mm matt gold – L 850 1 ZL; HARMONY 350 mm oak – H 350 OAK; SQUARE 1050 mm gloss gunmetal – S 1050 GM; DROPS 750 mm gloss gold – D 750 ZL; MEDIUM 450 mm matt bronze – M 450 1 BR; KLASIK/FLOOR 550 mm oak – K 550 OAK

Spare parts



SLIM LINE grate	500 mm	600 mm	700 mm	800 mm	900 mm	1000 mm	1100 mm	1200 mm
SLIM LINE	CH 605	CH 606	CH 607	CH 608	CH 609	CH 610	CH 611	CH 612
SLIM LINE Premium	CH 605 P	CH 606 P	CH 607 P	CH 608 P	CH 609 P	CH 610 P	CH 611 P	CH 612 P
SLIM LINE Black	CH 605 C	CH 606 C	CH 607 C	CH 608 C	CH 609 C	CH 610 C	CH 611 C	CH 612 C
SLIM LINE Premium Black	CH 605 PC	CH 606 PC	CH 607 PC	CH 608 PC	CH 609 PC	CH 610 PC	CH 611 PC	CH 612 PC



Also available in these finishes:
gold • bronze • gunmetal • oak



Order example:

SLIM LINE 500 mm gold - CH 605 ZL; SLIM LINE Premium 700 mm bronze - CH 607 P BR;
SLIM LINE Premium 900 mm gunmetal - CH 609 P GM; SLIM LINE 1200 mm oak - CH 612 OAK




Debris strainer	Order no.
For stainless steel drain	CH 460
For plastic drain	CH 460 A
For plastic drain – black	CH 460 AC
Stainless steel strainer	CH 460 N

Debris strainer	Order no.
D40 drain strainer	CH 468
D50 drain strainer	CH 469
D40 Black drain strainer	CH 468 C
D50 Black drain strainer	CH 469 C
SLIM LINE drain strainer	CH 601
SLIM LINE Black drain strainer	CH 601 C



Siphon cover	Order no.
Grey	CH 430
Black	CH 430 C

Anti-odour flap	Order no.
Grey	CH 432
Black	CH 432 C



Height-adjustable drain support	Order no.
47 mm	CH 433
62 mm	CH 433/1
For stainless steel drain	3038

Height-adjustable Slim Line frame support, 0–8 mm	Order no.
Grey	CH 602
Black	CH 602 C

Height-adjustable Slim Line drain support



Height-adjustable Aquarius ALU rail support, 0–4 mm



Pad for Aquarius ALU rail support, 5 mm



Order no.
CH 604

Order no.
3008

Order no.
3009

Spare parts



Grate support for stainless steel drain	Order no.
LINE	CH 463
HARMONY	CH 463
SQUARE	CH 463
DROPS	CH 463
MEDIUM	CH 463
KLASIK	CH 462
FLOOR	CH 461



Grate support for plastic drain	Order no. gray	Order no. black
LINE	CH 463/1	CH 463/1 C
HARMONY	CH 463/1	CH 463/1 C
SQUARE	CH 463/1	CH 463/1 C
DROPS	CH 463/1	CH 463/1 C
MEDIUM	CH 463/1	CH 463/1 C
KLASIK	CH 462/1	CH 462/1 C
FLOOR	CH 462/1	CH 462/1 C



Self-adhesive waterproofing membrane, 1000 × 80 mm
391/7



KLASIK sealing tape, 120 mm × 10 m
391/8



HT seal D50
9810



O-ring	
For siphon cover	CH 431
For extension	CH 388/2



Reducer 40/50
CH 434



Grate removal tool
Plastic
Stainless steel



SLIM LINE grate support	
SLIM LINE grate support	CH 602/1
SLIM LINE Black grate support	CH 602/1 C



Extension D50/100
CH 465

Sales support



A: 192x60x53 cm



B: 120x80 cm



C: 192x60x53 cm



D: 43x18 cm



E: 43x18x20 cm



F: 75x50 cm



G: 43x26 cm



More information at www.chudej.eu

Are you a designer or an architect?


BIM PROJECT

"Building Information Modeling" (BIM) offers much more than just a 3D model of a building. It is a methodology for creating building projects that plays an indispensable role in modern design. For a BIM model to be fully usable, it must contain information about all the elements used.

CHUDĚJ, s.r.o. offers more than 1,500 products from its portfolio prepared for BIM within the bimproject.cloud service. Our BIM library includes models of products such as street drains, linear floor drains, floor and roof drains, and exterior drainage channels.



More information at www.chudej.eu



Contacts

Company owner:

Miroslav Chuděj
Phone: +420 571 757 730
E-mail: chudej@chudej.cz

Export director:

Ing. Karel Háek
Phone: +420 723 126 125
Phone: +420 774 557 994
E-mail: export@chudej.cz

Assistant of export director:

Mgr. Adéla Hlaváčková
Phone: +420 571 757 745
Phone: +420 737 537 430
E-mail: trade@chudej.cz

Assistant of export director:

Bc. Aneta Chudějová
Phone: +420 571 757 745
Phone: +420 702 281 770
E-mail: trade@chudej.cz

Manager for Western Balkan:

Bekim Hasani
Phone: +386 49 112 080
Phone: +383 49 112 080
E-mail: bh@chudej.cz

Financial department:

Irena Janků
E-mail: janku@chudej.cz

09/2026

CHUDĚJ s.r.o.

Hutisko 310
756 62 Hutisko-Solanec
Czech Republic

Phone: +420 723 126 125 • +420 571 757 745

E-mail: export@chudej.cz

www.chudej.eu



Czech manufacturer

